

**ashika**<sup>®</sup>

# CLASSIC CAR



**ALFA ROMEO GIULIA - SPIDER**  
**CITROEN 2CV - DS**  
**FIAT 124 - 126 - 500 - 600**  
**PORSCHE 911**  
**RENAULT 4**



[www.ashika.eu](http://www.ashika.eu)

## FC-011JM

105640406001



Filter Type:Filter Insert  
 Supplementary Article/Supplementary  
 Info:with seal  
 Height [mm]:71,5  
 Inner Diameter [mm]:19  
 Outer Diameter [mm]:85  
 Outer Diameter 1 [mm]:88  
 Inner Diameter 1 [mm]:18

## B049

116 61 05 358 00



Technical Information Number:HKT  
 Overall Length [mm]:74  
 Length 1 [mm]:32  
 Length 2 [mm]:29  
 Diameter [mm]:6,1  
 Voltage [V]:11

## B081

4393814



Technical Information Number:HKT  
 Overall Length [mm]:71  
 Length 1 [mm]:32  
 Length 2 [mm]:24  
 Diameter [mm]:6,1  
 Voltage [V]:11

## BO-0237JM

1 357 296



Voltage [V]:12  
 Number of Poles:2

## BP6ES

46481378



Technical Information Number:NGK

## BPR6E

4249164



Technical Information Number:NGK

## BPR6E/VL02

4249164



Technical Information Number:NGK

## BPR6EIX

5962.22



Technical Information Number:NGK

## BPR7E/VL19

N01781123



Technical Information Number:NGK  
 Spanner Size:20,6  
 Spark Plug:With resistance

## BPR9EIX

9079320026



Technical Information Number:NGK

## IW20

46481378



Quality:Iridium  
 Technical Information Number:DENSO

## IW22

6051292900



Quality:Iridium  
 Technical Information Number:DENSO

**W20EPR-U****4249164**

Technical Information Number:DENSO

**W22EPR-U****60504563**

Technical Information Number:DENSO

**61-00-0235C****1054826215**

Outer Diameter [mm]:267  
 Height [mm]:64  
 Brake Disc Type:Solid  
 Brake Disc Thickness [mm]:9  
 Minimum Thickness [mm]:7,5  
 Number of Holes:4  
 Centering Diameter [mm]:69,9  
 Tightening Torque [Nm]:98

**55-00-0233****0060516551**


Manufacturer Restriction:ATE  
 Diameter [mm]:160  
 Width [mm]:25  
 Fitting Position:Rear Axle

**50-00-0145****0060713601**

Brake System:ATE  
 Fitting Position:Front Axle  
 Height [mm]:70,2  
 Length [mm]:76,8  
 Thickness [mm]:15  
 WVA Number:20011  
 WVA Number:20068  
 WVA Number:20420

**50-00-0151****0060 727 290**

Brake System:ATE  
 Fitting Position:Rear Axle  
 Height [mm]:53,2  
 Length [mm]:55,7  
 Thickness [mm]:14,8  
 WVA Number:20174  
 WVA Number:20175  
 WVA Number:20641

**50-00-0330****105.06.22.039.01**

Thickness [mm]:15  
 Inspection Tag:R90 Homologated  
 Length [mm]:62  
 Height 1 [mm]:56  
 WVA Number:20034  
 WVA Number:20107  
 For OE number:105062203901  
 Brake System:ATE

**50-00-0943****0060 714 404**

WVA Number:20009  
 Fitting Position:Front Axle  
 For OE number:0060714404  
 Brake System:ATE  
 Width [mm]:56  
 Height [mm]:53  
 Thickness [mm]:15

**51-00-0126****2701647**

Brake System:ATE  
 Fitting Position:Rear Axle  
 Height [mm]:56,3  
 Length [mm]:61,4  
 Thickness [mm]:15  
 WVA Number:20755  
 For OE number:2701647

**30-00-000****1255179**

Filter Type:In-Line Filter  
 Length [mm]:121  
 Outer Diameter [mm]:48  
 Inlet [mm]:8  
 Outlet [mm]:6  
 For OE number:71736104

**FC-301JM****021104653A**

Filter Type:In-Line Filter  
 Length [mm]:97  
 Outer Diameter [mm]:49  
 Diameter 1/ Diameter 2 [mm]:IN/OUT: 8  
 For OE number:532281

**30-03-301****021104653A**

Filter Type:In-Line Filter  
 Length [mm]:97  
 Outer Diameter [mm]:49  
 Diameter 1/ Diameter 2 [mm]:IN/OUT: 8  
 For OE number:532281

**BO-0115JM****12 14 1 266 702**

Number of ports:7

**BO-0237JM****1 357 296**

Voltage [V]:12  
 Number of Poles:2

**BP6ES****46481378**

Technical Information Number:NGK

**BPR7E/VL19****N01781123**

Technical Information Number:NGK  
 Spanner Size:20,6  
 Spark Plug:With resistance

**HA-040**

Length [mm]:400

**IW22****6051292900**

Quality:Iridium  
 Technical Information Number:DENSO

**LPG2****MZ 602 074**

Fuel Type:CNG/LPG  
 Recommended replace interval [km]:60000  
 Spanner Size:20,8 mm  
 Outer Thread [mm]:14,0  
 Spark Plug:Unscrewable SAE connector  
 Spark Plug:Iridium Middle Electrode

**43-U03****9636876680**

Technical Information Number:Universal  
 Overall Length [mm]:315  
 Number of Poles:3  
 Lambda Sensor:Regulating Probe

**05-09-997****46437229**

Operating Mode:Electric  
 Diameter [mm]:38  
 Overall Length [mm]:135  
 Diameter 1/ Diameter 2 [mm]:IN :10 OUT :9  
 Voltage [V]:12  
 Pressure [bar]:3,35

## SA-F40

71805776



Length [mm]:400  
 Technical Information Number:Flat  
 Length [in]:16

## SA-X40C

Length [mm]:400



X40C

## W22EPR-U

60504563



Technical Information Number:DENSO

## CAL135LJM

105262600301



Brake System:ATE  
 Brake Disc Thickness [mm]:9,4  
 Brake Caliper Type:Caliper (2 pistons)  
 Diameter [mm]:38  
 Paired article numbers:CAL135RJM

## CAL135RJM

105262600401



Brake System:ATE  
 Brake Disc Thickness [mm]:9,4  
 Brake Caliper Type:Caliper (2 pistons)  
 Diameter [mm]:38  
 Paired article numbers:CAL135LJM

## CAL444LJM

105412205300



Brake System:ATE  
 Brake Disc Thickness [mm]:12,6  
 Brake Caliper Type:Caliper (2 pistons)  
 Diameter [mm]:48  
 Paired article numbers:CAL444RJM

## CAL444RJM

105412205200



Brake System:ATE  
 Brake Disc Thickness [mm]:12,6  
 Brake Caliper Type:Caliper (2 pistons)  
 Diameter [mm]:48  
 Paired article numbers:CAL444LJM

## 61-00-0235C

1054826215



Outer Diameter [mm]:267  
 Height [mm]:64  
 Brake Disc Type:Solid  
 Brake Disc Thickness [mm]:9  
 Minimum Thickness [mm]:7,5  
 Number of Holes:4  
 Centering Diameter [mm]:69,9  
 Tightening Torque [Nm]:98

## 55-00-0233

0060516551



Manufacturer Restriction:ATE  
 Diameter [mm]:160  
 Width [mm]:25  
 Fitting Position:Rear Axle

## 50-00-0145

0060713601



Brake System:ATE  
 Fitting Position:Front Axle  
 Height [mm]:70,2  
 Length [mm]:76,8  
 Thickness [mm]:15  
 WVA Number:20011  
 WVA Number:20068  
 WVA Number:20420

## 50-00-0151

0060 727 290



Brake System:ATE  
 Fitting Position:Rear Axle  
 Height [mm]:53,2  
 Length [mm]:55,7  
 Thickness [mm]:14,8  
 WVA Number:20174  
 WVA Number:20175  
 WVA Number:20641

## 50-00-0330

105.06.22.039.01



Thickness [mm]:15  
 Inspection Tag:R90 Homologated  
 Length [mm]:62  
 Height 1 [mm]:56  
 WVA Number:20034  
 WVA Number:20107  
 For OE number:105062203901  
 Brake System:ATE

**50-00-0943****0060 714 404**

WVA Number:20009  
 Fitting Position:Front Axle  
 For OE number:0060714404  
 Brake System:ATE  
 Width [mm]:56  
 Height [mm]:53  
 Thickness [mm]:15

**51-00-0126****2701647**

Brake System:ATE  
 Fitting Position:Rear Axle  
 Height [mm]:56,3  
 Length [mm]:61,4  
 Thickness [mm]:15  
 WVA Number:20755  
 For OE number:2701647

**33-00-026****46402982**

026

Pressure [bar]:0,7

**GOM-999****7632025**

999

Height [mm]:75  
 Inner Diameter [mm]:27  
 Inner Diameter 1 [mm]:35  
 Outer Diameter [mm]:85,5

**ZCA5162G**

Fitting Position:Rear Axle  
 Length [mm]:462  
 Outer Diameter [mm]:117  
 Thickness [mm]:12

**B104****12 23 2 248 059**

Technical Information Number:HKT  
 Overall Length [mm]:104,5  
 Length 1 [mm]:46  
 Length 2 [mm]:32  
 Diameter [mm]:5  
 Voltage [V]:11

**B6HS****09482-00338**

Technical Information Number:NGK

**B7HS****9807657740**

Technical Information Number:NGK

**BP6H****999-3409-6911-00**

Technical Information Number:NGK

**BP6HS****59626C**

Technical Information Number:NGK

**BPR6H/VL03****5403277**

Technical Information Number:NGK

**BPR6HS****5403277**

Technical Information Number:NGK

**BPR7HIX****99906-910X9-009**

Technical Information Number:NGK

**IWF20****99906910X9008**

Technical Information Number:DENSO  
 Electrode Gap [mm]:0,8

**W20FPR-U****59626C**

Technical Information Number:DENSO

**W20FSR-U****95605398**

Technical Information Number:DENSO

**60-00-0672C****95599322**


Fitting Position:Front Axle  
 Outer Diameter [mm]:244  
 Brake Disc Type:Solid  
 Brake Disc Thickness [mm]:7  
 Minimum Thickness [mm]:5  
 Number of Holes:6  
 Tightening Torque [Nm]:7,5  
 Surface:Painted

**55-00-0631****AZ451016A**

Fitting Position:Front Axle  
 Diameter [mm]:200  
 Width [mm]:36  
 Brake System:CITROEN

**55-00-0632****95618234**

Fitting Position:Rear Axle  
 Diameter [mm]:180  
 Width [mm]:34  
 Brake System:CITROEN

**50-00-0648****5434279**

Thickness [mm]:13  
 WVA Number:20207  
 Fitting Position:Front Axle  
 Width [mm]:90  
 Height [mm]:38,3  
 For OE number:5434279

**50-00-0660****4AY75516221**

Brake System:CITROEN  
 Fitting Position:Front Axle  
 Height [mm]:30,4  
 Length [mm]:30,4  
 Thickness [mm]:7  
 WVA Number:20285  
 WVA Number:20440  
 For OE number:4AY75516221

**MA-01299****371124MAB**

Fitting Position:Front Axle  
 Shock Absorber Type:Oil Pressure  
 Shock Absorber Mounting Type:Top eye  
 Shock Absorber Mounting Type:Bottom eye  
 Shock Absorber Design:Telescopic Shock Absorber

**B078****0011590001**

Technical Information Number:HKT  
 Overall Length [mm]:69  
 Length 1 [mm]:32  
 Length 2 [mm]:22,5  
 Diameter [mm]:6,1  
 Voltage [V]:11,5

**B081****4393814**

Technical Information Number:HKT  
 Overall Length [mm]:71  
 Length 1 [mm]:32  
 Length 2 [mm]:24  
 Diameter [mm]:6,1  
 Voltage [V]:11

**B093**

Technical Information Number:HKT  
 Overall Length [mm]:67  
 Length 1 [mm]:27  
 Length 2 [mm]:24  
 Diameter [mm]:6,1  
 Voltage [V]:11

**BO-0237JM****1 357 296**

Voltage [V]:12  
 Number of Poles:2

**BP6H****999-3409-6911-00**

Technical Information Number:NGK

**BP6HS****59626C**

Technical Information Number:NGK

**BPR7HIX****99906-910X9-009**

Technical Information Number:NGK

**HA-035**

Length [mm]:350

**IWF20****99906910X9008**

Technical Information Number:DENSO  
 Electrode Gap [mm]:0,8

**PI55****8-94439218-0**

Technical Information Number:HKT  
 Overall Length [mm]:89  
 Length 1 [mm]:47  
 Length 2 [mm]:24  
 Diameter [mm]:5  
 Voltage [V]:5

**SA-F35****71805145**

Length [mm]:350  
 Technical Information Number:Flat  
 Length [in]:14

**SA-X35C**

Length [mm]:350



CITROEN DS

CLASSIC CAR

ashika

55-00-0634

545116A



Fitting Position:Rear Axle  
Diameter [mm]:254  
Width [mm]:36  
Brake System:CITROEN

20-00-016

05014664AA



Length [mm]:332,2  
Width [mm]:132,5  
Height [mm]:41  
Filter Type:Filter Insert  
For OE number:K53006317

30-00-000

1255179



Filter Type:In-Line Filter  
Length [mm]:121  
Outer Diameter [mm]:48  
Inlet [mm]:8  
Outlet [mm]:6  
For OE number:71736104

FC-301JM

021104653A



Filter Type:In-Line Filter  
Length [mm]:97  
Outer Diameter [mm]:49  
Diameter 1/ Diameter 2 [mm]:IN/OUT: 8  
For OE number:532281

30-03-301

021104653A



Filter Type:In-Line Filter  
Length [mm]:97  
Outer Diameter [mm]:49  
Diameter 1/ Diameter 2 [mm]:IN/OUT: 8  
For OE number:532281

FO-279JM

0306483



Filter Type:Screw-on Filter  
Length [mm]:87,2  
Outer Diameter [mm]:76,5  
Fitted Diameter [mm]:71,4  
Inner Thread [mm]:3/4 x 16  
For OE number:90915YZZJ4

10-02-279

0306483



Filter Type:Screw-on Filter  
Length [mm]:87,2  
Outer Diameter [mm]:76,5  
Fitted Diameter [mm]:71,4  
Inner Thread [mm]:3/4 x 16  
For OE number:90915YZZJ4

AL-163JM

4423623



Alternator Charge Current [A]:65  
Voltage [V]:14  
Pulleys:with multi-belt pulley  
Belt Pulley [mm]:62  
Number of Ribs:5  
Clamp:M6,D+

B087

9631658980



Technical Information Number:HKT  
Overall Length [mm]:89  
Length 1 [mm]:46  
Length 2 [mm]:29  
Diameter [mm]:5  
Voltage [V]:11

BO-0237JM

1 357 296



Voltage [V]:12  
Number of Poles:2

BP6ES

46481378



Technical Information Number:NGK

BP7ES

46481378



Technical Information Number:NGK

BPR6ES

59622A



Technical Information Number:NGK

**BPR7E/VL19****N01781123**

Technical Information Number:NGK  
Spanner Size:20,6  
Spark Plug:With resistance

**LPG2****MZ 602 074**

Fuel Type:CNG/LPG  
Recommended replace interval  
[km]:60000  
Spanner Size:20,8 mm  
Outer Thread [mm]:14,0  
Spark Plug:Unscrewable SAE connector  
Spark Plug:Iridium Middle Electrode

**60-00-0248C****16500253**

Outer Diameter [mm]:227  
Height [mm]:45,8  
Brake Disc Type:Solid  
Brake Disc Thickness [mm]:10,8  
Minimum Thickness [mm]:9  
Number of Holes:4  
Fitting Position:Front Axle  
Surface:Painted

**50-00-0249****4 174 992**

Thickness [mm]:17,5  
Length [mm]:109  
Height 1 [mm]:39  
Wear Warning Contact:Not prepared for  
wear indicator  
Brake System:Bendix  
WVA Number:20073  
Fitting Position:Front Axle

**50-00-0286****SE022165087**

Brake System:CITROEN  
Fitting Position:Front Axle  
Height [mm]:39  
Length [mm]:109  
Thickness [mm]:12,5  
WVA Number:20073  
Brake System:Bendix  
For OE number:SE022165087

**51-00-0203****4 173 122**

Thickness [mm]:10  
Length [mm]:109  
Height 1 [mm]:39  
Wear Warning Contact:Not prepared for  
wear indicator  
Brake System:Bendix  
WVA Number:20074  
For OE number:4173122

**MA-00933****4155822**

Fitting Position:Rear Axle  
Shock Absorber System:Twin-Tube  
Shock Absorber Mounting Type:Top eye  
Shock Absorber Mounting Type:Bottom  
eye  
Shock Absorber Type:Gas Pressure  
Shock Absorber Design:Telescopic Shock  
Absorber  
For OE number:21012915402

**MA-00934****4155822**

Fitting Position:Rear Axle  
Shock Absorber Type:Oil Pressure  
Shock Absorber Mounting Type:Top eye  
Shock Absorber Mounting Type:Bottom  
eye  
Shock Absorber Design:Telescopic Shock  
Absorber  
For OE number:21012915402

**FA-0213JM**

**4018014**



Shape:Round  
 Height [mm]:143  
 Outer Diameter [mm]:76  
 Inner Diameter 1 [mm]:42  
 Filter Type:Filter Insert  
 For OE number:4018014

**30-00-000**

**1255179**



Filter Type:In-Line Filter  
 Length [mm]:121  
 Outer Diameter [mm]:48  
 Inlet [mm]:8  
 Outlet [mm]:6  
 For OE number:71736104

**FC-301JM**

**021104653A**



Filter Type:In-Line Filter  
 Length [mm]:97  
 Outer Diameter [mm]:49  
 Diameter 1/ Diameter 2 [mm]:IN/OUT: 8  
 For OE number:532281

**30-03-301**

**021104653A**



Filter Type:In-Line Filter  
 Length [mm]:97  
 Outer Diameter [mm]:49  
 Diameter 1/ Diameter 2 [mm]:IN/OUT: 8  
 For OE number:532281

**154-00-0226**

**4285573**



Length 1/ Length 2 [mm]:2070/285

**92-00-0204**

**5888341**



Supplementary Article/Supplementary Info:With clutch pressure plate  
 Outer Diameter [mm]:160  
 Supplementary Article/Supplementary Info 2:With clutch plate  
 Number of Teeth:20  
 Hub Profile:17,4 x 14,88  
 Supplementary Article/Supplementary Info 2:With releaser

**66-02-0211**

**4193533**



Length [mm]:39,8  
 Weight [g]:81  
 Fitting Position:Front Axle  
 Diameter 1 [mm]:16  
 Supplementary Article/Supplementary Info 2:With bearing(s)

**AL-146JM**

**43231721**



Alternator Charge Current [A]:65  
 Voltage [V]:12  
 Pulleys:with multi-belt pulley  
 Belt Pulley [mm]:58  
 Number of Ribs:5  
 Clamp:M6

**B087**

**9631658980**



Technical Information Number:HKT  
 Overall Length [mm]:89  
 Length 1 [mm]:46  
 Length 2 [mm]:29  
 Diameter [mm]:5  
 Voltage [V]:11

**B104**

**12 23 2 248 059**



Technical Information Number:HKT  
 Overall Length [mm]:104,5  
 Length 1 [mm]:46  
 Length 2 [mm]:32  
 Diameter [mm]:5  
 Voltage [V]:11

**BO-0237JM**

**1 357 296**



Voltage [V]:12  
 Number of Poles:2

**BP6ES**

**46481378**



Technical Information Number:NGK

**BP6H**

**999-3409-6911-00**



Technical Information Number:NGK

**BP7HS**

**00603302211**



Technical Information Number:NGK

**BPR6E**

**4249164**



Technical Information Number:NGK

**BPR6E/VL02**

**4249164**



Technical Information Number:NGK

**BPR6EIX**

**5962.22**



Technical Information Number:NGK

**BPR6ES**

**59622A**



Technical Information Number:NGK

**BPR7HS**

**75 492 437**



Technical Information Number:NGK

**HA-035**

Length [mm]:350



**IGR6A11**

**999-06910-X9-027**



Technical Information Number:NGK

**IW20**

**46481378**



Quality:Iridium  
Technical Information Number:DENSO

**IW22**

**6051292900**



Quality:Iridium  
Technical Information Number:DENSO

**IWF20**

**99906910X9008**



Technical Information Number:DENSO  
Electrode Gap [mm]:0,8

**LPG2**

**MZ 602 074**



Fuel Type:CNG/LPG  
 Recommended replace interval  
 [km]:60000  
 Spanner Size:20,8 mm  
 Outer Thread [mm]:14,0  
 Spark Plug:Unscrewable SAE connector  
 Spark Plug:Iridium Middle Electrode

**SA-F33**



Length [mm]:325  
 Technical Information Number:Flat

**SA-X33C**

Length [mm]:330



**W20EPR-U**

**4249164**



Technical Information Number:DENSO

**W22FPR-U**

**59626C**



Technical Information Number:DENSO

**55-00-0205**

**4352373**



Thickness [mm]:4  
 Width [mm]:31  
 Brake System:Fiat  
 Inner Br. Drum Diam. [mm]:185

**55-00-0234**

**0000004373445**



Manufacturer Restriction:FIAT  
 Diameter [mm]:170  
 Width [mm]:31

**55-00-0247**

**4340810**



Fitting Position:Front Axle  
 Fitting Position:Rear Axle  
 Diameter [mm]:170  
 Width [mm]:31  
 Thickness [mm]:4,5  
 Specification:MAGG. + 05/10  
 Brake System:FIAT

**55-00-0248**

**4340810**



Fitting Position:Front Axle  
 Fitting Position:Rear Axle  
 Diameter [mm]:170  
 Width [mm]:31  
 Thickness [mm]:5  
 Specification:MAGG. +10/10  
 Brake System:FIAT

**55-00-0251**

**4352373**



Width [mm]:31  
 Fitting Position:Front Axle  
 Fitting Position:Rear Axle  
 Diameter [mm]:185  
 Thickness [mm]:4,5  
 Specification:MAGG. + 05/10  
 Brake System:FIAT

**55-00-0252**

**4352373**



Width [mm]:31  
 Diameter [mm]:185  
 Fitting Position:Front Axle  
 Fitting Position:Rear Axle  
 Thickness [mm]:5  
 Specification:MAGG. 10/10  
 Brake System:FIAT

**56-00-0201C**


**4236768**



Fitting Position:Front Axle  
 Fitting Position:Rear Axle  
 Br. Drum outer diameter [mm]:219  
 Max.skimmed drum measure [mm]:186,83  
 Inner Brake Drum Height [mm]:37  
 Total Br. Drum Height [mm]:53,3  
 Number of Holes:4  
 Pitch Circle [mm]:98

**162-00-0291****4059152**

Length 1/ Length 2 [mm]:3500

**165-00-0283****4230244**

Length 1/ Length 2 [mm]:1835/1460

**33-00-026****46402982**

026

Pressure [bar]:0,7

**MA-00655****43171350**

Fitting Position:Rear Axle  
 Shock Absorber Type:Oil Pressure  
 Shock Absorber Mounting Type:Top pin  
 Shock Absorber Design:Telescopic Shock  
 Absorber  
 For OE number:43171350

**MA-00656****43171340**

Fitting Position:Front Axle  
 Shock Absorber Type:Oil Pressure  
 Shock Absorber Mounting Type:Bottom  
 Pin  
 Shock Absorber Design:Telescopic Shock  
 Absorber  
 For OE number:43171340

**FA-0213JM**

**4018014**



Shape:Round  
 Height [mm]:143  
 Outer Diameter [mm]:76  
 Inner Diameter 1 [mm]:42  
 Filter Type:Filter Insert  
 For OE number:4018014

**FC-301JM**

**021104653A**



Filter Type:In-Line Filter  
 Length [mm]:97  
 Outer Diameter [mm]:49  
 Diameter 1/ Diameter 2 [mm]:IN/OUT: 8  
 For OE number:532281

**30-03-301**

**021104653A**



Filter Type:In-Line Filter  
 Length [mm]:97  
 Outer Diameter [mm]:49  
 Diameter 1/ Diameter 2 [mm]:IN/OUT: 8  
 For OE number:532281

**92-00-0204**

**5888341**



Supplementary Article/Supplementary Info:With clutch pressure plate  
 Outer Diameter [mm]:160  
 Supplementary Article/Supplementary Info 2:With clutch plate  
 Number of Teeth:20  
 Hub Profile:17,4 x 14,88  
 Supplementary Article/Supplementary Info 2:With releaser

**B104**

**12 23 2 248 059**



Technical Information Number:HKT  
 Overall Length [mm]:104,5  
 Length 1 [mm]:46  
 Length 2 [mm]:32  
 Diameter [mm]:5  
 Voltage [V]:11

**B6HS**

**09482-00338**



Technical Information Number:NGK

**BO-0237JM**

**1 357 296**



Voltage [V]:12  
 Number of Poles:2

**BP6H**

**999-3409-6911-00**



Technical Information Number:NGK

**BP6HS**

**59626C**



Technical Information Number:NGK

**BPR7HIX**

**99906-910X9-009**



Technical Information Number:NGK

**BPR8HIX**

**90793-20103**



Technical Information Number:NGK

**IWF20**

**99906910X9008**



Technical Information Number:DENSO  
 Electrode Gap [mm]:0,8

**W20FSR-U**

**95605398**



Technical Information Number:DENSO

**131-00-0286**

**4104963**



Fitting Position:Rear  
Length 1/ Length 2 [mm]:2305/700/700

**55-00-0205**

**4352373**



Thickness [mm]:4  
Width [mm]:31  
Brake System:Fiat  
Inner Br. Drum Diam. [mm]:185

**55-00-0234**

**0000004373445**



Manufacturer Restriction:FIAT  
Diameter [mm]:170  
Width [mm]:31

**55-00-0247**

**4340810**



Fitting Position:Front Axle  
Fitting Position:Rear Axle  
Diameter [mm]:170  
Width [mm]:31  
Thickness [mm]:4,5  
Specification:MAGG. + 05/10  
Brake System:FIAT

**55-00-0248**

**4340810**



Fitting Position:Front Axle  
Fitting Position:Rear Axle  
Diameter [mm]:170  
Width [mm]:31  
Thickness [mm]:5  
Specification:MAGG. +10/10  
Brake System:FIAT

**162-00-0291**


**4059152**



Length 1/ Length 2 [mm]:3500

**163-00-02110**

**4109112**



Length 1/ Length 2 [mm]:1370/950

**165-00-0283**

**4230244**



Length 1/ Length 2 [mm]:1835/1460

**MA-00655**

**43171350**



Fitting Position:Rear Axle  
Shock Absorber Type:Oil Pressure  
Shock Absorber Mounting Type:Top pin  
Shock Absorber Design:Telescopic Shock Absorber  
For OE number:43171350

**MA-00656**

**43171340**



Fitting Position:Front Axle  
Shock Absorber Type:Oil Pressure  
Shock Absorber Mounting Type:Bottom Pin  
Shock Absorber Design:Telescopic Shock Absorber  
For OE number:43171340

**FC-301JM****021104653A**

Filter Type:In-Line Filter  
 Length [mm]:97  
 Outer Diameter [mm]:49  
 Diameter 1/ Diameter 2 [mm]:IN/OUT: 8  
 For OE number:532281

**30-03-301****021104653A**

Filter Type:In-Line Filter  
 Length [mm]:97  
 Outer Diameter [mm]:49  
 Diameter 1/ Diameter 2 [mm]:IN/OUT: 8  
 For OE number:532281

**60-00-0248C****16500253**

Outer Diameter [mm]:227  
 Height [mm]:45,8  
 Brake Disc Type:Solid  
 Brake Disc Thickness [mm]:10,8  
 Minimum Thickness [mm]:9  
 Number of Holes:4  
 Fitting Position:Front Axle  
 Surface:Painted

**55-00-0262****5880892**

Fitting Position:Front Axle  
 Fitting Position:Rear Axle  
 Diameter [mm]:185  
 Width [mm]:31  
 Brake System:FIAT

**55-00-0263**

Fitting Position:Front Axle  
 Fitting Position:Rear Axle  
 Diameter [mm]:185  
 Width [mm]:31  
 Brake System:FIAT

**56-00-0201C****4236768**

Fitting Position:Front Axle  
 Fitting Position:Rear Axle  
 Br. Drum outer diameter [mm]:219  
 Max.skimmed drum measure [mm]:186,83  
 Inner Brake Drum Height [mm]:37  
 Total Br. Drum Height [mm]:53,3  
 Number of Holes:4  
 Pitch Circle [mm]:98

**162-00-0291****4059152**

Length 1/ Length 2 [mm]:3500

**MA-00655****43171350**

Fitting Position:Rear Axle  
 Shock Absorber Type:Oil Pressure  
 Shock Absorber Mounting Type:Top pin  
 Shock Absorber Design:Telescopic Shock Absorber  
 For OE number:43171350

**62-00-0416**

**6383341734**



Length [mm]:32  
Int. teeth, diff.side, conn.to transm.:28

**B9ES**

**98079-59870**



Technical Information Number:NGK

**BP7HS**

**00603302211**



Technical Information Number:NGK

**BPR7HS**

**75 492 437**



Technical Information Number:NGK

**BPR8EIX**

**BY480-BPR8E**



Technical Information Number:NGK

**BPR8HIX**

**90793-20103**



Technical Information Number:NGK

**BPR9EIX**

**9079320026**



Technical Information Number:NGK

**BR8EIX**

**99906-910X9-012**



Technical Information Number:NGK

**BR9EG**

**98079-59649**



Technical Information Number:NGK

**BR9EIX**

**99906-910X9-013**



Technical Information Number:NGK

**BR9ES**

**756 547 6**



Technical Information Number:NGK

**IW22**

**6051292900**



Quality:Iridium  
Technical Information Number:DENSO


**SA-F40**

**71805776**



Length [mm]:400  
 Technical Information Number:Flat  
 Length [in]:16

**SA-X33C**



Length [mm]:330

**SA-X40C**



Length [mm]:400

**W22FPR-U**

**59626C**



Technical Information Number:DENSO

**W24ESR**

**09482-00247-111**



Technical Information Number:DENSO

**156-09-914**

**46443793**



Voltage [V]:12  
 Fitting Position:Front  
 Number of ports:2  
 Supplementary Article/Supplementary Info  
 2:For windscreen cleaning system  
 Pump Type:Mono Pump

**156-09-921**

**191 955 681**



Voltage [V]:12  
 Number of ports:2  
 Supplementary Article/Supplementary Info  
 2:For headlamp cleaning system  
 Pump Type:Mono Pump

**CAL548LJM**

**91135290700**



Brake System:ATE  
 Brake Disc Thickness [mm]:20  
 Brake Caliper Type:Caliper (2 pistons)  
 Diameter [mm]:38  
 Paired article numbers:CAL548RJM

**CAL548RJM**

**91135290800**



Brake System:ATE  
 Brake Disc Thickness [mm]:20  
 Brake Caliper Type:Caliper (2 pistons)  
 Diameter [mm]:38  
 Paired article numbers:CAL548LJM

**55-00-0922**

**92835209700**



Fitting Position:Rear Axle  
 Diameter [mm]:180  
 Width [mm]:25  
 Brake System:BREMBO

**50-00-0145**

**0060713601**



Brake System:ATE  
 Fitting Position:Front Axle  
 Height [mm]:70,2  
 Length [mm]:76,8  
 Thickness [mm]:15  
 WVA Number:20011  
 WVA Number:20068  
 WVA Number:20420

**50-00-0151**


**0060 727 290**



Brake System:ATE  
 Fitting Position:Rear Axle  
 Height [mm]:53,2  
 Length [mm]:55,7  
 Thickness [mm]:14,8  
 WVA Number:20174  
 WVA Number:20175  
 WVA Number:20641

**50-00-0330**


**105.06.22.039.01**



Thickness [mm]:15  
 Inspection Tag:R90 Homologated  
 Length [mm]:62  
 Height 1 [mm]:56  
 WVA Number:20034  
 WVA Number:20107  
 For OE number:105062203901  
 Brake System:ATE

**50-00-0429**

**91135193800**



Brake System:ATE  
 Fitting Position:Front Axle  
 Height [mm]:70  
 Length [mm]:76,8  
 Thickness [mm]:15  
 WVA Number:20922  
 For OE number:91135193800

**50-00-0943**

**0060 714 404**



WVA Number:20009  
 Fitting Position:Front Axle  
 For OE number:0060714404  
 Brake System:ATE  
 Width [mm]:56  
 Height [mm]:53  
 Thickness [mm]:15

**50-00-0965**

**91135195007**



Brake System:ATE  
 Fitting Position:Front Axle  
 Height [mm]:70,2  
 Length [mm]:76,8  
 Thickness [mm]:19  
 WVA Number:20011  
 WVA Number:20068  
 WVA Number:20386

**51-00-0126**

**2701647**



Brake System:ATE  
 Fitting Position:Rear Axle  
 Height [mm]:56,3  
 Length [mm]:61,4  
 Thickness [mm]:15  
 WVA Number:20755  
 For OE number:2701647

**ZSA09091**

**408957**



Housing Diameter [mm]:18  
 Diameter [mm]:8  
 Length [mm]:305  
 Stroke [mm]:105  
 Eject Force [N]:370

**ZSA09096**

**91151133100**



Housing Diameter [mm]:18  
 Diameter [mm]:8  
 Length [mm]:320  
 Stroke [mm]:100  
 Eject Force [N]:430

**ZSA09099**

**91151233101**



Housing Diameter [mm]:18  
 Diameter [mm]:8  
 Length [mm]:255  
 Stroke [mm]:86  
 Eject Force [N]:370

**ZSA09100**

**408951**



Housing Diameter [mm]:18  
 Diameter [mm]:8  
 Length [mm]:255  
 Stroke [mm]:86  
 Eject Force [N]:600

**20-01-114**

**1654601B00**



Height [mm]:60  
Outer Diameter [mm]:196  
Inner Diameter [mm]:146,3  
Filter Type:Filter Insert  
For OE number:1654601B00

**20-00-MC10**

**1444 K6**



Technical Information Number:FILTRO ARIA - YANMAR  
Inner Diameter [mm]:170  
Outer Diameter [mm]:215  
Filter Type:Filter Insert  
For OE number:7701035018

**FC-301JM**

**021104653A**



Filter Type:In-Line Filter  
Length [mm]:97  
Outer Diameter [mm]:49  
Diameter 1/ Diameter 2 [mm]:IN/OUT: 8  
For OE number:532281

**30-03-301**

**021104653A**



Filter Type:In-Line Filter  
Length [mm]:97  
Outer Diameter [mm]:49  
Diameter 1/ Diameter 2 [mm]:IN/OUT: 8  
For OE number:532281

**154-00-0703**

**7700620231**



Length [mm]:651

**BO-0237JM**

**1 357 296**



Voltage [V]:12  
Number of Poles:2

**BP6H**

**999-3409-6911-00**



Technical Information Number:NGK

**BP6HS**

**59626C**



Technical Information Number:NGK

**BPR6E**

**4249164**



Technical Information Number:NGK

**BPR6E/VL02**

**4249164**



Technical Information Number:NGK

**BPR6EIX**

**5962.22**



Technical Information Number:NGK

**BPR7HIX**

**99906-910X9-009**



Technical Information Number:NGK

**IW20**

**46481378**



Quality:Iridium  
Technical Information Number:DENSO

**IWF20**

**99906910X9008**



Technical Information Number:DENSO  
Electrode Gap [mm]:0,8

**W16FP-U**

**7700733422**



Technical Information Number:DENSO

**W20EPR-U**

**4249164**



Technical Information Number:DENSO

**55-00-0629**

**79 014 212 38**



Fitting Position:Rear Axle  
Diameter [mm]:180  
Width [mm]:32  
Brake System:BENDIX

**55-00-0720**

**7701002589**



Fitting Position:Front Axle  
Diameter [mm]:200  
Width [mm]:36  
Brake System:BENDIX

**55-00-0721**

**7701005433**



Fitting Position:Rear Axle  
Diameter [mm]:160  
Width [mm]:26  
Brake System:BENDIX

**50-00-0702**

**75 531 486**



Thickness [mm]:15  
Length [mm]:109  
Height 1 [mm]:49  
Wear Warning Contact:Incl. wear warning contact  
Brake System:Bendix  
Fitting Position:Front Axle  
WVA Number:20140

**50-00-0723**

**7701200734**



Brake System:LUCAS GIRLING  
Fitting Position:Front Axle  
Height [mm]:56,5  
Length [mm]:93,6  
Thickness [mm]:15,5  
WVA Number:20480  
For OE number:7701200734

**157-RE-RE12**

**7701506600**



For OE number:7701506600

**33-00-005**

**1J0121321B**



005

Pressure [bar]:1,5

**33-00-026**

**46402982**



026

Pressure [bar]:0,7

**33-01-101**

**2151600QAA**



Opening Pressure [bar]:1,4

**38-00-0303**

**84NU8575D**



Opening Temperature [°C]:86  
Diameter 1 [mm]:43,5  
Diameter 2 [mm]:40,5  
Height 1 [mm]:37,0  
Height 2 [mm]:25,0

**38-00-0702**

**267235**



Opening Temperature [°C]:89  
Diameter 1 [mm]:43,5  
Diameter 2 [mm]:40,5  
Height 1 [mm]:37,0  
Height 2 [mm]:25,0

**38-00-0709**

**225.070**



Opening Temperature [°C]:83  
Diameter 1 [mm]:43,5  
Diameter 2 [mm]:40,5  
Height 1 [mm]:37  
Height 2 [mm]:25

**MA-00652**

**6000056012**



Fitting Position:Front Axle  
Shock Absorber Type:Gas Pressure  
Shock Absorber Mounting Type:Bottom eye  
Shock Absorber Mounting Type:Top pin  
Shock Absorber Design:Telescopic Shock Absorber  
For OE number:6000056012

**MA-00667**

**6000056012**



Fitting Position:Front Axle  
Shock Absorber Type:Oil Pressure  
Shock Absorber Mounting Type:Top pin  
Shock Absorber Mounting Type:Bottom eye  
Shock Absorber Design:Telescopic Shock Absorber  
For OE number:6000056012

**MA-00736**

**62025**



Fitting Position:Rear Axle  
Shock Absorber Type:Oil Pressure  
Shock Absorber Mounting Type:Top eye  
Shock Absorber Design:Telescopic Shock Absorber  
For OE number:62025