

ashika[®]

NEWS JULY 2025



www.ashika.eu

CATALOGUE
FOR CARS AND COMMERCIAL
VEHICLES

CATALOGO
PER AUTOMOBILI E VEICOLI
COMMERCIALI

Brake system

131-00-02134

Cable, parking brake



FIAT UNO (146A/E)

OE
7671309

Fitting Position: Right Rear
Length 1/ Length 2 [mm]: 2010/305

131-02-2081

Cable, parking brake



TOYOTA YARIS (SCP9_, NSP9_, KSP9_, NCP9_, ZSP9_)

OE
4642052150
4642052151

Brake Type: Drum Brake
Fitting Position: Right Rear
Length 1/ Length 2 [mm]: 1625/1400

131-02-2083

Cable, parking brake



TOYOTA YARIS VERSO (_NLP2_, _NCP2_)
TOYOTA YARIS VERSO VAN Furgonato (_P2_)

OE
4643052070

Fitting Position: Left Rear
Length 1/ Length 2 [mm]: 1685/1530

131-02-2086

Cable, parking brake



TOYOTA URBAN CRUISER (NSP1_, NLP1_, ZSP1_, NCP11_)
TOYOTA YARIS (SCP9_, NSP9_, KSP9_, NCP9_, ZSP9_)

OE
4642052160
4642052161

Fitting Position: Right Rear
Length 1/ Length 2 [mm]: 1665/1475

131-02-2087

Cable, parking brake



TOYOTA YARIS (SCP9_, NSP9_, KSP9_, NCP9_, ZSP9_)

OE
4643052210

Fitting Position: Left
Length 1/ Length 2 [mm]: 1648/1440
Section: Rear Section

Brake system

131-02-2088

Cable, parking brake



TOYOTA YARIS (SCP9_, NSP9_, KSP9_, NCP9_, ZSP9_)

OE
4642052210

Fitting Position: Right
Length 1/ Length 2 [mm]: 1690/1483
Section: Rear Section

131-02-2089

Cable, parking brake



TOYOTA AURIS (NRE15_, ZZE15_, ADE15_, ZRE15_, NDE15_)
TOYOTA AURIS TOURING SPORTS (ADE18_, ZWE18_, ZRE18_)

OE
4643012470
4643012580
4643012700

Fitting Position: Left
Length 1/ Length 2 [mm]: 1886/1732
Section: Rear Section

131-08-858

Cable, parking brake



FIAT SEDICI
SUZUKI SX4 (EY, GY)
SUZUKI SX4 Tre volumi (GY)

OE
5440155L10
71750424

Fitting Position: Right
Length 1/ Length 2 [mm]: 1638/1458
Section: Rear Section

131-08-859

Cable, parking brake



FIAT SEDICI
SUZUKI SX4 (EY, GY)
SUZUKI SX4 Tre volumi (GY)

OE
5440255L10
71750425

Fitting Position: Left
Length 1/ Length 2 [mm]: 1638/1458
Section: Rear Section

131-0H-H80

Cable, parking brake



HYUNDAI i30 (FD)
HYUNDAI i30 CW (FD)

OE
597602L300
597602R500

Fitting Position: Left
Length 1/ Length 2 [mm]: 1730/1570
Section: Rear Section

Brake system

131-0K-K48

Cable, parking brake



KIA PICANTO (TA)

OE
597701Y300

Fitting Position: Right
Length 1/ Length 2 [mm]: 1495/1325
Section: Rear Section

BPW-311

Warning Contact, brake pad wear



IRISBUS DAILY TOURYS
IVECO DAILY Cassone / Furgonato / Promiscuo
IVECO DAILY III Pianale piatto/Telaio
IVECO DAILY IV Cassone / Furgonato / Promiscuo
IVECO DAILY IV Pianale piatto/Telaio

OE
42556205

Brake Type: Disc Brake
Fitting Position: Rear Axle
For OE number: 42556205
Warning Contact Length [mm]: 295

BPW-312

Warning Contact, brake pad wear



AUDI A3 (8V1)
AUDI A3 Cabriolet (8V7)
AUDI A3 Limousine (8VS)
AUDI A3 Sportback (8VA)
AUDI Q2
AUDI Q3 (F3B)

OE
8V0615437

Article number of recommended accessories:
50-00-0162
Article number of recommended accessories:
500162
Article number of recommended accessories:
PA-0162AF
Brake Type: Disc Brake
Fitting Position: Front Axle
For OE number: 8V0615437
Warning Contact Length [mm]: 170

BPW-313

Warning Contact, brake pad wear



AUDI A4 (8W2, B9)
AUDI A4 Allroad (8WH, B9)
AUDI A4 Avant (8W5, B9)
AUDI A5
AUDI A5 Cabriolet
AUDI A5 Sportback (F5A)

OE
8W0615121E

Brake Type: Disc Brake
Fitting Position: Rear Axle
For OE number: 8W0615121E
Warning Contact Length [mm]: 390

BPW-314

Warning Contact, brake pad wear



AUDI A6 (C8, 4A2)
AUDI A6 Allroad (4AH, C8)
AUDI A6 Avant (C8, 4A5)
AUDI A7 Sportback (4KA)
AUDI E-TRON (GEN_)
AUDI E-TRON Sportback (GEA)

OE
80A615121

Brake Type: Disc Brake
Fitting Position: Rear Axle
For OE number: 80A615121
Warning Contact Length [mm]: 345

Brake system

67-0K-K26

Wheel Brake Cylinder



HYUNDAI SANTAMO
KIA JOICE

OE
58330M2000

Diameter [in]: 13/16
Diameter [mm]: 20,63
Fitting Position: Rear Axle Left

61-00-0237C

Brake Disc



MAHINDRA XUV500

OE
0604AAB00440N

Brake Disc Thickness [mm]: 10
Brake Disc Type: Solid
Fitting Position: Rear Axle
For OE number: 0604AAB00440N
Height [mm]: 44
Inner Diameter [mm]: 72
Minimum Thickness [mm]: 8
Number of Holes: 5
Outer Diameter [mm]: 293
Required quantity: 2

68-0L-L03

Master Cylinder, brakes



LAND ROVER 90/110 (DHMC)
LAND ROVER DEFENDER Cabrio (LD)
LAND ROVER DEFENDER Pick-up (LD_)
LAND ROVER DEFENDER Station Wagon (LD)

OE
NRC8690

Diameter [in]: 1
Diameter [mm]: 25,40
Thread Size: 10X1 (1),12X1 (1)

Clutch

167-00-02124

Cable, manual transmission



FIAT PUNTO Van (188AX)

OE
46749867
55186860
55194346
55234095

Length 1/ Length 2 [mm]: 1060/807
Standard: comando innesto

167-00-2170

Cable, manual transmission



LANCIA YPSILON (312, 846)

OE
46337008
46340343
55241305

Length 1 [mm]: 1200
Supplementary Article/Supplementary Info:
Double pulley

Clutch

167-00-0280

Cable, manual transmission



ALFA ROMEO MITO (955)
FIAT GRANDE PUNTO (199)
FIAT PUNTO EVO (199)

OE

55199873
55223406
55230718

Length 1/ Length 2 [mm]: 1190/803

154-00-0205

Clutch Cable



IVECO DAILY I Autobus
IVECO DAILY I Cassone / Furgonato / Promiscuo
IVECO DAILY I Pianale piatto/Telaio
IVECO DAILY I Ribaltabile
IVECO DAILY II Cassone / Furgonato / Promiscuo

OE

93809100
93812661

Length 1/ Length 2 [mm]: 1115/900

154-00-0218

Clutch Cable



FIAT PUNTO (176)
FIAT PUNTO Cabriolet (176C)
FIAT PUNTO Van (176L)

OE

7735823
7798973

Length 1/ Length 2 [mm]: 855/465

154-00-0222

Clutch Cable



FIAT 500 (312)
FIAT 500 C (312)
FIAT PANDA (169)
FIAT PANDA Van (141_)
FIAT PANDA Van (169)
FORD KA (RU8)

OE

1558930
55183097

Length 1/ Length 2 [mm]: 995/650

154-00-0243

Clutch Cable



FIAT QUBO (225)

OE

55212927

Length 1 [mm]: 790
Length 2 [mm]: 257

Clutch

92-00-0101

Clutch Kit



MINI MINI (R50, R53)
MINI MINI (R56)
MINI MINI Cabriolet (R57)
MINI MINI CLUBMAN (R55)
MINI MINI CLUBVAN (R55)
MINI MINI COUNTRYMAN (R60)

OE

21 20 7 572 842
21207572842

Control Design: Pressure switch control
Eject Force [N]: 4850
Hub Profile: 19,90 x 16,99
Number of Teeth: 17
Outer Diameter [mm]: 200
Supplementary Article/Supplementary Info 2:
With clutch plate
Supplementary Article/Supplementary Info 2:
With releaser
Supplementary Article/Supplementary Info:
With clutch pressure plate

92-00-0304

Clutch Kit



FORD FOCUS (DAW, DBW)
FORD FOCUS Station wagon (DNW)
FORD FOCUS Tre volumi (DFW)
FORD TOURNEO CONNECT
FORD TRANSIT CONNECT (P65_, P70_, P80_)

OE

1075681
1078012
1252581
1252613
1811321

Eject Force [N]: 4300
Hub Profile: 25,9 x 22,9
New Part:
Number of Teeth: 23
Outer Diameter [mm]: 235
Supplementary Article/Supplementary Info 2:
With clutch plate
Supplementary Article/Supplementary Info:
With central slave cylinder
Supplementary Article/Supplementary Info:
With clutch pressure plate

92-00-0305

Clutch Kit



FORD FOCUS (DAW, DBW)
FORD FOCUS Station wagon (DNW)
FORD FOCUS Tre volumi (DFW)
FORD TOURNEO CONNECT
FORD TRANSIT CONNECT (P65_, P70_, P80_)

OE

1075681
1078012
1116680
1252581
1252613
1331468

Control Design: Pressure switch control
Eject Force [N]: 4300
New Part:
Number of Teeth: 23
Outer Diameter [mm]: 235
Supplementary Article/Supplementary Info 2:
With clutch plate
Supplementary Article/Supplementary Info 2:
Without releaser
Supplementary Article/Supplementary Info:
With clutch pressure plate

92-00-0401

Clutch Kit



OPEL CORSA C (F08, F68)
OPEL CORSA D
OPEL CORSA D Van

OE

1606486
1606585
1629101
93185912
95518817

Control Design: Pressure switch control
Eject Force [N]: 4100
Hub Profile: 18,65 x 15,7
New Part:
Number of Teeth: 14
Outer Diameter [mm]: 200
Supplementary Article/Supplementary Info 2:
With clutch plate
Supplementary Article/Supplementary Info:
With clutch pressure plate
Supplementary Article/Supplementary Info:
Without central slave cylinder

Clutch

92-00-0600

Clutch Kit



CITROEN BERLINGO (B9)
CITROEN BERLINGO (K9)
CITROEN BERLINGO (MF)
CITROEN BERLINGO Furgonato (B9)
CITROEN BERLINGO Furgonato (K9)
CITROEN BERLINGO Furgonato (M_)

OE

1606876580
1610872680
1611268880
1611273080
1611273280
1611284780

Eject Force [N]: 5500
For flywheel manufacturer: VALEO
Hub Profile: 21 x 18
New Part:
Number of Teeth: 18
Outer Diameter [mm]: 235
Supplementary Article/Supplementary Info 2:
With clutch plate
Supplementary Article/Supplementary Info 2:
With releaser
Supplementary Article/Supplementary Info:
With clutch pressure plate

92-00-0602

Clutch Kit



CITROEN BERLINGO (MF)
CITROEN BERLINGO Furgonato (M_)
CITROEN C2 (JM_)
CITROEN SAXO (S0, S1)
CITROEN XSARA (N1)
CITROEN XSARA Break (N2)

OE

2050-H0
2050-H5
2050-Q8
2050-R3
2050-R6
2050H0

Control Design: Pressure switch control
Eject Force [N]: 3850
Hub Profile: 20,97 x 18,2
New Part:
Number of Teeth: 18
Outer Diameter [mm]: 200
Supplementary Article/Supplementary Info 2:
With clutch plate
Supplementary Article/Supplementary Info 2:
With releaser
Supplementary Article/Supplementary Info:
With clutch pressure plate

92-00-0901

Clutch Kit



SEAT IBIZA V (6J5, 6P5)
SEAT IBIZA V SPORTCOUPE (6J1, 6P1)
SEAT IBIZA V ST (6J8, 6P8)
SKODA FABIA
SKODA FABIA Combi
SKODA ROOMSTER (5J)

OE

02A 141 165 A
02A 141 165 B
02A 141 165 D
02A 141 165 E
02A 141 165 G
02A 141 165 M

Control Design: Pressure switch control
Eject Force [N]: 4800
Hub Profile: 20,3 x 22,1
New Part:
Number of Teeth: 28
Outer Diameter 1 [mm]: 228
Outer Diameter [mm]: 230
Supplementary Article/Supplementary Info 2:
With clutch plate
Supplementary Article/Supplementary Info 2:
With releaser
Supplementary Article/Supplementary Info:
With clutch pressure plate

92-0S-S18

Clutch Kit



SSANGYONG KORANDO

OE

3001034100

Centering Diameter [mm]: 25,50
Diameter [mm]: 250
Number of Teeth: 25

Cooling System

Cooling System

38-00-0941

Thermostat, coolant



AUDI A1 (8X1, 8XF)
AUDI A1 Sportback (8XA, 8XK)
AUDI A3 (8V1)
AUDI A3 Cabriolet (8V7)
AUDI A3 Limousine (8VS)
AUDI A3 Sportback (8VA)

OE

04C121113C
04E121113F

Opening Temperature [°C]: 105

Electrics

AL-101JM

Alternator



ALFA ROMEO MITO (955)
CITROEN NEMO Station wagon
FIAT 500 (312)
FIAT 500 C (312)
FIAT DOBLO (119)
FIAT FIORINO MPV / Space wagon (225_)

OE

13117279
13117279YQ
13197577
13243463
13283344
1539099

Alternator Charge Current [A]: 190
Belt Pulley [mm]: 54
Clamp: M8 B+M5 D+
Number of Ribs: 6
Pulleys: with free-wheel belt pulley
Voltage [V]: 14

AL-102JM

Alternator



FORD C-MAX (DM2)
FORD FIESTA V (JH_, JD_)
FORD FOCUS C-MAX
FORD FOCUS II (DA_)
FORD FOCUS II Cabriolet
FORD FOCUS II Station wagon (DA_)

OE

1229258
1229259
1255711
1255712
1477737
1477738

Alternator Charge Current [A]: 150
Belt Pulley [mm]: 54
Clamp: M8 B+ [FR-SIG-A]
Number of Ribs: 6
Pulleys: with free-wheel belt pulley
Voltage [V]: 14

AL-103JM

Alternator



ALFA ROMEO 145 (930)
ALFA ROMEO 146 (930)
ALFA ROMEO 147 (937)
ALFA ROMEO 156 (932)
ALFA ROMEO 156 Sportwagon (932)
ALFA ROMEO GT (937)

OE

46554408
46763533
46763534
46765838
46774430
46782212

Alternator Charge Current [A]: 100
Belt Pulley [mm]: 62
Clamp: M8 B+ M5 D+
Number of Ribs: 6
Pulleys: with multi-belt pulley
Voltage [V]: 14

AL-104JM

Alternator



ALFA ROMEO 147 (937)
ALFA ROMEO 156 (932)
ALFA ROMEO 156 Sportwagon (932)
ALFA ROMEO 166 (936)
FIAT BRAVA (182)
FIAT BRAVO I (182)

OE

46543023
46544329
46748353
46809068
60815944
60815953

Alternator Charge Current [A]: 120
Belt Pulley [mm]: 62
Clamp: M8 B+ M5 D+
Number of Ribs: 6
Pulleys: with free-wheel belt pulley
Voltage [V]: 14

Electrics

AL-105JM

Alternator



ALFA ROMEO MITO (955)
FIAT 500 (312)
FIAT 500 C (312)
FIAT 500L
FIAT BRAVO II (198)
FIAT DOBLO (119)

OE
1202290
1202445
1535437
1673521
1705484
2706074220

Alternator Charge Current [A]: 105
Belt Pulley [mm]: 54
Clamp: M8 B+, M5 D+
Number of Ribs: 5
Pulleys: with multi-belt pulley
Voltage [V]: 14

AL-106JM

Alternator



ALFA ROMEO 159 (939)
ALFA ROMEO 159 Sportwagon (939)
ALFA ROMEO BRERA
ALFA ROMEO GIULIETTA (940)
ALFA ROMEO MITO (955)
ALFA ROMEO SPIDER (939)

OE
0000051884886
0051884886
1202272
1202274
1204456
1204457

Alternator Charge Current [A]: 120
Belt Pulley [mm]: 54
Clamp: M8 B+ M5 D+
Number of Ribs: 6
Pulleys: with free-wheel belt pulley
Voltage [V]: 14

AL-107JM

Alternator



AUDI A1 (8X1, 8XF)
AUDI A1 Sportback (8XA, 8XK)
AUDI A2 (8Z0)
AUDI A3 (8L1)
AUDI A3 (8P1)
AUDI A3 Cabriolet (8P7)

OE
021903025K
021903025T
028903026H
028903028E
028903029G
028903029GX

Alternator Charge Current [A]: 140
Belt Pulley [mm]: 56
Clamp: M8 B+ [L-DFM]
Number of Ribs: 6
Pulleys: with free-wheel belt pulley
Voltage [V]: 14

AL-108JM

Alternator



CITROEN C3 I (FC_)
CITROEN C4 Picasso I (UD_)
CITROEN C5 I (DC_)
CITROEN C8 (EA_, EB_)
LANCIA PHEDRA (179)
PEUGEOT 206 2 volumi /Coda spiovente (2A/C)

OE
12317794970
1638095180
3140069K00
3140069K00000
5702
5702AR

Alternator Charge Current [A]: 150
Belt Pulley [mm]: 54
Clamp: M8 B+ [L-DFM]
Number of Ribs: 6
Pulleys: with free-wheel belt pulley
Voltage [V]: 12

AL-109JM

Alternator



FORD B-MAX (JK)
FORD C-MAX II
FORD ECOSPORT
FORD FIESTA VI
FORD FOCUS III
FORD FOCUS III Tre volumi

OE
1376501
1387927
1506299
1506300
1685793
1704769

Alternator Charge Current [A]: 150
Belt Pulley [mm]: 54
Clamp: M8 B+ [LIN]
Number of Ribs: 6
Pulleys: with free-wheel belt pulley
Voltage [V]: 14

Electrics

AL-110JM

Alternator



CITROEN BERLINGO (B9)
CITROEN BERLINGO (MF)
CITROEN C-ELYSEE
CITROEN C2 (JM_)
CITROEN C3 I (FC_)
CITROEN C3 II

OE
27060YV010
5702000000
570200000000
5702A2
5702A3
5702A4

Alternator Charge Current [A]: 90
Belt Pulley [mm]: 49
Clamp: M8 B+ [L-DFM]
Number of Ribs: 6
Pulleys: with multi-belt pulley
Voltage [V]: 12

AL-111JM

Alternator



OPEL ASTRA H (L48)
OPEL ASTRA H GTC (L08)
OPEL ASTRA H Station wagon (L35)
OPEL ASTRA H Tre volumi (L69)
VAUXHALL ASTRA Mk V (H) 2 volumi /Coda spiovente

OE
1204619
2506102
2506103
6204183
6204199
6204200

Alternator Charge Current [A]: 100
Alternator Type: incl. vacuum pump
Belt Pulley [mm]: 60
Clamp: M8 B+ [F-L]
Number of Ribs: 6
Pulleys: with free-wheel belt pulley
Voltage [V]: 14

AL-112JM

Alternator



ALFA ROMEO 159 (939)
ALFA ROMEO 159 Sportwagon (939)
FIAT GRANDE PUNTO (199)
FIAT SEDICI
FIAT STILO (192)
FIAT STILO Multi Wagon (192)

OE
1204434
1204436
12759595
13117236
13117341
13117341AA

Alternator Charge Current [A]: 130
Belt Pulley [mm]: 62
Clamp: M8 B+ M6 DFM, M5 D+
Number of Ribs: 6
Pulleys: with free-wheel belt pulley
Voltage [V]: 14

AL-113JM

Alternator



ALFA ROMEO MITO (955)
CITROEN NEMO Station wagon
FIAT 500 (312)
FIAT 500 C (312)
FIAT DOBLO (119)
FIAT FIORINO MPV / Space wagon (225_)

OE
1204429
13153237
13197578
13256928
13256929
1606439580

Alternator Charge Current [A]: 120
Belt Pulley [mm]: 54
Clamp: M8 B+ M5 D+
Number of Ribs: 6
Pulleys: with free-wheel belt pulley
Voltage [V]: 14

AL-114JM

Alternator



OPEL AGILA (A) (H00)
OPEL AGILA (B) (H08)
OPEL ASTRA H (L48)
OPEL ASTRA H GTC (L08)
OPEL ASTRA H Station wagon (L35)
OPEL ASTRA H Tre volumi (L69)

OE
13222935
13222936
13256931
13256932
6204258
6204259

Alternator Charge Current [A]: 120
Belt Pulley [mm]: 54
Clamp: M8 B+ [DFM-L]
Number of Ribs: 6
Pulleys: with free-wheel belt pulley
Voltage [V]: 12

Electrics

AL-115JM

Alternator



AUDI A1 (8X1, 8XF)
 AUDI A1 Sportback (8XA, 8XK)
 AUDI A3 (8V1)
 AUDI A3 Cabriolet (8V7)
 AUDI A3 Limousine (8VS)
 AUDI A3 Sportback (8VA)

OE

03G903016B
 03G903016BX
 03G903016E
 03G903016EX
 03G903016G
 03G903016GX

Alternator Charge Current [A]: 140
 Belt Pulley [mm]: 49
 Clamp: M8 B+ [LIN]
 Number of Ribs: 6
 Pulleys: with free-wheel belt pulley
 Voltage [V]: 14

AL-116JM

Alternator



MITSUBISHI L 200 (K7_T, K6_T)
 MITSUBISHI PAJERO II (V3_W, V2_W, V4_W)
 MITSUBISHI PAJERO II Canvas Top (V2_W, V4_W)
 MITSUBISHI PAJERO SPORT (K90)

OE

1800A005
 1800A243
 A002T1199AT
 A002T81499
 A002T82899
 A002T82899A

Alternator Charge Current [A]: 90
 Alternator Type: incl. vacuum pump
 Belt Pulley [mm]: 76
 Clamp: M8 [L-S]
 Number of Ribs: 2
 Pulleys: Without multi-belt pulley
 Voltage [V]: 12

AL-117JM

Alternator



ALFA ROMEO MITO (955)
 CHRYSLER YPSILON
 FIAT 500 (312)
 FIAT 500 C (312)
 FIAT 500L
 FIAT 500X

OE

1608858180
 51880172
 51880173
 51880175
 51984058
 51993603

Alternator Charge Current [A]: 120
 Belt Pulley [mm]: 54
 Clamp: M8 B+ [LIN]
 Number of Ribs: 6
 Pulleys: with free-wheel belt pulley
 Voltage [V]: 12

AL-118JM

Alternator



OPEL ASTRA CLASSIC (L48)
 OPEL ASTRA CLASSIC Station wagon
 OPEL ASTRA G 2 volumi /Coda spiovente (F48_, F08_)
 OPEL ASTRA G Station wagon (F35_)
 OPEL ASTRA G Tre volumi (F69_)

OE

09117935
 10480226
 1204155
 13143128
 13156053
 2437121

Alternator Charge Current [A]: 120
 Belt Pulley [mm]: 54
 Clamp: M8 B+
 Number of Ribs: 5
 Pulleys: with multi-belt pulley
 Voltage [V]: 12

AL-119JM

Alternator



OPEL AGILA (A) (H00)
 OPEL ASTRA H Station wagon (L35)
 OPEL CORSA B (73_, 78_, 79_)
 OPEL CORSA D
 VAUXHALL AGILA Mk I (A)
 VAUXHALL CORSA Mk I (B)

OE

09117932
 09133599
 1204136
 13156052
 24437119
 24463064YJ

Alternator Charge Current [A]: 70
 Belt Pulley [mm]: 52
 Clamp: M8 B+
 Number of Ribs: 5
 Pulleys: with multi-belt pulley
 Voltage [V]: 12

Electrics

AL-120JM

Alternator



MERCEDES-BENZ CLASSE A (W169)
MERCEDES-BENZ CLASSE B (W245)

OE

6401540102
6401540202
6401540302
6401540402
6401540502
640154050280

Alternator Charge Current [A]: 150
Belt Pulley [mm]: 50
Clamp: M8 B+ [LIN]
Number of Ribs: 5
Pulleys: with free-wheel belt pulley
Voltage [V]: 12

AL-121JM

Alternator



CITROEN BERLINGO (B9)
CITROEN BERLINGO (K9)
CITROEN C-ELYSEE
CITROEN C3 AIRCROSS II
CITROEN C3 II
CITROEN C3 III (SX)

OE

1606859180
1609957280
1611285580
1612458880
1623862880
1638094380

Alternator Charge Current [A]: 150
Belt Pulley [mm]: 54
Clamp: M8 B+ [LIN]
Number of Ribs: 6
Pulleys: with free-wheel belt pulley
Voltage [V]: 14

AL-122JM

Alternator



AUDI A2 (8Z0)
AUDI A3 (8L1)
AUDI A3 (8P1)
AUDI A3 Cabriolet (8P7)
AUDI A3 Sportback (8PA)
AUDI TT (8N3)

OE

021903025H
021903025J
028903028C
028903028CX
028903028D
028903028DX

Alternator Charge Current [A]: 110
Belt Pulley [mm]: 56
Clamp: M8 B+ [L-DFM]
Number of Ribs: 6
Pulleys: with multi-belt pulley
Voltage [V]: 14

AL-123JM

Alternator



AUDI A2 (8Z0)
AUDI A3 (8L1)
AUDI TT (8N3)
AUDI TT Roadster (8N9)
FORD GALAXY (WGR)
SEAT ALHAMBRA (7V8, 7V9)

OE

038903018LX
038903018P
038903018PX
038903023
038903023K
038903023L

Alternator Charge Current [A]: 90
Belt Pulley [mm]: 56
Clamp: M8 B+ [L-DFM]
Number of Ribs: 6
Pulleys: with free-wheel belt pulley
Voltage [V]: 12

AL-124JM

Alternator



ALFA ROMEO AR 6 Furgonato (280)
ALFA ROMEO AR 8 Furgonato (280)
ALFA ROMEO AR 8 Pianale piatto/Telaio (280)
FIAT 127
FIAT 127 Panorama
FIAT 131

OE

116760506000
116760506100
1516538R
1516607R
2022607
2995030

Alternator Charge Current [A]: 55
Belt Pulley [mm]: 86
Clamp: M6,D+
Number of Ribs: 1
Pulleys: Without multi-belt pulley
Voltage [V]: 12

Electrics

AL-125JM

Alternator



AUTOBIANCHI Y10
FIAT PANDA (141A_)
FIAT TIPO (160)
FIAT UNO (146A/E)
LANCIA Y10 (156)

OE
000007565832
000046231660
11572630
11572690
11572700
46231657

Alternator Charge Current [A]: 55
Belt Pulley [mm]: 65
Clamp: M6,D+
Number of Ribs: 1
Pulleys: Without multi-belt pulley
Voltage [V]: 12

AL-126JM

Alternator



FIAT 127
FIAT CINQUECENTO (170)
FIAT PANDA (141A_)
FIAT SEICENTO (187)
FIAT UNO (146A/E)
LANCIA A 112

OE
0003934961
2702061013
2702061100
2702061130
4242498
4274759

Alternator Charge Current [A]: 55
Belt Pulley [mm]: 66
Clamp: M6,D+
Number of Ribs: 1
Pulleys: Without multi-belt pulley
Voltage [V]: 12

AL-127JM

Alternator



ALFA ROMEO 33 (907A)
ALFA ROMEO 6 (119)
ALFA ROMEO 75 (162B)
FIAT CROMA (154)
LANCIA THEMA (834)
LANCIA THEMA SW (834)

OE
1204072
1204344
294394800
46231726
46231758
4765931

Alternator Charge Current [A]: 65
Belt Pulley [mm]: 93
Clamp: M6,D+
Number of Ribs: 2
Pulleys: Without multi-belt pulley
Voltage [V]: 12

AL-128JM

Alternator



RENAULT CLIO Grandtour (KR0/1_)
RENAULT CLIO Grandtour IV
RENAULT CLIO III (BR0/1, CR0/1)
RENAULT CLIO IV
RENAULT MODUS / GRAND MODUS (F/JP0_)
RENAULT TWINGO II (CN0_)

OE
231000646R
7711368178
7711368602
7711368683
7711497091
7711497092

Alternator Charge Current [A]: 120
Belt Pulley [mm]: 55
Clamp: M8 B+ [BSS]
Number of Ribs: 7
Pulleys: with multi-belt pulley
Voltage [V]: 14

AL-129JM

Alternator



CITROEN BERLINGO (MF)
CITROEN C1 (PM_, PN_)
CITROEN C2 (JM_)
CITROEN C3 I (FC_)
CITROEN C3 Pluriel (HB_)
CITROEN C4 Coupé (LA_)

OE
27060YU020
27060YV020
3140073J00
3140073J00000
5702A6
5702A7

Alternator Charge Current [A]: 150
Belt Pulley [mm]: 54
Clamp: M8 B+ [L-DFM]
Number of Ribs: 6
Pulleys: with multi-belt pulley
Voltage [V]: 14

Electrics

AL-130JM

Alternator



ABARTH PUNTO EVO (199_)
ALFA ROMEO GIULIETTA (940)
ALFA ROMEO MITO (955)
FIAT 500 (312)
FIAT 500 C (312)
FIAT 500L

OE

51788658
51854903
51927506
52003527
52003621
71796446

Alternator Charge Current [A]: 120
Belt Pulley [mm]: 54
Clamp: M8 B+ M5 D+
Number of Ribs: 5
Pulleys: with free-wheel belt pulley
Voltage [V]: 14

AL-131JM

Alternator



DACIA DOKKER
DACIA DUSTER
DACIA LODGY
DACIA LOGAN II
DACIA LOGAN MCV II
DACIA SANDERO II

OE

231000026R
7711368381
7711497409
8200390676
8200660034

Alternator Charge Current [A]: 160
Belt Pulley [mm]: 55
Clamp: M8 B+ [BSS]
Number of Ribs: 6
Pulleys: with free-wheel belt pulley
Voltage [V]: 14

AL-132JM

Alternator



CHRYSLER DELTA
FIAT FREEMONT (JF_)

OE

56029574AA
K56029574AA
K56029574AB
P56029574AA
TT13138

Alternator Charge Current [A]: 130
Belt Pulley [mm]: 54
Clamp: M8 B+ [LIN]
Number of Ribs: 6
Pulleys: with free-wheel belt pulley
Voltage [V]: 14

AL-133JM

Alternator



TOYOTA AURIS (NRE15_, ZZE15_, ADE15_,
ZRE15_, NDE15_)
TOYOTA AVENSIS
TOYOTA AVENSIS (T25_)
TOYOTA AVENSIS Station wagon (T25)
TOYOTA AVENSIS Station wagon (ZRT27,
ADT27)

OE

270600G010
270600G011
270600G01184
270600R060
270600R070
270600R071

Alternator Charge Current [A]: 100
Belt Pulley [mm]: 58
Clamp: [RLO-DFM-IG-L]
Number of Ribs: 7
Pulleys: with free-wheel belt pulley
Voltage [V]: 14

AL-134JM

Alternator



LEXUS IS II (GSE2_, ALE2_, USE2_)
TOYOTA AURIS (NRE15_, ZZE15_, ADE15_,
ZRE15_, NDE15_)
TOYOTA AVENSIS
TOYOTA AVENSIS Station wagon (ZRT27,
ADT27)

OE

0210802470
270600G021
270600R080
2706026030
270602603084
2706026060

Alternator Charge Current [A]: 150
Belt Pulley [mm]: 58
Clamp: M6 B+ [RLO-DFM-IG-L]
Number of Ribs: 7
Pulleys: with free-wheel belt pulley
Voltage [V]: 14

Electrics

AL-135JM

Alternator



BMW 3 (E46)
BMW 3 Cabriolet (E46)
BMW 3 Compact (E46)
BMW 3 Coupe (E46)
BMW 3 Touring (E46)
BMW X3 (E83)

OE

12317789980
12317789983
12317797660
12317797661
7789980
7789980A101

Alternator Charge Current [A]: 150
Belt Pulley [mm]: 54
Clamp: M8 B+ [L-DFM]
Number of Ribs: 6
Pulleys: with multi-belt pulley
Voltage [V]: 12

AL-136JM

Alternator



FORD FIESTA V (JH_, JD_)
FORD FUSION (JU_)
MAZDA 2 (DY)

OE

2S6TAC
2S6TAD
3S6TAD
Y40118300B

Alternator Charge Current [A]: 80
Belt Pulley [mm]: 54
Clamp: M8 B+ [FR-SIG-A]
Number of Ribs: 6
Pulleys: with free-wheel belt pulley
Voltage [V]: 14

AL-137JM

Alternator



BMW 1 (E87)
BMW 3 (E90)
BMW 3 Cabriolet (E93)
BMW 3 Coupé (E92)
BMW 3 Touring (E91)

OE

12317790548
12317795620
12317797519
12317797520
12317799180
12317799181

Alternator Charge Current [A]: 150
Belt Pulley [mm]: 54
Clamp: M8 B+ [COM]
Number of Ribs: 6
Pulleys: with multi-belt pulley
Voltage [V]: 14

AL-138JM

Alternator



FIAT DUCATO Autobus (244, Z_)
FIAT DUCATO Autobus (250)
FIAT DUCATO Furgonato (244)
FIAT DUCATO Furgonato (250)
FIAT DUCATO Pianale piatto/Telaio (244)
FIAT DUCATO Pianale piatto/Telaio (250)

OE

1506770R
2995390
500059504
504009977
504009978
5801377162

Alternator Charge Current [A]: 140
Belt Pulley [mm]: 55
Clamp: M8 B+ [L-DFM]
Number of Ribs: 7
Pulleys: with multi-belt pulley
Voltage [V]: 14

AL-139JM

Alternator



DACIA DOKKER
DACIA DUSTER
DACIA LODGY
DACIA LOGAN (LS_)
DACIA LOGAN II
DACIA LOGAN MCV (KS_)

OE

1121540202
1121542002
2310000Q0M
2310000Q2J
2310000Q2JEX
2310000QBH

Alternator Charge Current [A]: 150
Belt Pulley [mm]: 55
Clamp: M8 B+ [L-DFM]
Number of Ribs: 6
Pulleys: with free-wheel belt pulley
Voltage [V]: 14

Electrics

AL-140JM

Alternator



IVECO DAILY III Autobus
IVECO DAILY III Cassone / Furgonato / Promiscuo
IVECO DAILY III Pianale piatto/Telaio
RENAULT MASCOTT Pianale piatto/Telaio (UH, HH)

OE

1524013R
2995544
2995548
2995982
2995984
47129299

Alternator Charge Current [A]: 120
Belt Pulley [mm]: 68
Clamp: M8 B+ [L-DFM]
Number of Ribs: 6
Pulleys: with multi-belt pulley
Voltage [V]: 14

AL-141JM

Alternator



FORD FIESTA V (JH, JD)
FORD FUSION (JU)

OE

1140135
1303447
1464756
1464788
1477856
1477859

Alternator Charge Current [A]: 80
Belt Pulley [mm]: 54
Clamp: M8 B+ [FR-SIG-A]
Number of Ribs: 6
Pulleys: with multi-belt pulley
Voltage [V]: 14

AL-142JM

Alternator



FORD FOCUS (DAW, DBW)
FORD FOCUS Station wagon (DNW)
FORD FOCUS Tre volumi (DFW)

OE

1079312
1097306
1126051
1138231
1144182
1144183

Alternator Charge Current [A]: 90
Belt Pulley [mm]: 78
Clamp: M8 B+ [FR-SIG-A]
Pulleys: Without multi-belt pulley
Voltage [V]: 14

AL-143JM

Alternator



BMW 1 (E81)
BMW 1 (E87)
BMW 1 Cabriolet (E88)
BMW 1 Coupé (E82)
BMW 3 (E90)
BMW 3 Cabriolet (E93)

OE

12317802261
12317802619
7802261
7802619

Alternator Charge Current [A]: 180
Belt Pulley [mm]: 53
Clamp: M6 B+ [COM-BSS]
Number of Ribs: 6
Pulleys: with multi-belt pulley
Voltage [V]: 14

AL-144JM

Alternator



FIAT BRAVA (182)
FIAT BRAVO I (182)
FIAT DOBLO (119)
FIAT MAREA (185)
FIAT MAREA Weekend (185)
FIAT MULTIPLA (186)

OE

46420963
46532667
46532668
46532669
468130061
46813061

Alternator Charge Current [A]: 105
Belt Pulley [mm]: 60
Clamp: M8
Number of Ribs: 5
Pulleys: with multi-belt pulley
Voltage [V]: 12

Electrics

AL-145JM

Alternator



CITROEN BERLINGO (MF)
CITROEN C5 I (DC_)
CITROEN C5 I Break (DE_)
CITROEN EVASION (22, U6)
CITROEN XANTIA (X2)
CITROEN XANTIA Break (X2)

OE

1516470R
1516478R
1516492R
57052A
57052B
57052C

Alternator Charge Current [A]: 90
Belt Pulley [mm]: 55
Clamp: M8 B+,M5 D+ W
Number of Ribs: 6
Pulleys: with multi-belt pulley
Voltage [V]: 14

AL-146JM

Alternator



AUTOBIANCHI Y10
FIAT 126
FIAT 127
FIAT 127 Panorama
FIAT 147
FIAT CINQUECENTO (170)

OE

076903023G
43231721
4395131
4419109
4434084
4470266

Alternator Charge Current [A]: 65
Belt Pulley [mm]: 58
Clamp: M6
Number of Ribs: 5
Pulleys: with multi-belt pulley
Voltage [V]: 12

AL-147JM

Alternator



TOYOTA YARIS (SCP9_, NSP9_, KSP9_, NCP9_, ZSP9_)

OE

270600Q060
2706040040
2706040041

Alternator Charge Current [A]: 80
Belt Pulley [mm]: 80
Clamp: M6 B+ [RLO-DFM-IG-L]
Number of Ribs: 6
Pulleys: with multi-belt pulley
Voltage [V]: 14

AL-148JM

Alternator



MERCEDES-BENZ CLASSE C (W202)
MERCEDES-BENZ CLASSE C Station wagon (S202)
MERCEDES-BENZ CLASSE E (W210)
MERCEDES-BENZ CLASSE E Station wagon (S210)

OE

0101545902
010154590280
0101546302
0101549502
010154950280
0101549602

Alternator Charge Current [A]: 120
Belt Pulley [mm]: 50
Clamp: M8 B+ M5 D+
Number of Ribs: 6
Pulleys: with free-wheel belt pulley
Voltage [V]: 14

AL-149JM

Alternator



CITROEN JUMPER Autobus (230P)
CITROEN JUMPER Autobus (244, Z_)
CITROEN JUMPER Furgonato (230L)
CITROEN JUMPER Furgonato (244)
CITROEN JUMPER Pianale piatto/Telaio (230)
CITROEN JUMPER Pianale piatto/Telaio (244)

OE

12090113
500345767
500371244
504033459
5702A8
5702A9

Alternator Charge Current [A]: 150
Belt Pulley [mm]: 60
Clamp: M5 D+
Number of Ribs: 6
Pulleys: with multi-belt pulley
Voltage [V]: 12

Electrics

AL-150JM

Alternator



AUDI 80 Avant (8C, B4)
AUDI 90 (89, 89Q, 8A, B3)
BAOLONG LINGHUI
BAOLONG LINGJUN
BAOLONG LINGQI
CHEVROLET CLASSIC

OE
038520135A
1516473R
1516529R
2997074
38520135A
4152610

Alternator Charge Current [A]: 35
Belt Pulley [mm]: 95
Clamp: M6
Number of Ribs: 1
Pulleys: Without multi-belt pulley
Voltage [V]: 24

AL-151JM

Alternator



LAND ROVER DEFENDER Cabrio (LD)
LAND ROVER DEFENDER Station Wagon (LD)

OE
1372736
1374171
1404791
1474021
1572736
1581842

Alternator Charge Current [A]: 150
Belt Pulley [mm]: 59
Clamp: M8 B+ [L-DFM]
Number of Ribs: 6
Pulleys: with free-wheel belt pulley
Voltage [V]: 14

AL-152JM

Alternator



MERCEDES-BENZ CLASSE A (W168)
MERCEDES-BENZ Vaneo (414)

OE
6681540102
668154010280
6681540202
668154020280
6681540302
668154030280

Alternator Charge Current [A]: 150
Belt Pulley [mm]: 50
Clamp: M8 B+ [L-DFM]
Number of Ribs: 5
Pulleys: with multi-belt pulley
Voltage [V]: 12

AL-153JM

Alternator



ABARTH PUNTO EVO (199)
ALFA ROMEO MITO (955)
FIAT 500 (312)
FIAT 500 C (312)
FIAT 500L
FIAT BRAVO II (198)

OE
1202288
1202463
1535436
1673520
1705483
1719535

Alternator Charge Current [A]: 105
Belt Pulley [mm]: 54
Clamp: M8 B+, M5 D+
Number of Ribs: 4
Pulleys: with multi-belt pulley
Voltage [V]: 14

AL-154JM

Alternator



NISSAN PATHFINDER
NISSAN PRIMERA (P12)
NISSAN PRIMERA Hatchback (P12)
NISSAN PRIMERA Station wagon (WP12)
NISSAN TERRANO I (WD21)
RENAULT GRAND SCÉNIC II (JM0/1_)

OE
2303011252
2310000Q0F
2310000Q0L
2310000Q2F
2310000QAN
23100AW300

Alternator Charge Current [A]: 150
Belt Pulley [mm]: 49
Clamp: M8 B+ [L-DFM]
Number of Ribs: 7
Pulleys: with multi-belt pulley
Voltage [V]: 14

Electrics

AL-155JM

Alternator



NISSAN TERRANO
 RENAULT ESPACE IV (JK0/1_)
 RENAULT LAGUNA Coupé (DT0/1)
 RENAULT LAGUNA II (BG0/1_)
 RENAULT LAGUNA II Grandtour (KG0/1_)
 RENAULT LAGUNA III (BT0/1)

OE

1204193
 2310000Q0J
 231001202R
 4431340
 7711368437
 8200404459

Alternator Charge Current [A]: 150
 Belt Pulley [mm]: 49
 Clamp: M8 B+ [L-DFM]
 Number of Ribs: 7
 Pulleys: with free-wheel belt pulley
 Voltage [V]: 14

AL-156JM

Alternator



FIAT BRAVA (182)
 PEUGEOT 307 Break (3E)
 RENAULT MEGANE I (BA0/1_)
 RENAULT MEGANE I Cabriolet (EA0/1_)
 RENAULT MEGANE I Classic (LA0/1_)
 RENAULT MEGANE I Coach (DA0/1_)

OE

12317519621
 12317519622
 1516403R
 4403214
 4403215
 4500044

Alternator Charge Current [A]: 110
 Belt Pulley [mm]: 55
 Clamp: M8 D+ W
 Number of Ribs: 6
 Pulleys: with multi-belt pulley
 Voltage [V]: 12

AL-157JM

Alternator



SMART CABRIO (450)
 SMART CITY-COUPÉ (450)
 SMART CROSSBLADE (450)
 SMART FORTWO Cabrio (450)
 SMART FORTWO Coupé (450)
 SMART ROADSTER (452)

OE

0002801V002
 0002801V003
 0002801V004
 0002801V005
 0002801V006
 0002801V007

Alternator Charge Current [A]: 75
 Belt Pulley [mm]: 58
 Clamp: M6 B+ M5 D+ M5 ,PHIN
 Number of Ribs: 4
 Pulleys: with multi-belt pulley
 Voltage [V]: 14

AL-158JM

Alternator



ALFA ROMEO GIULIETTA (940)
 FIAT 500L
 FIAT 500X
 FIAT TIPO (356)
 FIAT TIPO 2 volumi /Coda spiovente (356_)
 FIAT TIPO Station wagon (356_)

OE

17197917
 51884351
 51944891
 71796428

Alternator Charge Current [A]: 120
 Belt Pulley [mm]: 54
 Clamp: M8 B+ [LIN]
 Number of Ribs: 6
 Pulleys: with free-wheel belt pulley
 Voltage [V]: 14

AL-159JM

Alternator



FIAT SEDICI
 OPEL AGILA (B) (H08)
 SUZUKI ALTO (HA24)
 SUZUKI BALENO (EG)
 SUZUKI BALENO 2 volumi /Coda spiovente (EG)
 SUZUKI BALENO Station wagon (EG)

OE

3140055L00
 3140055L01
 3140055L02000
 3140059J00
 3140065D00
 3140065D01

Alternator Charge Current [A]: 70
 Belt Pulley [mm]: 55
 Clamp: M6 B+ [IG-L]
 Number of Ribs: 4
 Pulleys: with multi-belt pulley
 Voltage [V]: 12

Electrics

AL-160JM

Alternator



FIAT DOBLO (119)
FIAT PALIO (178BX)
FIAT PALIO Weekend (178DX)
FIAT PANDA (169)
FIAT PUNTO (176)
FIAT PUNTO (188)

OE

43420960
46231693
46407644
46407647
46419297
46420960

Alternator Charge Current [A]: 75
Belt Pulley [mm]: 60
Clamp: M8
Number of Ribs: 4
Pulleys: with multi-belt pulley
Voltage [V]: 12

AL-161JM

Alternator



CHEVROLET CRUZE (J300)
CHEVROLET CRUZE 2 volumi /Coda spiovente (J305)
CHEVROLET CRUZE Station Wagon (J308)
CHEVROLET TRAX
OPEL ASTRA GTC J

OE

1202117
1202118
1202261
1202264
1202328
1202338

Alternator Charge Current [A]: 140
Belt Pulley [mm]: 60
Clamp: M8 B+ [DFM-RVC]
Number of Ribs: 6
Pulleys: with free-wheel belt pulley
Voltage [V]: 14

AL-162JM

Alternator



TOYOTA HILUX II Pick-up (RN6_, RN5_, LN6_, YN6_, YN5_, LN)
TOYOTA HILUX III Pick-up (TGN1_, GGN2_, GGN1_, KUN2_, KUN)
TOYOTA LAND CRUISER (KDJ12_, GRJ12_)
TOYOTA LAND CRUISER 150 (KDJ15_, GRJ15_)

OE

270600L010
270600L020
270600L021
270600L022
270600L02284
270600L030

Alternator Charge Current [A]: 100
Belt Pulley [mm]: 58
Clamp: M6 B+ [S-DFM-IG-L]
Number of Ribs: 7
Pulleys: with free-wheel belt pulley
Voltage [V]: 14

AL-163JM

Alternator



ALFA ROMEO 145 (930)
ALFA ROMEO 146 (930)
ALFA ROMEO 155 (167)
ALFA ROMEO 6 (119)
ALFA ROMEO 75 (162B)
ALFA ROMEO 90 (162)

OE

0005927867
110073
4423623
46231700
46231735
46231740

Alternator Charge Current [A]: 65
Belt Pulley [mm]: 62
Clamp: M6,D+
Number of Ribs: 5
Pulleys: with multi-belt pulley
Voltage [V]: 14

AL-164JM

Alternator



CHEVROLET CORSA Pick-up
CHEVROLET CORSA Station wagon
CHEVROLET CORSA Tre volumi
HONDA CIVIC VII Hatchback (EU, EP, EV)
OPEL ASTRA G 2 volumi /Coda spiovente (F48_, F08_)

OE

1204157
1204158
136101
2506101
31100PLZD00
6204182

Alternator Charge Current [A]: 100
Alternator Type: incl. vacuum pump
Belt Pulley [mm]: 60
Clamp: M8 B+ [L-W]
Number of Ribs: 6
Pulleys: with multi-belt pulley
Voltage [V]: 14

Electrics

AL-165JM

Alternator



ALFA ROMEO GIULIA (952_)
ALFA ROMEO GIULIETTA (940)
FIAT 500L
FIAT 500X
FIAT TIPO (356)
FIAT TIPO 2 volumi /Coda spiovente (356_)

OE

51907673
51929089
71796431
71796434

Alternator Charge Current [A]: 150
Belt Pulley [mm]: 54
Clamp: M8 B+ [LIN]
Number of Ribs: 6
Pulleys: with free-wheel belt pulley
Voltage [V]: 14

AL-166JM

Alternator



MITSUBISHI CARISMA (DA_)
MITSUBISHI CARISMA Tre volumi (DA_)
MITSUBISHI SPACE STAR (DG_A)
RENAULT AVANTIME (DE0_)
RENAULT CLIO II (BB0/1/2_, CB0/1/2_)
RENAULT LAGUNA I (B56_, 556_)

OE

1800A043
2310000Q0A
2310000Q0D
2310000Q0E
2310000Q0K
2310000Q1F

Alternator Charge Current [A]: 120
Belt Pulley [mm]: 49
Clamp: M8 B+ [L-DFM]
Number of Ribs: 6
Pulleys: with free-wheel belt pulley
Voltage [V]: 14

AL-167JM

Alternator



CHRYSLER 300 C (LX)
CHRYSLER 300 C Touring (LX)
JEEP COMMANDER (XK)
JEEP GRAND CHEROKEE III (WH, WK)
MERCEDES-BENZ CLASSE C (W203)
MERCEDES-BENZ CLASSE C (W204)

OE

0009062700
00090627000087
000906270080
000906270087
04801250AA
04801250AB

Alternator Charge Current [A]: 180
Belt Pulley [mm]: 50
Clamp: M8 B+ [LIN]
Number of Ribs: 7
Pulleys: with free-wheel belt pulley
Voltage [V]: 12

AL-168JM

Alternator



ALFA ROMEO 145 (930)
ALFA ROMEO 155 (167)
FIAT BARCHETTA (183)
FIAT BRAVA (182)
FIAT BRAVO I (182)
FIAT COUPE (FA/175)

OE

0046430531
1516426R
46231670
46231671
46231722
46231724

Alternator Charge Current [A]: 100
Belt Pulley [mm]: 62
Clamp: M8
Number of Ribs: 6
Pulleys: with multi-belt pulley
Voltage [V]: 12

AL-169JM

Alternator



HYUNDAI ELANTRA Tre volumi (MD, UD)
HYUNDAI i20
HYUNDAI i20 (PB, PBT)
HYUNDAI i30 (FD)
HYUNDAI i30 (GD)
HYUNDAI i30 Coupé

OE

3730002A651
373002A400
373002A401
373002A450
373002A600
373002A601

Alternator Charge Current [A]: 130
Belt Pulley [mm]: 57
Clamp: M8 B+ [C-L-FR]
Number of Ribs: 5
Pulleys: with free-wheel belt pulley
Voltage [V]: 14

Electrics

AL-170JM

Alternator



AUDI A2 (8Z0)
SEAT ALHAMBRA (7V8, 7V9)
SEAT ALTEA (5P1)
SEAT ALTEA XL (5P5, 5P8)
SEAT AROSA (6H)
SEAT CORDOBA (6K2)

OE

028903018RX
028903026P
0303903023N
036903018B
036903018BX
036903024D

Alternator Charge Current [A]: 110
Belt Pulley [mm]: 50
Clamp: M8 B+ [L-DFM]
Number of Ribs: 6
Pulleys: with multi-belt pulley
Voltage [V]: 12

AL-171JM

Alternator



HYUNDAI ELANTRA (XD)
HYUNDAI ELANTRA Tre volumi (XD)
HYUNDAI GRANDEUR (TG)
HYUNDAI i30 (FD)
HYUNDAI i30 CW (FD)
HYUNDAI SANTA FÉ I (SM)

OE

2730027012
3730027010
3730027011
3730027012
3730027012AT
3730027013

Alternator Charge Current [A]: 120
Alternator Type: incl. vacuum pump
Belt Pulley [mm]: 60
Clamp: M8 B+ [L-S]
Number of Ribs: 6
Pulleys: with free-wheel belt pulley
Voltage [V]: 14

AL-172JM

Alternator



FIAT 500 (312)
FIAT 500 C (312)
FIAT DOBLO (119)
FIAT FIORINO MPV / Space wagon (225_)
FIAT GRANDE PUNTO (199)
FIAT IDEA

OE

1204432
13117278
13256930
13283343
1539098
1571296

Alternator Charge Current [A]: 90
Belt Pulley [mm]: 54
Clamp: M8 B+M5 D+
Number of Ribs: 6
Pulleys: with multi-belt pulley
Voltage [V]: 14

AL-173JM

Alternator



MINI MINI (R50, R53)

OE

12317790879
2706033050
2706033051
7790879

Alternator Charge Current [A]: 100
Belt Pulley [mm]: 60
Clamp: M8 [C-FR-IG-L]
Number of Ribs: 7
Pulleys: with free-wheel belt pulley
Voltage [V]: 12

AL-174JM

Alternator



ALFA ROMEO GT (937)
CITROEN C5 I (DC_)
CITROEN C5 I Break (DE_)
CITROEN C8 (EA_, EB_)
CITROEN XANTIA (X2)
CITROEN XANTIA Break (X2)

OE

130722
3140068D00
3140068D00000
3140068D01
3140068D02
3140068D02000

Alternator Charge Current [A]: 150
Belt Pulley [mm]: 54
Clamp: M8 B+ M5 D+
Number of Ribs: 6
Pulleys: with free-wheel belt pulley
Voltage [V]: 14

Electrics

AL-175JM

Alternator



TOYOTA YARIS (SCP1_, NLP1_, NCP1_)
TOYOTA YARIS VERSO (_NLP2_, _NCP2_)

OE

2706033010
2706033020
2706033040

Alternator Charge Current [A]: 90
Belt Pulley [mm]: 60
Clamp: M6 [FR-IG-L]
Number of Ribs: 5
Pulleys: with free-wheel belt pulley
Voltage [V]: 12

AL-176JM

Alternator



FIAT CROMA (194)
FIAT GRANDE PUNTO (199)
FIAT STILO (192)
FIAT STILO Multi Wagon (192)
OPEL ASTRA H (L48)
OPEL ASTRA H GTC (L08)

OE

1204433
13117340
6204187
6204293
71755143
75814308

Alternator Charge Current [A]: 105
Belt Pulley [mm]: 62
Clamp: M8 B+ M5 D+
Number of Ribs: 6
Pulleys: with free-wheel belt pulley
Voltage [V]: 14

AL-177JM

Alternator



FORD TRANSIT Autobus (FD_-, FB_-, FS_-, FZ_-, FC_-,
FORD TRANSIT Furgonato (FA_-,
FORD TRANSIT Pianale piatto/Telaio (FM_-, FN_-,
_)


OE

1498518
1516508R
2C1T1 0300 BA
2C1T1 0300 BB
2C1T10300BA
2C1T10300BB

Alternator Charge Current [A]: 110
Belt Pulley [mm]: 59
Clamp: M6 B+ [L-DFM-S]
Number of Ribs: 7
Pulleys: with free-wheel belt pulley
Voltage [V]: 14

AL-178JM

Alternator



DACIA LOGAN (LS_)
DACIA LOGAN II
DACIA LOGAN MCV II
DACIA SANDERO
DACIA SANDERO II
RENAULT CLIO II (BB0/1/2_, CB0/1/2_)

OE

130712
2310000G1H
2310000GAT
2310000Q1C
2310000Q1D
2310000Q1H

Alternator Charge Current [A]: 95
Belt Pulley [mm]: 65
Clamp: M8 B+[L]
Number of Ribs: 3
Pulleys: with multi-belt pulley
Voltage [V]: 14

AL-179JM

Alternator



HYUNDAI GALLOPER I
HYUNDAI GALLOPER II (JK-01)
HYUNDAI TERRACAN (HP)
MITSUBISHI GALLOPER (JK-01)

OE

3730042540
3730042542
3730042860
3730042861
3730042862
3730042863

Alternator Charge Current [A]: 90
Alternator Type: incl. vacuum pump
Belt Pulley [mm]: 76
Clamp: M6 B+ [L-S]
Number of Ribs: 2
Pulleys: Without multi-belt pulley
Voltage [V]: 14

Electrics

AL-180JM

Alternator



DACIA LOGAN (LS_)
 DACIA LOGAN MCV (KS_)
 DACIA LOGAN Pick-up (US_)
 DACIA SANDERO
 RENAULT CLIO IV
 RENAULT KANGOO (KC0/1_)

OE

1204189
 1204489
 2310000QAU
 2310000QBE
 2310000QBG
 2310000QOE

Alternator Charge Current [A]: 125
 Belt Pulley [mm]: 54
 Clamp: M8 B+[L]
 Number of Ribs: 5
 Pulleys: with free-wheel belt pulley
 Voltage [V]: 12

AL-181JM

Alternator



TOYOTA YARIS (SCP1_, NLP1_, NCP1_)
 TOYOTA YARIS VERSO (_NLP2_, _NCP2_)

OE

270600J010
 270600J020
 270600J030
 270600J040
 2706023040
 270600J020

Alternator Charge Current [A]: 90
 Belt Pulley [mm]: 55
 Clamp: M6 [FR-IG-L]
 Number of Ribs: 6
 Pulleys: with multi-belt pulley
 Voltage [V]: 12

AL-182JM

Alternator



TOYOTA AVENSIS (T25_)
 TOYOTA AVENSIS Station wagon (T25)
 TOYOTA AVENSIS Tre volumi (T25)
 TOYOTA COROLLA (ZZE12_, NDE12_, ZDE12_)
 TOYOTA COROLLA (_E11_)
 TOYOTA COROLLA Compact (_E11_)

OE

2706027040
 270602704084
 2706027050
 2706027060
 2706027070
 2706027090

Alternator Charge Current [A]: 130
 Belt Pulley [mm]: 58
 Clamp: M6 B+ [S-DFM-IG-L]
 Number of Ribs: 5
 Pulleys: with free-wheel belt pulley
 Voltage [V]: 14

AL-183JM

Alternator



FORD MAVERICK (UDS, UNS)
 NISSAN TERRANO II (R20)

OE

1959007
 2310069T60
 231007F000
 231007F001

Alternator Charge Current [A]: 80
 Belt Pulley [mm]: 80
 Clamp: M8
 Number of Ribs: 1
 Pulleys: Without multi-belt pulley
 Voltage [V]: 12

AL-184JM

Alternator



DACIA LOGAN (LS_)
 DACIA LOGAN MCV (KS_)
 DACIA LOGAN Pick-up (US_)
 DACIA SANDERO
 RENAULT CLIO II (BB0/1/2_, CB0/1/2_)
 RENAULT ESPACE III (JE0_)

OE


2310000QBC
 27060165FL
 6001548061
 6601548061
 7700101274
 7700421477

Alternator Charge Current [A]: 98
 Belt Pulley [mm]: 55
 Clamp: M8 B+ [L-DFM]
 Number of Ribs: 6
 Pulleys: with multi-belt pulley
 Voltage [V]: 14

Electrics

AL-185JM

Alternator



CITROEN AX (ZA-_)
CITROEN SAXO (S0, S1)
CITROEN XSARA (N1)
CITROEN XSARA Break (N2)
CITROEN ZX Break (N2)
NISSAN MICRA II (K11)

OE

12312244818
12312244819
130555
5701A5
5701A6
5701A6(X)

Alternator Charge Current [A]: 95
Belt Pulley [mm]: 55
Clamp: M8
Number of Ribs: 5
Pulleys: with multi-belt pulley
Voltage [V]: 12

AL-186JM

Alternator



DAEWOO KORANDO (KJ)
DAEWOO KORANDO Cabrio (KJ)
DAEWOO MUSSO (FJ)
MERCEDES-BENZ 190 (W201)
MERCEDES-BENZ CLASSE C (W202)
MERCEDES-BENZ CLASSE C Station wagon

OE

0081545102
0081545202
008154520280
0081549602
008154960280
0081549702

Alternator Charge Current [A]: 90
Belt Pulley [mm]: 55
Clamp: M8 B+ M5 D+
Number of Ribs: 6
Pulleys: with multi-belt pulley
Voltage [V]: 14

AL-187JM

Alternator



AUDI A3 Cabriolet (8P7)
AUDI A4 (8EC, B7)
AUDI A4 Avant (8ED, B7)
CHRYSLER SEBRING (JS)
CHRYSLER SEBRING Cabriolet (JS)
DODGE AVENGER

OE

021903026
021903026A
021903026B
021903026G
021903026GX
021903026L

Alternator Charge Current [A]: 180
Belt Pulley [mm]: 56
Clamp: M8 B+ [L-DFM]
Number of Ribs: 6
Pulleys: with free-wheel belt pulley
Voltage [V]: 14

AL-188JM

Alternator



FORD SCORPIO II (GFR, GGR)
FORD SCORPIO II Station wagon (GNR, GGR)

OE

1406060
1406068
1406091
1406105
1516401R
1668894

Alternator Charge Current [A]: 70
Alternator Type: incl. vacuum pump
Belt Pulley [mm]: 67
Clamp: M6 B+,M5 D+ M5 W
Number of Ribs: 4
Pulleys: with multi-belt pulley
Voltage [V]: 14

AL-189JM

Alternator



ALFA ROMEO GIULIETTA (940)
FIAT 500L
FIAT 500X
FIAT TIPO (356)
FIAT TIPO 2 volumi /Coda spiovente (356_)
FIAT TIPO Station wagon (356_)

OE

52067418
52083172
55280473
68348758AB
71798219
K68348758AB

Alternator Charge Current [A]: 180
Belt Pulley [mm]: 54
Clamp: M8 B+ [LIN]
Number of Ribs: 6
Pulleys: with free-wheel belt pulley
Voltage [V]: 14

Electrics

AL-190JM

Alternator



DACIA DUSTER
 DACIA LOGAN (LS_)
 DACIA LOGAN MCV (KS_)
 DACIA LOGAN Pick-up (US_)
 DACIA SANDERO
 NISSAN MICRA III (K12)

OE

231000Q2C
 231000Q2R
 7711368356
 8200386806
 8200667608

Alternator Charge Current [A]: 110
 Belt Pulley [mm]: 55
 Clamp: M8 B+ [L-DFM]
 Number of Ribs: 6
 Pulleys: with free-wheel belt pulley
 Voltage [V]: 14

AL-191JM

Alternator



CHEVROLET CAPTIVA (C100, C140)
 CHEVROLET EPICA (KL1_)
 CHEVROLET LACETTI (J200)
 CHEVROLET LACETTI Station wagon (J200)
 CHEVROLET NUBIRA Station wagon
 CHEVROLET NUBIRA Tre volumi

OE

1202430
 1202485
 4805450
 4811550
 4817806
 95519920

Alternator Charge Current [A]: 120
 Belt Pulley [mm]: 56
 Clamp: M8 B+, F-L
 Number of Ribs: 6
 Pulleys: with free-wheel belt pulley
 Voltage [V]: 14

AL-192JM

Alternator



TOYOTA YARIS (SCP9_, NSP9_, KSP9_, NCP9_, ZSP9_)

OE

270600N011

Alternator Charge Current [A]: 90
 Belt Pulley [mm]: 62
 Clamp: M6 B+ [S-DFM-IG-L]
 Number of Ribs: 6
 Pulleys: with free-wheel belt pulley
 Voltage [V]: 14

AL-193JM

Alternator



TOYOTA YARIS (SCP9_, NSP9_, KSP9_, NCP9_, ZSP9_)

OE

270600Q030
 270600Q040
 2706040010
 2706040020

Alternator Charge Current [A]: 90
 Belt Pulley [mm]: 57
 Clamp: M6 B+ [S-DFM-IG-L]
 Number of Ribs: 6
 Pulleys: with multi-belt pulley
 Voltage [V]: 14

AL-194JM

Alternator



NISSAN ALMERA II (N16)
 NISSAN ALMERA II Hatchback (N16)
 NISSAN MICRA III (K12)
 RENAULT CLIO II (BB0/1/2_, CB0/1/2_)
 RENAULT GRAND SCÉNIC II (JM0/1_)
 RENAULT KANGOO (KC0/1_)

OE

231000QAB
 231000QBB
 231000QBJ
 231000QBK
 231006313R
 23100BN701

Alternator Charge Current [A]: 150
 Belt Pulley [mm]: 54
 Clamp: M8 B+ [L-DFM]
 Number of Ribs: 5
 Pulleys: with free-wheel belt pulley
 Voltage [V]: 14

Electrics

AL-195JM

Alternator



TOYOTA YARIS (NHP13_, NSP13_, NCP13_, KSP13_, NLP13_)

OE

270600Q140
2706040090

Alternator Charge Current [A]: 90
Belt Pulley [mm]: 60
Clamp: M6 B+ [LIN]
Number of Ribs: 6
Pulleys: with multi-belt pulley
Voltage [V]: 14

AL-196JM

Alternator



TOYOTA BELTA
TOYOTA VIOS/YARIS Tre volumi (ZSP9_, NCP9_)
TOYOTA YARIS (SCP9_, NSP9_, KSP9_, NCP9_, ZSP9_)

OE

270600J051
270600J061
270600J070

Alternator Charge Current [A]: 90
Belt Pulley [mm]: 55
Clamp: M6 B+ [S-DFM-IG-L]
Number of Ribs: 6
Pulleys: with multi-belt pulley
Voltage [V]: 14

AL-197JM

Alternator



AUDI A4 (8D2, B5)
AUDI A4 (8E2, B6)
AUDI A4 Avant (8D5, B5)
AUDI A4 Avant (8E5, B6)
AUDI A6 (4B2, C5)
AUDI A6 Avant (4B5, C5)

OE

028903018K
028903029B
028903029BX
028903029C
028903029E
028903029EX

Alternator Charge Current [A]: 140
Belt Pulley [mm]: 56
Clamp: M8 B+ [L-DFM]
Number of Ribs: 5
Pulleys: with free-wheel belt pulley
Voltage [V]: 12

AL-198JM

Alternator



OPEL ASTRA G 2 volumi /Coda spiovente (F48_, F08_)
OPEL ASTRA G Cabriolet (F67)
OPEL ASTRA G Coupe (F07_)
OPEL ASTRA G Station wagon (F35_)
OPEL ASTRA G Tre volumi (F69_)

OE

074903025J
09133601
10457917
1204134
1204160
13108596

Alternator Charge Current [A]: 140
Belt Pulley [mm]: 50
Clamp: M8 B+ M5 D+
Number of Ribs: 6
Pulleys: with multi-belt pulley
Voltage [V]: 14

AL-199JM

Alternator



TOYOTA AURIS (NRE15_, ZZE15_, ADE15_, ZRE15_, NDE15_)
TOYOTA COROLLA Tre volumi (E15_)
TOYOTA URBAN CRUISER (NSP1_, NLP1_, ZSP1_, NCP11_)
TOYOTA YARIS (SCP9_, NSP9_, KSP9_, NCP9_)

OE

270600N040
270600N050
2706033100

Alternator Charge Current [A]: 100
Belt Pulley [mm]: 58
Clamp: M6 B+ [RLO-DFM-IG-L]
Number of Ribs: 6
Pulleys: with free-wheel belt pulley
Voltage [V]: 14

Electrics

AL-200JM

Alternator



OPEL ASTRA H (L48)
OPEL ASTRA H GTC (L08)
OPEL ASTRA H Station wagon (L35)
OPEL ASTRA H TwinTop (L67)
OPEL SIGNUM
OPEL VECTRA C

OE
1202115
1202116
1204422
1204427
13229990
13229991

Alternator Charge Current [A]: 140
Belt Pulley [mm]: 54
Clamp: M8 B+ [DFM-L]
Number of Ribs: 6
Pulleys: with free-wheel belt pulley
Voltage [V]: 14

AL-201JM

Alternator



FORD B-MAX (JK)
FORD C-MAX II
FORD ECOSPORT
FORD FIESTA Tre volumi
FORD FIESTA VI
FORD FOCUS III

OE
1469714
1685794
1698214
1871861
1928875
2119650

Alternator Charge Current [A]: 120
Belt Pulley [mm]: 49
Clamp: M8 B+ [LIN]
Number of Ribs: 6
Pulleys: with multi-belt pulley
Voltage [V]: 14

AL-202JM

Alternator



CITROEN BERLINGO (MF)
CITROEN C5 I (DC_)
CITROEN C5 I Break (DE_)
CITROEN C8 (EA_, EB_)
CITROEN EVASION (22, U6)
CITROEN XANTIA (X2)

OE
06C903016B
06C903016BX
078903016S
1516481R
570520
57052D

Alternator Charge Current [A]: 150
Belt Pulley [mm]: 54
Clamp: M8 B+ M5 D+
Number of Ribs: 6
Pulleys: with multi-belt pulley
Voltage [V]: 14

AL-203JM

Alternator



FORD FIESTA V (JH_, JD_)
FORD FUSION (JU_)
MAZDA 2 (DY)

OE
1140136
1485762
1519795
1760757
2S6T10300BA
2S6T10300BB

Alternator Charge Current [A]: 150
Belt Pulley [mm]: 54
Clamp: M8 B+ [FR-SIG-A]
Number of Ribs: 6
Pulleys: with free-wheel belt pulley
Voltage [V]: 14

AL-204JM

Alternator



FORD C-MAX (DM2)
FORD FIESTA V (JH_, JD_)
FORD FOCUS (DAW, DBW)
FORD FOCUS C-MAX
FORD FOCUS II (DA_)
FORD FOCUS II Cabriolet

OE
1064383
1070806
1073090
1090084
1090085
1097305

Alternator Charge Current [A]: 105
Belt Pulley [mm]: 48
Clamp: M8 B+ [FR-SIG-A]
Number of Ribs: 6
Pulleys: with multi-belt pulley
Voltage [V]: 14

Electrics

AL-205JM

Alternator



CITROEN BERLINGO (MF)
CITROEN EVASION (22, U6)
CITROEN XANTIA (X1)
CITROEN XANTIA Break (X1)
CITROEN XM (Y4)
CITROEN XM Break (Y4)

OE
1516404R
1516411R
1516417R
3140065G00
3140065G00000
3292554

Alternator Charge Current [A]: 120
Belt Pulley [mm]: 61
Clamp: M8
Number of Ribs: 6
Pulleys: with multi-belt pulley
Voltage [V]: 12

AL-206JM

Alternator



CITROEN BERLINGO (B9)
CITROEN C3 II
CITROEN C3 Picasso
CITROEN C4 Coupé (LA_)
CITROEN C4 Grand Picasso I (UA_)
CITROEN C4 Grand Picasso II

OE
12317535098
12317553009
12317562388
12317574365
12317575650
12317575779

Alternator Charge Current [A]: 150
Belt Pulley [mm]: 49
Clamp: M6 B+ [BSS]
Number of Ribs: 6
Pulleys: with free-wheel belt pulley
Voltage [V]: 14

AL-207JM

Alternator



OPEL ASTRA G 2 volumi /Coda spiovente (F48_, F08_)
OPEL ASTRA G Cabriolet (F67)
OPEL ASTRA G CLASSIC (T98)
OPEL ASTRA G CLASSIC Caravan (F35)
OPEL ASTRA G CLASSIC Tre volumi (T98)

OE
1204108
1204121
13125229
13147093
13156050
13156054

Alternator Charge Current [A]: 120
Belt Pulley [mm]: 54
Clamp: M8
Number of Ribs: 5
Pulleys: with multi-belt pulley
Voltage [V]: 12

AL-208JM

Alternator



DACIA DOKKER
DACIA DUSTER
DACIA LODGY
DACIA LOGAN II
DACIA LOGAN MCV II
DACIA SANDERO II

OE
2310007865A
2310007865R
231001318R
231003424R
231007865R
231007865RA

Alternator Charge Current [A]: 120
Belt Pulley [mm]: 55
Clamp: M8 B+ [LIN]
Number of Ribs: 6
Pulleys: with free-wheel belt pulley
Voltage [V]: 14

AL-209JM

Alternator



FORD C-MAX (DM2)
FORD FOCUS C-MAX
FORD FOCUS II (DA_)
FORD FOCUS II Station wagon (DA_)
FORD FOCUS II Tre volumi (DA_)

OE
1302007
132974
1352425
1352431
1477740
1677167

Alternator Charge Current [A]: 150
Belt Pulley [mm]: 78
Clamp: M8 B+ [FR-SIG-A]
Pulleys: Without multi-belt pulley
Voltage [V]: 14

Electrics

AL-210JM

Alternator



CITROEN BERLINGO (B9)
CITROEN C-CROSSER (EP_)
CITROEN C4 Coupé (LA_)
CITROEN C4 Grand Picasso I (UA_)
CITROEN C4 I (LC_)
CITROEN C4 Picasso I (UD_)

OE
1800A138
565475280N80
570200
5702000
5702E2
5702E3

Alternator Charge Current [A]: 180
Belt Pulley [mm]: 54
Clamp: M8 B+ [L-DFM]
Number of Ribs: 6
Pulleys: with free-wheel belt pulley
Voltage [V]: 14

AL-211JM

Alternator



FIAT BRAVA (182)
FIAT BRAVO I (182)
FIAT PALIO (178BX)
FIAT PALIO Weekend (178DX)
FIAT PUNTO (176)
FIAT SIENA (178_)

OE
46000357
46231699
46407645
46420961
46420964
46420965

Alternator Charge Current [A]: 85
Belt Pulley [mm]: 60
Clamp: M8
Number of Ribs: 6
Pulleys: with multi-belt pulley
Voltage [V]: 12

AL-212JM

Alternator



MERCEDES-BENZ CLASSE C (W204)
MERCEDES-BENZ CLASSE C Coupé (C204)
MERCEDES-BENZ CLASSE C T-Model (S204)
MERCEDES-BENZ CLASSE E (W212)
MERCEDES-BENZ CLASSE E Cabriolet (A207)
MERCEDES-BENZ CLASSE E Coupé (C207)

OE
0009063622
0009068802
000906880280
0131546802
01315468020
01315468020080

Alternator Charge Current [A]: 180
Belt Pulley [mm]: 50
Clamp: M8 B+ [LIN]
Number of Ribs: 6
Pulleys: with free-wheel belt pulley
Voltage [V]: 14

AL-213JM

Alternator



OPEL ASTRA GTC J
OPEL ASTRA J
OPEL ASTRA J Sports Tourer
OPEL INSIGNIA
OPEL INSIGNIA A Country Tourer (G09)
OPEL INSIGNIA Station wagon

OE
1202236
1202423
1204643
95519835

Alternator Charge Current [A]: 100
Belt Pulley [mm]: 54
Clamp: M8 B+ [F-L]
Number of Ribs: 6
Pulleys: with free-wheel belt pulley
Voltage [V]: 14

AL-214JM

Alternator



BMW 3 (E90)
BMW 3 Cabriolet (E93)
BMW 3 Coupé (E92)
BMW 3 Touring (E91)
BMW 5 (E60)
BMW 5 Touring (E61)

OE
12317788821
12317789981
12317789984
12317792072
12317797521
12317797522

Alternator Charge Current [A]: 170
Belt Pulley [mm]: 53
Clamp: M6 B+ [COM-BSS]
Number of Ribs: 6
Pulleys: with multi-belt pulley
Voltage [V]: 14

Electrics

AL-215JM

Alternator




CHEVROLET MATIZ (M200, M250)
DAEWOO MATIZ

OE
AB165104

Alternator Charge Current [A]: 65
Belt Pulley [mm]: 64
Clamp: M6 B [IG-L]
Number of Ribs: 3
Pulleys: with multi-belt pulley
Voltage [V]: 14

AL-216JM

Alternator



PEUGEOT 308 (4A_, 4C_)
RENAULT GRAND SCÉNIC II (JM0/1_)
RENAULT KANGOO (KC0/1_)
RENAULT KANGOO / GRAND KANGOO (KW0/1_)
RENAULT KANGOO BE BOP (KW0/1_)
RENAULT MEGANE II (BM0/1_, CM0/1_)

OE
231008578R
7701475896
7701476812
7711368380
7711368719
8200390675

Alternator Charge Current [A]: 100
Belt Pulley [mm]: 55
Clamp: M6 B+ [BSS]
Number of Ribs: 6
Pulleys: with free-wheel belt pulley
Voltage [V]: 14

AL-217JM

Alternator



AUDI A6 (4F2, C6)
AUDI A6 Allroad (4FH, C6)
AUDI A6 Avant (4F5, C6)
AUDI A8 (4E_)
AUDI Q7 (4L)
VW TOUAREG (7LA, 7L6, 7L7)

OE
059903015R
059903015RX
059903017K
059903017KX
06C903016H
06C903016HX

Alternator Charge Current [A]: 180
Belt Pulley [mm]: 57
Clamp: M6 B+ [COM-BSS]
Number of Ribs: 6
Pulleys: with multi-belt pulley
Voltage [V]: 14

AL-218JM

Alternator



SMART CABRIO (450)
SMART CITY-COUPE (450)
SMART FORTWO Cabrio (450)
SMART FORTWO Coupé (450)

OE
0004717V005
0004717V005000000
0004717V006
0111548002
011154800280
4717V00500

Alternator Charge Current [A]: 85
Belt Pulley [mm]: 53
Clamp: M8 B+ [L-DFM]
Number of Ribs: 5
Pulleys: with multi-belt pulley
Voltage [V]: 14

AL-219JM

Alternator



AUDI A1 (8X1, 8XF)
AUDI A1 Sportback (8XA, 8XK)
AUDI A3 (8P1)
AUDI A3 Cabriolet (8P7)
AUDI A3 Sportback (8PA)
AUDI Q3 (8U)

OE
03L903023
03L903023A
03L903023AX
03L903023X
03L903024
03L903024M

Alternator Charge Current [A]: 140
Belt Pulley [mm]: 56
Clamp: M8 B+ [LIN]
Number of Ribs: 6
Pulleys: with free-wheel belt pulley
Voltage [V]: 14

Electrics

AL-220JM

Alternator



SUZUKI JIMNY (FJ)

OE

3140084A10
3140084A10000
3140084A11
3140084A11000
3140084A12
3140084A12000

Alternator Charge Current [A]: 100
Alternator Type: incl. vacuum pump
Belt Pulley [mm]: 54
Clamp: M8 B+ [L-R]
Number of Ribs: 6
Pulleys: with free-wheel belt pulley
Voltage [V]: 14

AL-221JM

Alternator



HYUNDAI ACCENT III (MC)
HYUNDAI ACCENT III Tre volumi (MC)
HYUNDAI ACCENT IV Tre volumi (RB)
HYUNDAI GETZ (TB)
HYUNDAI i10 (PA)
HYUNDAI i20

OE

373002A000
373002A010
373002A011
373002A050
373002A100
373002A110

Alternator Charge Current [A]: 120
Belt Pulley [mm]: 57
Clamp: M8 B+ [L]
Number of Ribs: 5
Pulleys: with free-wheel belt pulley
Voltage [V]: 14

AL-222JM

Alternator



PIAGGIO QUARGO Pianale piatto/Telaio

OE

1157326
1157397
1758064010
JFZ155A

Alternator Charge Current [A]: 40
Belt Pulley [mm]: 63
Clamp: M6 [IG-L]
Number of Ribs: 1
Pulleys: Without multi-belt pulley
Voltage [V]: 12

AL-223JM

Alternator



OPEL ASTRA CLASSIC (L48)
OPEL ASTRA CLASSIC Station wagon
OPEL ASTRA CLASSIC Tre volumi
OPEL ASTRA H (L48)
OPEL ASTRA H GTC (L08)
OPEL ASTRA H Station wagon (L35)

OE

1202424
1204197
1204424
1204425
1207197
6204274

Alternator Charge Current [A]: 140
Belt Pulley [mm]: 60
Clamp: M8 B+ [F-L]
Number of Ribs: 6
Pulleys: with free-wheel belt pulley
Voltage [V]: 14

AL-224JM

Alternator



MERCEDES-BENZ CLASSE C (W203)
MERCEDES-BENZ CLASSE C Coupe (CL203)
MERCEDES-BENZ CLASSE C T-Model (S203)
MERCEDES-BENZ CLASSE E (W210)
MERCEDES-BENZ CLASSE E Station wagon (S210)

OE

00011501750
00011502550
0001501750
0001502450
0001502550
A00011502550

Alternator Charge Current [A]: 190
Belt Pulley [mm]: 50
Clamp: M8 B+ [L-DFM]
Number of Ribs: 6
Pulleys: with free-wheel belt pulley
Voltage [V]: 12

Electrics

AL-225JM

Alternator



FORD FOCUS (DAW, DBW)
 FORD FOCUS Station wagon (DNW)
 FORD FOCUS Tre volumi (DFW)
 FORD TOURNEO CONNECT

OE

1229421
 1376671
 1376672
 1376695
 1429688
 1429689

Alternator Charge Current [A]: 120
 Belt Pulley [mm]: 78,5
 Clamp: M6 + [S-SIG-FR]
 Pulleys: Without multi-belt pulley
 Voltage [V]: 14

AL-226JM

Alternator



MERCEDES-BENZ CLASSE A (W168)
 MERCEDES-BENZ Vaneo (414)

OE

0101543802
 010154380280
 0111543502
 011154350280
 0111545602
 011154560280

Alternator Charge Current [A]: 90
 Belt Pulley [mm]: 51
 Clamp: M8 B+M5 D+
 Number of Ribs: 5
 Pulleys: with multi-belt pulley
 Voltage [V]: 14

MT-101JM

Starter



ALFA ROMEO 145 (930)
 ALFA ROMEO 146 (930)
 ALFA ROMEO 147 (937)
 ALFA ROMEO 156 (932)
 ALFA ROMEO 156 Sportwagon (932)
 ALFA ROMEO 159 (939)

OE

1202282
 3110079J00
 3110079J00000
 31100H79J00
 31100H79J00000
 31100T79J00

Clamp: Pin "30" M8 B+
 Clamp: Pin "50" M6
 Flange [mm]: 81,5
 Number of mounting bores: 3
 Number of Teeth: 9
 Number of Thread Bores: 0
 Rated Power [kW]: 2
 Rotation Direction: Clockwise rotation
 Voltage [V]: 12

MT-102JM

Starter



ALFA ROMEO MITO (955)
 CITROEN NEMO Station wagon
 FIAT 500 (312)
 FIAT 500 C (312)
 FIAT DOBLO (119)
 FIAT FIORINO MPV / Space wagon (225_)

OE

09115193
 1202265
 1202499
 1571299
 1637179980
 1726349

Clamp: M8 B+
 Flange [mm]: 64
 Number of mounting bores: 2
 Number of Teeth: 9
 Number of Thread Bores: 1
 Rated Power [kW]: 1,3
 Rotation Direction: Clockwise rotation
 Voltage [V]: 12

MT-103JM

Starter



ABARTH 124 Spider (348_)
 ABARTH 500 (312)
 ABARTH 500C (312)
 ABARTH PUNTO EVO (199)
 ALFA ROMEO GIULIETTA (940)
 ALFA ROMEO MITO (955)

OE

1202291
 1202503
 136908
 1542468
 1567033
 1726802

Clamp: M8 B+
 Flange [mm]: 64
 Number of mounting bores: 3
 Number of Teeth: 10
 Number of Teeth: 8
 Number of Teeth: 9
 Number of Thread Bores: 1
 Rated Power [kW]: 1
 Rotation Direction: Clockwise rotation
 Voltage [V]: 12

Electrics

MT-104JM

Starter



FIAT PALIO (178BX)
FIAT PALIO Weekend (178DX)
FIAT PUNTO (188)
FIAT SEICENTO (187)
FIAT SIENA (178_)
LANCIA Y (840A)

OE

136910
2506910
46429594
46473785
46518059
46548653

Clamp: M8, Pin "50" M6
Flange [mm]: 64
Number of mounting bores: 3
Number of Teeth: 10
Number of Teeth: 8
Number of Teeth: 9
Number of Thread Bores: 1
Rated Power [kW]: 0,8
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-105JM

Starter



DACIA LOGAN (LS_)
DACIA LOGAN II
DACIA LOGAN MCV (KS_)
DACIA LOGAN MCV II
DACIA LOGAN Pick-up (US_)
DACIA SANDERO

OE

2330000Q0F
2330000Q1H
2330000Q1M
2330000Q2C
2330000Q6L
2330000QA0

Clamp: M8 B+, Pin "50" Plug
Flange [mm]: 63
Number of mounting bores: 3
Number of Teeth: 10
Number of Teeth: 12
Number of Teeth: 13
Number of Thread Bores: 3
Rated Power [kW]: 1,4
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-106JM

Starter



IVECO MASSIF Pick-up
IVECO MASSIF Station Wagon

OE

1516689R
2994100
2995990
2997002
42498717
500059592

Clamp: M8, Pin "50" M6
Flange [mm]: 81,5
Number of mounting bores: 3
Number of Teeth: 9
Number of Thread Bores: 3
Rated Power [kW]: 2,3
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-107JM

Starter



FORD FIESTA V (JH_, JD_)
FORD FIESTA VI
FORD FUSION (JU_)
MAZDA 2 (DY)

OE

1140757
1144505
1350459
1366195
1368974
1483817

Clamp: M8, Pin "50" M6
Number of mounting bores: 3
Number of Teeth: 12
Number of Thread Bores: 2
Rated Power [kW]: 1,4
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-108JM

Starter



CITROEN BERLINGO (B9)
CITROEN BERLINGO (K9)
CITROEN BERLINGO (MF)
CITROEN C-ELYSEE
CITROEN C1 (PM_, PN_)
CITROEN C2 (JM_)

OE

1213257
1638115880
28100YV010
28100YV011
3640319
5802A2

Clamp: Pin "30" M8 B+
Clamp: Pin "50" M5
Number of mounting bores: 4
Number of Teeth: 11
Number of Teeth: 12
Number of Thread Bores: 2
Rated Power [kW]: 1,4
Rotation Direction: Clockwise rotation
Voltage [V]: 12

Electrics

MT-109JM

Starter



CITROEN JUMPER Autobus
CITROEN JUMPER Autobus (230P)
CITROEN JUMPER Autobus (244, Z_)
CITROEN JUMPER Furgonato
CITROEN JUMPER Furgonato (230L)
CITROEN JUMPER Furgonato (244)

OE

130019808
130019808
131955508
1329201080
1349920080
1516685R

Clamp: M8, Pin "50" M6
Flange [mm]: 81,5
Number of mounting bores: 3
Number of Teeth: 9
Number of Thread Bores: 3
Rated Power [kW]: 2,5
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-110JM

Starter



CITROEN JUMPER Autobus (230P)
CITROEN JUMPER Autobus (244, Z_)
CITROEN JUMPER Furgonato (230L)
CITROEN JUMPER Furgonato (244)
CITROEN JUMPER Pianale piatto/Telaio (230)
CITROEN JUMPER Pianale piatto/Telaio (244)

OE

1319555080
1331329080
134705808
1347058080
134705880
1524014R

Clamp: M8
Flange [mm]: 82
Number of mounting bores: 3
Number of Teeth: 9
Number of Thread Bores: 3
Rated Power [kW]: 2,5
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-111JM

Starter



CITROEN BERLINGO (MF)
CITROEN BX (XB-_)
CITROEN BX Break (XB-_)
CITROEN C-CROSSER (EP_)
CITROEN C15 Station wagon
CITROEN C4 Coupé (LA_)

OE

1320921080
1332419080
1502453001E
151412580
1516680R
1516741R

Clamp: Pin "30" M8 B+
Clamp: Pin "50" M5
Number of mounting bores: 3
Number of Teeth: 11
Number of Thread Bores: 2
Rated Power [kW]: 1,9
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-112JM

Starter



CITROEN BERLINGO (MF)
CITROEN BX (XB-_)
CITROEN BX Break (XB-_)
CITROEN C-CROSSER (EP_)
CITROEN C15 Station wagon
CITROEN C4 Coupé (LA_)

OE

1005831356
1319121080
1342792080
1516776R
1516779R
1810A101

Clamp: M8, Pin "50" M5
Flange [mm]: 66
Number of mounting bores: 3
Number of Teeth: 10
Number of Teeth: 11
Number of Teeth: 12
Number of Teeth: 13
Number of Thread Bores: 3
Rated Power [kW]: 1,4
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-113JM

Starter



MERCEDES-BENZ CLASSE C (W202)
MERCEDES-BENZ CLASSE C (W203)
MERCEDES-BENZ CLASSE C Coupe (CL203)
MERCEDES-BENZ CLASSE C Station wagon (S202)
MERCEDES-BENZ CLASSE C T-Model (S203)

OE

0031515001
003151500180
0041512101
0041513001
0041513901
0041514501

Clamp: M8
Flange [mm]: 82,5
Number of mounting bores: 2
Number of Teeth: 10
Number of Thread Bores: 2
Rated Power [kW]: 2
Rotation Direction: Clockwise rotation
Voltage [V]: 12

Electrics

MT-114JM

Starter



FORD FIESTA IV (JA_, JB_)
 FORD FOCUS (DAW, DBW)
 FORD FOCUS Station wagon (DNW)
 FORD FOCUS Tre volumi (DFW)
 FORD PUMA (EC_)
 MAZDA 121 III (JASM, JBSM)

OE

0018882
 1004565
 1004566
 1011330
 1011331
 1018882

Clamp: Pin "50" M6
 Flange [mm]: 76
 Number of mounting bores: 3
 Number of Teeth: 10
 Number of Thread Bores: 3
 Rated Power [kW]: 1,1
 Rotation Direction: Clockwise rotation
 Voltage [V]: 12

MT-115JM

Starter



CITROEN AX (ZA-)
 CITROEN BERLINGO (B9)
 CITROEN BERLINGO (MF)
 CITROEN C-ELYSEE
 CITROEN C2 (JM_)
 CITROEN C3 I (FC_)

OE

580200000000
 5802CR
 5802E9
 5802ER
 5802F3
 5802Q3

Clamp: M8, Pin "50" M5
 Number of mounting bores: 3
 Number of Teeth: 9
 Number of Thread Bores: 1
 Rated Power [kW]: 0,9
 Rotation Direction: Clockwise rotation
 Voltage [V]: 12

MT-116JM

Starter



ALFA ROMEO 159 (939)
 ALFA ROMEO 159 Sportwagon (939)
 ALFA ROMEO BRERA
 ALFA ROMEO SPIDER (939)
 CHRYSLER DELTA
 FIAT BRAVO II (198)

OE

0001Y03631
 00K68080459AA
 3110055L00
 3110055L00000
 3110055L01
 31100T55L00

Clamp: M8 B+, Pin "50" M6
 Flange [mm]: 76
 Number of mounting bores: 3
 Number of Teeth: 10
 Number of Teeth: 11
 Number of Thread Bores: 0
 Rated Power [kW]: 1,4
 Rotation Direction: Clockwise rotation
 Voltage [V]: 12

MT-117JM

Starter



FIAT PALIO (178BX)
 FIAT PALIO Weekend (178DX)
 FIAT PANDA (141A_)
 FIAT PUNTO (188)
 FIAT SEICENTO (187)
 FIAT SIENA (178_)

OE

46432262
 46465475
 46758241
 46763530
 46765839
 46796553

Clamp: M8, Pin "50" M6
 Flange [mm]: 64
 Number of mounting bores: 3
 Number of Teeth: 9
 Number of Thread Bores: 2
 Rated Power [kW]: 0,8
 Rotation Direction: Clockwise rotation
 Voltage [V]: 12

MT-118JM

Starter



LAND ROVER DEFENDER Cabrio (LD)
 LAND ROVER DEFENDER Pick-up (LD_)
 LAND ROVER DEFENDER Station Wagon (LD)

OE

1372739
 1375378
 1385378
 1574338
 1606413580
 1669558

Clamp: Pin "30" M8 B+
 Clamp: Pin "50" M6
 Flange [mm]: 89
 Number of mounting bores: 2
 Number of Teeth: 12
 Number of Thread Bores: 0
 Rated Power [kW]: 2
 Rotation Direction: Clockwise rotation
 Voltage [V]: 12

Electrics

MT-119JM

Starter



FORD C-MAX (DM2)
 FORD C-MAX II
 FORD FOCUS C-MAX
 FORD FOCUS II (DA_)
 FORD FOCUS II Station wagon (DA_)
 FORD FOCUS II Tre volumi (DA_)

OE

1229427
 1233234
 1254222
 1368970
 1469712
 1707507

Clamp: Pin "30" M8 B+
 Clamp: Pin "50" M6
 Number of mounting bores: 3
 Number of Teeth: 11
 Number of Thread Bores: 2
 Rated Power [kW]: 1,2
 Rotation Direction: Clockwise rotation
 Voltage [V]: 12

MT-120JM

Starter



AUDI A1 (8X1, 8XF)
 AUDI A1 Sportback (8XA, 8XK)
 AUDI A3 (8P1)
 AUDI A3 Cabriolet (8P7)
 AUDI A3 Sportback (8PA)
 AUDI Q3 (8U)

OE

02M911023N
 02M911023NX
 02M911023P
 02M911023PX
 02M911024
 02M911024A

Clamp: Pin "50" Plug
 Flange [mm]: 76
 Number of mounting bores: 2
 Number of Teeth: 11
 Number of Teeth: 12
 Number of Thread Bores: 0
 Rated Power [kW]: 2
 Rotation Direction: Anti-clockwise rotation
 Voltage [V]: 12

MT-121JM

Starter



FORD ESCORT CLASSIC (AAL, ABL)
 FORD ESCORT V (GAL)
 FORD ESCORT V Station wagon (GAL, AVL)
 FORD ESCORT VI (GAL)
 FORD ESCORT VI Station wagon (GAL)
 FORD ESCORT VI Tre volumi (GAL)

OE

1008813
 1008835
 1027300
 1058429
 1061267
 1061627

Clamp: M8, Pin "50" M6
 Flange [mm]: 76
 Number of mounting bores: 3
 Number of Teeth: 10
 Number of Thread Bores: 3
 Rated Power [kW]: 2,2
 Rotation Direction: Clockwise rotation
 Voltage [V]: 12

MT-122JM

Starter



MERCEDES-BENZ CLASSE X (470)
 NISSAN NAVARA Pick-up (D23)
 NISSAN QASHQAI / QASHQAI +2 (J10, JJ10)
 NISSAN X-TRAIL (T31)
 RENAULT ALASKAN
 RENAULT ESPACE IV (JK0/1_)

OE

1202193
 1202204
 1202395
 2330000Q0A
 2330000Q0D
 2330000Q1E

Clamp: Pin "30" M8 B+
 Clamp: Pin "50" M5
 Flange [mm]: 76
 Number of mounting bores: 3
 Number of Teeth: 10
 Number of Teeth: 11
 Number of Thread Bores: 0
 Rated Power [kW]: 2,2
 Rotation Direction: Clockwise rotation
 Voltage [V]: 12

MT-123JM

Starter



HYUNDAI GALLOPER II (JK-01)
 HYUNDAI TERRACAN (HP)
 MITSUBISHI GALANT VI (EA_)
 MITSUBISHI GALANT VI Station wagon (EA_)
 MITSUBISHI L 200 (K7_T, K6_T)
 MITSUBISHI LANCER V (CB/D_A)

OE

23300FY500
 3610042250
 3610042350
 3610042450
 M002T84170
 M002T84171

Clamp: M10
 Flange [mm]: 77
 Number of mounting bores: 2
 Number of Teeth: 12
 Number of Thread Bores: 2
 Rated Power [kW]: 2,2
 Rotation Direction: Clockwise rotation
 Voltage [V]: 12

Electrics

MT-124JM

Starter



CITROEN C1 (PM_, PN_)
 CITROEN C1 II
 PEUGEOT 107
 PEUGEOT 108
 TOYOTA AYGO (PAB4_, KGB4_)
 TOYOTA AYGO (WNB1_, KGB1_)

OE

1612092980
 1612350580
 281000Q012
 281000Q012D
 281000Q021
 281000Q030

Clamp: Pin "30" M8 B+
 Clamp: Pin "50" M5
 Flange [mm]: 74
 Number of mounting bores: 2
 Number of Teeth: 8
 Number of Thread Bores: 1
 Rated Power [kW]: 1,1
 Rotation Direction: Clockwise rotation
 Voltage [V]: 12

MT-125JM

Starter



FIAT CINQUECENTO (170)
 FIAT PANDA (141A_)
 FIAT SEICENTO (187)
 FIAT UNO (146A/E)
 LANCIA A 112
 SEAT FURA (025A)

OE

0003914191
 0003974104
 3914191
 3915113
 4229113
 4229114

Clamp: M8
 Flange [mm]: 62
 Number of mounting bores: 3
 Number of Teeth: 9
 Number of Thread Bores: 3
 Rated Power [kW]: 1,2
 Rotation Direction: Clockwise rotation
 Voltage [V]: 12

MT-126JM

Starter



CITROEN BERLINGO (B9)
 CITROEN C1 (PM_, PN_)
 CITROEN C2 (JM_)
 CITROEN C3 I (FC_)
 CITROEN C3 II
 CITROEN C3 III (SX)

OE

28100YV020
 3647959
 5645100680
 5802AA
 5802EG
 5802Z8

Clamp: M8
 Number of mounting bores: 3
 Number of Teeth: 12
 Number of Thread Bores: 2
 Rated Power [kW]: 1,5
 Rotation Direction: Clockwise rotation
 Voltage [V]: 12

MT-127JM

Starter



AUDI A3 (8P1)
 AUDI A3 Cabriolet (8P7)
 AUDI A3 Sportback (8PA)
 SEAT ALTEA (5P1)
 SEAT ALTEA XL (5P5, 5P8)
 SEAT CORDOBA (6L2)

OE

02Z911023F
 02Z911023FX
 02Z911023H
 02Z911023HX
 02Z911024J
 2Z911023F

Clamp: Pin "30" M8 B+
 Clamp: Pin "50" Plug
 Flange [mm]: 76
 Number of mounting bores: 3
 Number of Teeth: 10
 Number of Thread Bores: 0
 Rated Power [kW]: 2
 Rotation Direction: Anti-clockwise rotation
 Voltage [V]: 12

MT-128JM

Starter



CHEVROLET CORSA Pick-up
 CHEVROLET CORSA Station wagon
 CHEVROLET CORSA Tre volumi
 CHEVROLET TRAX
 HONDA CIVIC VII Hatchback (EU, EP, EV)
 OPEL ASTRA CLASSIC (L48)

OE

1202591
 136934
 2506934
 31200PLZD00
 6202000
 6202043

Clamp: Pin "30" M8 B+
 Clamp: Pin "50" M4
 Flange [mm]: 78
 Number of mounting bores: 2
 Number of Teeth: 13
 Number of Thread Bores: 1
 Rated Power [kW]: 1,4
 Rotation Direction: Clockwise rotation
 Voltage [V]: 12

Electrics

MT-129JM

Starter



FORD C-MAX (DM2)
 FORD FOCUS C-MAX
 FORD FOCUS II (DA_)
 FORD FOCUS II Cabriolet
 FORD FOCUS II Station wagon (DA_)
 FORD FOCUS II Tre volumi (DA_)

OE
 1427763
 1476606
 1529431
 1904993
 4M5T11000FA
 6G9N11000GA

Clamp: M8 B+
 Flange [mm]: 63
 Number of mounting bores: 3
 Number of Teeth: 11
 Number of Thread Bores: 3
 Rated Power [kW]: 2,2
 Rotation Direction: Clockwise rotation
 Voltage [V]: 12

MT-130JM

Starter



BMW 02 (E10)
 BMW 02 Cabriolet (E10)
 BMW 02 Touring (E6)
 BMW 1500-2000 (115, 116, 118, 121)
 BMW 1600 GT Coupe
 BMW 2000-3.2 Coupe (E9)

OE
 1005821194
 12411308543
 12411312104
 12411312130
 1312104
 1312130

Clamp: M8, Pin "50" M6
 Flange [mm]: 76
 Number of mounting bores: 2
 Number of Teeth: 9
 Number of Thread Bores: 0
 Rated Power [kW]: 1,7
 Rotation Direction: Clockwise rotation
 Voltage [V]: 12

MT-131JM

Starter



DAEWOO LACETTI 2 volumi /Coda spiovente (KLAN)
 FIAT STILO (192)
 FIAT STILO Multi Wagon (192)
 OPEL AGILA (A) (H00)
 OPEL COMBO Tour

OE
 55351508
 55351608

Clamp: M8, Pin "50" M6
 Flange [mm]: 68
 Number of mounting bores: 2
 Number of Teeth: 9
 Number of Thread Bores: 0
 Rated Power [kW]: 1,1
 Rotation Direction: Clockwise rotation
 Voltage [V]: 12

MT-132JM

Starter



HYUNDAI GALLOPER I
 HYUNDAI GALLOPER II (JK-01)
 HYUNDAI TERRACAN (HP)
 MITSUBISHI GALANT II Station Wagon (A16_V)
 MITSUBISHI GALANT IV (A16_)
 MITSUBISHI GALANT V (E5_A, E7_A, E8_A)

OE
 1516954R
 3610042050
 3610047600
 3610047650
 HK988300
 HQ808670

Clamp: M8 B+
 Flange [mm]: 77
 Number of mounting bores: 2
 Number of Teeth: 13
 Number of Thread Bores: 2
 Rated Power [kW]: 2,2
 Rotation Direction: Clockwise rotation
 Voltage [V]: 12

MT-133JM

Starter



CARBODIES TX1
 FORD MAVERICK (UDS, UNS)
 NISSAN NAVARA (D21)
 NISSAN NAVARA (D22)
 NISSAN PATHFINDER (R50)
 NISSAN PICK UP (D21)

OE
 1516934R
 2330002N00
 2330010T01
 2330010T02
 233001W400
 233001W40A

Clamp: M8
 Flange [mm]: 95
 Number of mounting bores: 2
 Number of Teeth: 9
 Number of Thread Bores: 0
 Rated Power [kW]: 2,5
 Rotation Direction: Clockwise rotation
 Voltage [V]: 12

Electrics

MT-134JM

Starter



FIAT DOBLO (119)
LANCIA YPSILON (843)
OPEL AGILA (A) (H00)
OPEL AGILA (B) (H08)
OPEL ASTRA CLASSIC (L48)
OPEL ASTRA H (L48)

OE
3110084ECO
3110085E00
31100M86J01
33353237
55217673
55353237

Clamp: Pin "30" M8 B+
Clamp: Pin "50" M6
Flange [mm]: 64
Number of mounting bores: 2
Number of Teeth: 8
Number of Teeth: 9
Number of Thread Bores: 1
Rated Power [kW]: 1,1
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-135JM

Starter



TOYOTA YARIS (SCP1_, NLP1_, NCP1_)

OE
2280009540
281000J010
281000J020
281000J030
281000J031
281000J050

Clamp: Pin "50" Plug
Flange [mm]: 74
Number of mounting bores: 2
Number of Teeth: 8
Number of Thread Bores: 1
Rated Power [kW]: 1,2
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-136JM

Starter



IVECO DAILY I Autobus
IVECO DAILY I Cassone / Furgonato / Promiscuo
IVECO DAILY I Pianale piatto/Telaio
IVECO DAILY I Ribaltabile
IVECO DAILY II Cassone / Furgonato / Promiscuo

OE
004719664
106055
1516663R
1516714R
1516792R
2995140

Clamp: M8
Flange [mm]: 110
Number of mounting bores: 3
Number of Teeth: 9
Number of Thread Bores: 1
Rated Power [kW]: 2,2
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-137JM

Starter



AUTOBIANCHI Y10
FIAT PANDA (141A_)
FIAT TIPO (160)
FIAT UNO (146A/E)
LANCIA Y10 (156)

OE
46231510
46402984
5999906
7539303
7612952
7621040

Clamp: M8
Flange [mm]: 64
Number of mounting bores: 3
Number of Teeth: 9
Number of Thread Bores: 1
Rated Power [kW]: 0,8
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-138JM

Starter



CHEVROLET AVEO 2 volumi /Coda spiovente (T200)
CHEVROLET AVEO 2 volumi /Coda spiovente (T250, T255)
CHEVROLET AVEO Tre volumi (T200)
CHEVROLET AVEO Tre volumi (T250, T255)

OE
09000700
09000756
09117031
09130838
09133598
09163856

Clamp: M8, Pin "50" M6
Flange [mm]: 68
Number of mounting bores: 2
Number of Teeth: 10
Number of Thread Bores: 0
Rated Power [kW]: 1,3
Rotation Direction: Clockwise rotation
Voltage [V]: 12

Electrics

MT-139JM

Starter



DACIA LOGAN (LS_)
 DACIA LOGAN II
 DACIA LOGAN MCV II
 DACIA SANDERO
 DACIA SANDERO II
 RENAULT CLIO Grandtour (KR0/1_)

OE

2330000QAM
 2330000QAY
 5802X6
 7700864608
 7700865213
 7700867838

Clamp: M8
 Flange [mm]: 63,5
 Number of mounting bores: 3
 Number of Teeth: 9
 Number of Thread Bores: 1
 Rated Power [kW]: 0,9
 Rotation Direction: Clockwise rotation
 Voltage [V]: 12

MT-140JM

Starter



TOYOTA AURIS (NRE15_, ZZE15_, ADE15_,
 ZRE15_, NDE15_)
 TOYOTA YARIS (SCP9_, NSP9_, KSP9_, NCP9_,
 ZSP9_)

OE

281000N010

Clamp: Pin "50" Plug
 Flange [mm]: 74
 Number of mounting bores: 2
 Number of Teeth: 9
 Number of Thread Bores: 1
 Rated Power [kW]: 1,1
 Rotation Direction: Clockwise rotation
 Voltage [V]: 12

MT-141JM

Starter



LEXUS IS II (GSE2_, ALE2_, USE2_)
 TOYOTA AURIS (NRE15_, ZZE15_, ADE15_,
 ZRE15_, NDE15_)
 TOYOTA AURIS (NZE18_, ZRE18_)
 TOYOTA AURIS TOURING SPORTS (ADE18_,
 ZWE18_, ZRE18_)


OE

281000G040
 281000R010
 281000R01084
 281000R030
 281000R03084
 281000R060

Clamp: Pin "30" M8 B+
 Clamp: Pin "50" Plug
 Flange [mm]: 74
 Number of mounting bores: 2
 Number of Teeth: 9
 Number of Thread Bores: 2
 Rated Power [kW]: 2
 Rotation Direction: Clockwise rotation
 Voltage [V]: 12

MT-142JM

Starter



MITSUBISHI CARISMA (DA_)
 MITSUBISHI CARISMA Tre volumi (DA_)
 MITSUBISHI SPACE STAR (DG_A)
 NISSAN PRIMERA (P12)
 NISSAN PRIMERA Hatchback (P12)
 NISSAN PRIMERA Station wagon (WP12)

OE

1810A048
 2330000QOE
 2330000QAC
 2330000QAE
 23300AW300
 23300AW302

Clamp: Pin "30" M8 B+
 Clamp: Pin "50" M5
 Number of mounting bores: 4
 Number of Teeth: 11
 Number of Thread Bores: 3
 Rated Power [kW]: 2,1
 Rotation Direction: Clockwise rotation
 Voltage [V]: 12

MT-143JM

Starter



MERCEDES-BENZ CLASSE A (W168)
 MERCEDES-BENZ Vaneo (414)

OE

0051511601
 005151160180
 0051517401
 005151740180
 A0051511601
 A005151160180

Clamp: M8, Pin "50" M6
 Flange [mm]: 70
 Number of mounting bores: 2
 Number of Teeth: 10
 Number of Thread Bores: 0
 Rated Power [kW]: 1,7
 Rotation Direction: Clockwise rotation
 Voltage [V]: 12

Electrics

MT-144JM

Starter



OPEL ASTRA GTC J
OPEL ASTRA J
OPEL ASTRA J Sports Tourer
OPEL ASTRA J Tre volumi
OPEL CORSA D
OPEL MERIVA B

OE

1202110
1202281
1202421
55566800
55568572
95520115

Clamp: Pin "50" M6
Flange [mm]: 68
Number of mounting bores: 2
Number of Teeth: 9
Number of Thread Bores: 0
Rated Power [kW]: 1,1
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-145JM

Starter



CITROEN BERLINGO (B9)
CITROEN BERLINGO (K9)
CITROEN BERLINGO (MF)
CITROEN C-ELYSEE
CITROEN C2 (JM_)
CITROEN C3 AIRCROSS II

OE

12417794971
12417805098
1638116880
3110069K00
3640318
5802AE

Clamp: Pin "50" M5
Number of mounting bores: 4
Number of Teeth: 11
Number of Thread Bores: 2
Rated Power [kW]: 2,2
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-146JM

Starter



AUDI A2 (8Z0)
AUDI A3 (8L1)
FORD GALAXY (WGR)
SEAT ALHAMBRA (7V8, 7V9)
SEAT AROSA (6H)
SEAT CORDOBA (6K1, 6K2)

OE

02A911023G
02A911023GX
02A911023J
02A911023JX
02A911023R
02A911023RX

Clamp: M8
Flange [mm]: 76
Number of mounting bores: 2
Number of Teeth: 10
Number of Thread Bores: 0
Rated Power [kW]: 1,8
Rotation Direction: Anti-clockwise rotation
Voltage [V]: 12

MT-147JM

Starter



SUZUKI JIMNY (FJ)
SUZUKI JIMNY Fuoristrada aperto (SN)
SUZUKI SAMURAI (SJ)
SUZUKI SAMURAI Fuoristrada aperto (SJ)
SUZUKI SJ 413
SUZUKI VITARA (ET, TA)

OE

1A5118400
3100083021
3110060A10
3110060A10000
3110060A11
3110060A12

Clamp: M8
Flange [mm]: 66
Number of mounting bores: 2
Number of Teeth: 8
Number of Teeth: 9
Number of Thread Bores: 0
Rated Power [kW]: 0,9
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-148JM

Starter



AUDI 80 (89, 89Q, 8A, B3)
AUDI 80 (8C, B4)
AUDI 80 Avant (8C, B4)
AUDI 90 (89, 89Q, 8A, B3)
AUDI A4 (8D2, B5)
AUDI A4 (8E2, B6)

OE

068911023P
068911023R
068911023RX
068911023S
068911023SX
068911024B

Clamp: M8
Clamp: Pin "50" 6.3mm Spade
Flange [mm]: 82,5
Number of mounting bores: 2
Number of Teeth: 10
Number of Teeth: 9
Number of Thread Bores: 2
Rated Power [kW]: 1,7
Rotation Direction: Clockwise rotation
Voltage [V]: 12

Electrics

MT-149JM

Starter



MERCEDES-BENZ CLASSE A (W168)
 MERCEDES-BENZ CLASSE A (W169)
 MERCEDES-BENZ CLASSE B (W245)
 MERCEDES-BENZ Vaneo (414)

OE

0041518501
 004151850180
 0051212101
 0051511101
 005151110180
 0051512101

Clamp: Pin "50" M6
 Flange [mm]: 70
 Number of mounting bores: 2
 Number of Teeth: 10
 Number of Teeth: 9
 Number of Thread Bores: 0
 Rated Power [kW]: 1,3
 Rotation Direction: Clockwise rotation
 Voltage [V]: 12

MT-150JM

Starter



FORD MONDEO III (B5Y)
 FORD MONDEO III Station wagon (BWY)
 FORD MONDEO III Tre volumi (B4Y)
 JAGUAR X-TYPE (CF1)
 JAGUAR X-TYPE Estate
 LTI TX

OE

1096338
 1120215
 1140110
 1151641
 1202166
 1214371

Clamp: M8, Pin "50" M6
 Number of mounting bores: 4
 Number of Teeth: 19
 Number of Thread Bores: 0
 Rated Power [kW]: 2,1
 Rotation Direction: Clockwise rotation
 Voltage [V]: 12

MT-151JM

Starter



ALFA ROMEO MITO (955)
 CHRYSLER YPSILON
 CITROEN NEMO Station wagon
 FIAT 500 (312)
 FIAT 500 C (312)
 FIAT 500L

OE

1202203
 1202266
 1202508
 1612794380
 1616323380
 1723350

Clamp: M8 B+
 Flange [mm]: 64
 Number of mounting bores: 2
 Number of Teeth: 10
 Number of Thread Bores: 1
 Rated Power [kW]: 1,4
 Rotation Direction: Clockwise rotation
 Voltage [V]: 12

MT-152JM

Starter



DACIA SOLENZA
 DACIA SUPERNOVA
 MAZDA 2 (DE)
 RENAULT 11 (B/C37_)
 RENAULT 19 I (B/C53_)
 RENAULT 19 I Cabriolet (D53_)

OE

0000431120
 0000434120
 1059564
 1516729R
 1516807R
 18213M68KA000

Clamp: M8
 Flange [mm]: 66
 Number of mounting bores: 4
 Number of Teeth: 11
 Number of Teeth: 9
 Number of Thread Bores: 4
 Rated Power [kW]: 1,4
 Rotation Direction: Clockwise rotation
 Voltage [V]: 12

MT-153JM

Starter



NISSAN CABSTAR Pick-up
 NISSAN TRADE Autobus
 NISSAN TRADE Furgonato
 NISSAN TRADE Pianale piatto/Telaio

OE

136914
 233000T600
 233001S900
 2330054T00
 2330090067
 2330090069

Clamp: M8
 Flange [mm]: 95
 Number of mounting bores: 2
 Number of Teeth: 9
 Number of Thread Bores: 0
 Rated Power [kW]: 2,2
 Rotation Direction: Clockwise rotation
 Voltage [V]: 12

Electrics

MT-154JM

Starter



NISSAN MICRA C+C (K12)
NISSAN MICRA II (K11)
NISSAN MICRA III (K12)
NISSAN NOTE (E11)

OE

233001F710
233001F715
233001F770
233001F771
233001F772
233001F772B

Clamp: M8, Pin "50" M6
Flange [mm]: 70
Number of mounting bores: 2
Number of Teeth: 8
Number of Thread Bores: 1
Rated Power [kW]: 1,1
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-155JM

Starter



DACIA DOKKER
DACIA DUSTER
DACIA LODGY
RENAULT CAPTUR
RENAULT CLIO Grandtour IV
RENAULT CLIO IV

OE

2330000Q3D
233000557R
233000779R
233001071
233001071R
233003307R

Clamp: Pin "30" M8 B+
Clamp: Pin "50" M5
Number of mounting bores: 4
Number of Teeth: 11
Number of Thread Bores: 3
Rated Power [kW]: 1
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-156JM

Starter



SMART CABRIO (450)
SMART CITY-COUPE (450)
SMART CROSSBLADE (450)
SMART FORTWO Cabrio (450)
SMART FORTWO Coupé (450)
SMART ROADSTER (452)

OE

0003188V004
0003188V005
0003188V006
0003188V007
0003188V008
0003188V008000000

Clamp: M8
Flange [mm]: 70
Number of mounting bores: 3
Number of Teeth: 9
Number of Thread Bores: 2
Rated Power [kW]: 0,8
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-157JM

Starter



MERCEDES-BENZ CLASSE C (W204)
MERCEDES-BENZ CLASSE C Coupé (C204)
MERCEDES-BENZ CLASSE C T-Model (S204)
MERCEDES-BENZ CLASSE E (W212)
MERCEDES-BENZ CLASSE E Cabriolet (A207)
MERCEDES-BENZ CLASSE E Coupé (C207)

OE

0009060126
000906012680
0061514501
006151450180
6519060026
651906002680

Clamp: M8 B+
Clamp: Pin "50" M6
Flange [mm]: 70
Number of mounting bores: 2
Number of Teeth: 12
Number of Thread Bores: 2
Rated Power [kW]: 1,7
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-158JM

Starter



FIAT FIORINO Pick up (146)
FIAT PALIO (178BX)
FIAT PALIO Weekend (178DX)
FIAT PUNTO (176)
FIAT SIENA (178_)
FIAT STRADA Pick-up (178E)

OE

46430721
46439669
4643970
46439700
46440079
46446291

Clamp: Pin "50" M6
Flange [mm]: 82
Number of mounting bores: 3
Number of Teeth: 9
Number of Thread Bores: 3
Rated Power [kW]: 1,7
Rotation Direction: Clockwise rotation
Voltage [V]: 12

Electrics

MT-159JM

Starter



DACIA DOKKER
 DACIA DUSTER
 DACIA LODGY
 DACIA LOGAN II
 DACIA LOGAN MCV II
 DACIA SANDERO II

OE

2330000Q2H
 233000379R
 233004868C
 233004868R
 233007689R
 233009323R

Clamp: M8 B+
 Clamp: Pin "50" Plug
 Flange [mm]: 64
 Number of mounting bores: 2
 Number of Teeth: 12
 Number of Teeth: 13
 Number of Thread Bores: 2
 Rated Power [kW]: 1,7
 Rotation Direction: Clockwise rotation
 Voltage [V]: 12

MT-160JM

Starter



RENAULT AVANTIME (DE0_)
 RENAULT ESPACE III (JE0_)
 RENAULT ESPACE IV (JK0/1_)
 RENAULT LAGUNA II (BG0/1_)
 RENAULT LAGUNA II Grandtour (KG0/1_)
 RENAULT VEL SATIS (BJ0_)

OE

1202206
 1202208
 2330000Q0B
 2330000Q0C
 2330000QAF
 2330000QAG

Clamp: M8
 Number of mounting bores: 4
 Number of Teeth: 10
 Number of Thread Bores: 3
 Rated Power [kW]: 2
 Rotation Direction: Clockwise rotation
 Voltage [V]: 12

MT-161JM

Starter



PIAGGIO APE (MP) VESPACAR
 PIAGGIO APE TM Furgonato
 PIAGGIO APE TM Pianale piatto/Telaio

OE

157715
 803499
 8034993
 834692

Number of mounting bores: 2
 Number of Thread Bores: 0
 Rated Power [kW]: 0,8
 Voltage [V]: 12

MT-162JM

Starter



FORD C-MAX II
 FORD FOCUS II (DA_)
 FORD FOCUS II Station wagon (DA_)
 FORD FOCUS II Tre volumi (DA_)
 FORD FOCUS III
 FORD FOCUS III Tre volumi

OE

1687623
 1715211
 1778016
 1893556
 1898356
 2033247

Clamp: Pin "30" M8 B+
 Clamp: Pin "50" M6
 Number of mounting bores: 3
 Number of Teeth: 11
 Number of Thread Bores: 0
 Rated Power [kW]: 2,3
 Rotation Direction: Clockwise rotation
 Voltage [V]: 12

MT-163JM

Starter



BMW 1 (E87)
 BMW 3 (E46)
 BMW 3 Cabriolet (E46)
 BMW 3 Compact (E46)
 BMW 3 Coupe (E46)
 BMW 3 Touring (E46)

OE

12417787354
 12417787356
 7787354
 7787356

Clamp: 30H M5
 Clamp: Pin 50 M6
 Flange [mm]: 74
 Number of mounting bores: 2
 Number of Teeth: 10
 Number of Thread Bores: 2
 Rated Power [kW]: 1,6
 Rotation Direction: Clockwise rotation
 Voltage [V]: 12

Electrics

MT-164JM

Starter



CHEVROLET MATIZ (M200, M250)
 CHEVROLET SPARK
 DAEWOO MATIZ
 DAEWOO MATIZ (KLYA)
 DAEWOO TICO (KLY3)
 SUZUKI WAGON R+ (EM)

OE
 3110070B20
 3110075F0
 3110075F00
 3110075F01
 3110075F01000
 3110075F02

Clamp: M8
 Flange [mm]: 75
 Number of mounting bores: 2
 Number of Teeth: 8
 Number of Thread Bores: 2
 Rated Power [kW]: 1
 Rotation Direction: Clockwise rotation
 Voltage [V]: 12

MT-165JM

Starter



SUBARU TREZIA
 TOYOTA AURIS (NRE15_, ZZE15_, ADE15_,
 ZRE15_, NDE15_)
 TOYOTA AURIS (NZE18_, ZRE18_)
 TOYOTA AURIS TOURING SPORTS (ADE18_,
 ZWE18_, ZRE18_)

OE
 281000N040
 281000N04084
 281000N060
 2810033090
 2810033110

Clamp: Pin "50" Plug
 Flange [mm]: 74
 Number of mounting bores: 2
 Number of Teeth: 9
 Number of Thread Bores: 1
 Rated Power [kW]: 1,6
 Rotation Direction: Clockwise rotation
 Voltage [V]: 12

MT-166JM

Starter



AUDI A6 (4B2, C5)
 DAEWOO MATIZ (KLYA)
 JAGUAR XJ (X350, X358)
 NEW HOLLAND TN-A
 TOYOTA LAND CRUISER (KDJ12_, GRJ12_)

OE
 580 144 18 16
 5801441816

Clamp: M8 B+
 Flange [mm]: 110
 Number of mounting bores: 3
 Number of Teeth: 9
 Number of Thread Bores: 0
 Rated Power [kW]: 2,6
 Rotation Direction: Clockwise rotation
 Voltage [V]: 12

MT-167JM

Starter



TOYOTA AVENSIS VERSO (_CLM2_, _ACM2_)
 TOYOTA CARINA E (_T19_)
 TOYOTA CARINA E Sportswagon (_T19_)
 TOYOTA CARINA E Tre volumi (_T19_)
 TOYOTA COROLLA (_E11_)
 TOYOTA COROLLA Compact (_E11_)

OE
 2810064140
 2810064310
 2810064430
 TT15639

Clamp: M8
 Flange [mm]: 74
 Number of mounting bores: 2
 Number of Teeth: 10
 Number of Thread Bores: 2
 Rated Power [kW]: 2,2
 Rotation Direction: Clockwise rotation
 Voltage [V]: 12

MT-168JM

Starter



FIAT BRAVA (182)
 FIAT BRAVO I (182)
 FIAT DOBLO (119)
 FIAT MAREA (185)
 FIAT MAREA Weekend (185)
 FIAT MULTIPLA (186)

OE
 361002B402
 46231536
 46451529
 46524472
 46531437
 46748349

Clamp: M8, Pin "50" M6
 Flange [mm]: 63,5
 Number of mounting bores: 3
 Number of Teeth: 9
 Number of Thread Bores: 3
 Rated Power [kW]: 1,3
 Rotation Direction: Clockwise rotation
 Voltage [V]: 12

Electrics

MT-169JM

Starter



BMW 1 (E81)
BMW 1 (E87)
BMW 1 (F20)
BMW 1 (F21)
BMW 1 Cabriolet (E88)
BMW 1 Coupé (E82)

OE

12417798006
12417801203
12417802508
12417804138
12417804140
12417811601

Clamp: Pin "30" M8 B+
Clamp: Pin "50" M6
Flange [mm]: 69
Number of mounting bores: 3
Number of Teeth: 11
Number of Thread Bores: 0
Rated Power [kW]: 2,2
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-170JM

Starter



AUDI A3 (8P1)
AUDI A3 Cabriolet (8P7)
AUDI A3 Sportback (8PA)
AUDI TT (8J3)
AUDI TT (8N3)
AUDI TT Roadster (8J9)

OE

02E911023H
02E911023HX
02E911023L
02E911023LX
2E911023H
2E911023HX

Clamp: Pin "50" Plug
Flange [mm]: 76
Number of mounting bores: 2
Number of Teeth: 11
Number of Thread Bores: 0
Rated Power [kW]: 2
Rotation Direction: Anti-clockwise rotation
Voltage [V]: 12

MT-171JM

Starter



DACIA LOGAN (LS_)
DACIA LOGAN Pick-up (US_)
DACIA SANDERO
NISSAN ALMERA II (N16)
NISSAN ALMERA II Hatchback (N16)
NISSAN MICRA III (K12)

OE

2330000Q0G
2330000Q0H
2330000QAB
2330000QAW
2330000QAZ
2330000QUA

Clamp: M8
Flange [mm]: 65
Number of mounting bores: 3
Number of Teeth: 12
Number of Thread Bores: 2
Rated Power [kW]: 1,4
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-172JM

Starter



BMW 1 Cabriolet (E88)
HYUNDAI ACCENT III (MC)
HYUNDAI ACCENT III Tre volumi (MC)
HYUNDAI ACCENT IV Tre volumi (RB)
HYUNDAI ELANTRA Tre volumi (MD, UD)
HYUNDAI GETZ (TB)

OE

361002A000
361002A100
361002A300
TT16345
TT16345PRO

Clamp: M8 B+
Clamp: Pin "50" Plug
Flange [mm]: 77
Number of mounting bores: 2
Number of Teeth: 8
Number of Thread Bores: 2
Rated Power [kW]: 1,7
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-173JM

Starter



BMW 1 (E81)
BMW 1 (E87)
BMW 3 (E46)
BMW 3 (E90)
BMW 3 Cabriolet (E46)
BMW 3 Cabriolet (E93)

OE


12417794952
12417796892
12417798035
12417798036
7794952
7796892

Clamp: Pin "30" M8 B+
Clamp: Pin "50" M6
Flange [mm]: 74
Number of mounting bores: 2
Number of Teeth: 9
Number of Thread Bores: 2
Rated Power [kW]: 1,8
Rotation Direction: Clockwise rotation
Voltage [V]: 12

Electrics

MT-174JM

Starter



CHRYSLER SEBRING (JS)
CHRYSLER SEBRING Cabriolet (JS)
DODGE AVENGER
DODGE CALIBER
DODGE JOURNEY
JEEP COMPASS (MK49)

OE
050033440AC
05033440AA
05033440AC
1810A062
1810A143
5033440AA

Clamp: M8 B+
Number of mounting bores: 3
Number of Teeth: 22
Number of Thread Bores: 0
Rated Power [kW]: 2
Rotation Direction: Anti-clockwise rotation
Voltage [V]: 12

MT-175JM

Starter



METROCAB Taxi
TOYOTA CROWN Tre volumi (_S1_)
TOYOTA HILUX Fuoristrada chiuso (ZN13_, LN9_, RN1_, YN8_,
TOYOTA HILUX II Pick-up (RN6_, RN5_, LN6_, YN6_, YN5_, LN

OE
1516979R
2810005030
2810054070
2810054080
2810054100
2810054110

Clamp: M8
Flange [mm]: 82,5
Number of mounting bores: 2
Number of Teeth: 10
Number of Teeth: 11
Number of Thread Bores: 1
Rated Power [kW]: 2
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-176JM

Starter



CHEVROLET AVEO 2 volumi /Coda spiovente (T200)
CHEVROLET AVEO 2 volumi /Coda spiovente (T250, T255)
CHEVROLET AVEO 2 volumi /Coda spiovente (T300)

OE
25187951
63522629
96289430
96469962
96497702
96943429

Clamp: M8
Flange [mm]: 75
Number of Holes: 2
Number of mounting bores: 2
Number of Teeth: 8
Number of Thread Bores: 1
Position / Degree: 30
Rated Power [kW]: 0,8
Remanufactured Part:
Rotation Direction: Clockwise rotation
Voltage [V]: 12
Weight [kg]: 3,415

MT-177JM

Starter



DACIA DOKKER
DACIA DUSTER
DACIA LODGY
DACIA LOGAN (LS_)
DACIA LOGAN II
DACIA LOGAN MCV (KS_)

OE
2330000Q1A
2330000Q1L
2330000QAA
2330000QAX
233001105R
233004003

Clamp: M8
Flange [mm]: 65
Number of mounting bores: 3
Number of Teeth: 8
Number of Teeth: 9
Number of Thread Bores: 3
Rated Power [kW]: 1
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-178JM

Starter



AUDI A1 (8X1, 8XF)
AUDI A1 Sportback (8XA, 8XK)
AUDI A3 (8P1)
AUDI A3 Sportback (8PA)
SEAT ALTEA (5P1)
SEAT ALTEA XL (5P5, 5P8)

OE
02T911023R
02T911023RX
02T911023S
02T911023SX
02T911024A
02T911024AX

Clamp: M8 B+
Clamp: Pin "50" Plug
Flange [mm]: 76
Number of mounting bores: 2
Number of Teeth: 10
Number of Teeth: 9
Number of Thread Bores: 0
Rated Power [kW]: 1
Rotation Direction: Anti-clockwise rotation
Voltage [V]: 12

Electrics

MT-179JM

Starter



FIAT SEDICI
SUBARU JUSTY III (G3X)
SUZUKI GRAND VITARA II (JT)
SUZUKI IGNIS (FH)
SUZUKI IGNIS II
SUZUKI JIMNY (FJ)

OE

3110063J00
3110063J10
3110075F60
3110080G0
3110080G00
3110080G1

Clamp: Pin "30" M8 B+
Clamp: Pin "50" 6.4mm Plug
Flange [mm]: 70
Number of mounting bores: 2
Number of Teeth: 8
Number of Thread Bores: 2
Rated Power [kW]: 1
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-180JM

Starter



MITSUBISHI PAJERO II (V3_W)
MITSUBISHI PAJERO II (V3_W, V2_W, V4_W)
MITSUBISHI PAJERO III (V7_W, V6_W)
MITSUBISHI PAJERO III Fuoristrada aperto (V6_W, V7_W)
MITSUBISHI PAJERO IV (V8_W, V9_W)

OE

009154720280
1516512R
1810A050
1810A050R
A009154720280
M002T63271

Clamp: M8
Flange [mm]: 77
Number of mounting bores: 2
Number of Teeth: 10
Number of Thread Bores: 2
Rated Power [kW]: 2,2
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-181JM

Starter



DAIHATSU HIJET Furgonato (S85)
DAIHATSU HIJET Pick-up
PIAGGIO PORTER Autobus
PIAGGIO PORTER Furgonato
PIAGGIO PORTER Pianale piatto/Telaio

OE

2280005711
2810087548
2810087551
2810087551000

Clamp: M8
Flange [mm]: 74
Number of mounting bores: 2
Number of Teeth: 8
Number of Thread Bores: 0
Rated Power [kW]: 0,8
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-182JM

Starter



RENAULT KANGOO (KC0/1_)
RENAULT MEGANE I (BA0/1_)
RENAULT MEGANE I Classic (LA0/1_)
RENAULT MEGANE I Coach (DA0/1_)
RENAULT MEGANE I Grandtour (KA0/1_)
RENAULT MEGANE Scenic (JA0/1_)

OE

6001545511
7700113267
7700113627
7700116282
7711134297
7711134790

Clamp: M8
Flange [mm]: 65
Number of mounting bores: 3
Number of Teeth: 12
Number of Thread Bores: 3
Rated Power [kW]: 1,7
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-183JM

Starter



FORD TRANSIT Autobus (E_ _)
FORD TRANSIT Autobus (V_ _)
FORD TRANSIT Furgonato (E_ _)
FORD TRANSIT Furgonato (T_ _)
FORD TRANSIT Furgonato (V_ _)
FORD TRANSIT Pianale piatto/Telaio (E_ _)

OE

1008823
1024508
1027928
1059179
1073108
1093471

Clamp: M8, Pin "50" M6
Flange [mm]: 92
Number of mounting bores: 3
Number of Teeth: 13
Number of Thread Bores: 0
Rated Power [kW]: 2,3
Rotation Direction: Clockwise rotation
Voltage [V]: 12

Electrics

MT-184JM

Starter



AUDI A3 (8P1)
AUDI A3 Cabriolet (8P7)
AUDI A3 Sportback (8PA)
SEAT ALTEA (5P1)
SEAT ALTEA XL (5P5, 5P8)
SEAT IBIZA V (6J5, 6P5)

OE

0AH911023
0AH911023A
0AH911023AX
0AH911023D
0AH911023DX
0AH911023K

Clamp: M8
Flange [mm]: 76
Number of mounting bores: 3
Number of Teeth: 10
Number of Thread Bores: 0
Rated Power [kW]: 1,1
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-185JM

Starter



AUDI A4 (8EC, B7)
AUDI A4 Avant (8ED, B7)
AUDI A4 Cabriolet (8H7, B6, 8HE, B7)
AUDI A6 (4F2, C6)
AUDI A6 Avant (4F5, C6)
SEAT EXEO (3R2)

OE

03G911023
03G911023X
TT15338PRO

Clamp: M8 B+
Flange [mm]: 82
Number of mounting bores: 2
Number of Teeth: 9
Number of Thread Bores: 0
Rated Power [kW]: 2
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-186JM

Starter



AUDI A1 (8X1, 8XF)
AUDI A1 Sportback (8XA, 8XK)
AUDI A3 (8P1)
AUDI A3 Cabriolet (8P7)
AUDI A3 Sportback (8PA)
SEAT ALTEA (5P1)

OE

02N911023N
02Z911023M
02Z911023MX
02Z911023N
02Z911023NX
02Z911023P

Clamp: M8 B+
Flange [mm]: 76
Number of mounting bores: 3
Number of Teeth: 11
Number of Teeth: 12
Number of Thread Bores: 0
Rated Power [kW]: 1,7
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-187JM

Starter



NISSAN NAVARA (D40)
NISSAN PATHFINDER (R51)

OE

23300EB300
23300EB30A
23300EB30B
23300EB30REX
23300EB71B
23300EB71E

Clamp: Pin "30" M8 B+
Clamp: Pin "50" M5
Flange [mm]: 70
Number of mounting bores: 2
Number of Teeth: 11
Number of Teeth: 12
Number of Thread Bores: 2
Rated Power [kW]: 2
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-188JM

Starter



CITROEN AX (ZA-)
CITROEN BERLINGO (B9)
CITROEN BERLINGO (MF)
CITROEN BX (XB-)
CITROEN BX Break (XB-)
CITROEN C-ELYSEE

OE

1516758R
3960404
534054A
534054B
534054C
534054D

Clamp: M8
Clamp: Pin "50" 6.4mm Plug
Number of mounting bores: 3
Number of Teeth: 10
Number of Teeth: 9
Number of Thread Bores: 1
Rated Power [kW]: 0,9
Rotation Direction: Clockwise rotation
Voltage [V]: 12

Electrics

SA-F45-48

Wiper Blade



MINI MINI (R56)
MINI MINI Cabriolet (R57)
MINI MINI CLUBMAN (R55)
MINI MINI Roadster (R59)

OE
0039343
39343
61610039343

Fitting Position: Front
Length 1 [mm]: 450
Length 2 [mm]: 480
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SA-F48-48

Wiper Blade



VW LUPO (6X1, 6E1)

OE
6N0998003

Fitting Position: Front
Length 1 [mm]: 480
Length 2 [mm]: 480
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SA-F48-50

Wiper Blade



MINI MINI COUNTRYMAN (R60)
MINI MINI PACEMAN (R61)

OE
0038597
38597
61610038597

Fitting Position: Front
Length 1 [mm]: 480
Length 2 [mm]: 500
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SA-F50-35

Wiper Blade



RENAULT TWINGO III
SMART FORFOUR 2 volumi /Coda spiovente (453)
SMART FORTWO Cabriolet (453)
SMART FORTWO Coupé (453)

OE
288900145R
288905351R
288908409R
4538242100
A4538242100

Fitting Position: Front
Length 1 [mm]: 500
Length 2 [mm]: 350
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SA-F50-45

Wiper Blade



RENAULT CLIO II (BB0/1/2_, CB0/1/2_)

OE
288903431R
288904292R

Fitting Position: Front
Length 1 [mm]: 500
Length 2 [mm]: 450
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

Electrics

SA-F50-50

Wiper Blade



BMW 1 (E81)
BMW 1 (E87)
BMW 1 Cabriolet (E88)
BMW 1 Coupé (E82)
MERCEDES-BENZ AMG GT / GT S (C190)
MERCEDES-BENZ SLS AMG (C197)

OE
0390494
0420549
151539
390494
420549
61607122140

Fitting Position: Front
Length 1 [mm]: 500
Length 2 [mm]: 500
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SA-F53-48

Wiper Blade



MAZDA 3 (BK)
MAZDA 3 Tre volumi (BK)
SEAT CORDOBA (6L2)
SEAT IBIZA IV (6L1)
VW BORA (1J2)
VW BORA Station wagon (1J6)

OE
1J0998002A
1J0998002B
1J1955425A
1J1955425B
1J1955426B
6Q1955425

Fitting Position: Front
Length 1 [mm]: 530
Length 2 [mm]: 480
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SA-F53-53

Wiper Blade



AUDI TT (8N3)
AUDI TT Roadster (8N9)
MINI MINI ACEMAN (J05)
MINI MINI COOPER (J01)
SKODA FABIA
SKODA FABIA Combi

OE
8N1955425D

Fitting Position: Front
Length 1 [mm]: 530
Length 2 [mm]: 530
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SA-F53-58

Wiper Blade



PORSCHE 718 BOXSTER (982)
PORSCHE 718 CAYMAN (982)
PORSCHE 911 (991)
PORSCHE 911 (992)
PORSCHE 911 Cabriolet (991)
PORSCHE 911 Cabriolet (992)

OE
99162890100

Fitting Position: Front
Length 1 [mm]: 530
Length 2 [mm]: 580
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SA-F55-38

Wiper Blade



FIAT IDEA
LANCIA MUSA (350)

OE
71779252
71805146

Fitting Position: Front
Length 1 [mm]: 550
Length 2 [mm]: 380
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

Electrics

SA-F55-40

Wiper Blade



ALFA ROMEO 147 (937)
ALFA ROMEO GT (937)
DACIA DOKKER
DACIA LODGY
FORD ECOSPORT
FORD KA

OE
50516364
5901472

Fitting Position: Front
Length 1 [mm]: 550
Length 2 [mm]: 400
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SA-F55-45

Wiper Blade



BMW 1 (F20)
BMW 1 (F21)
BMW 2 Cabriolet (F23)
BMW 2 Coupé (F22)
FIAT STILO (192)
FIAT STILO Multi Wagon (192)

OE
2219147
61612219147
61615A43583

Fitting Position: Front
Length 1 [mm]: 550
Length 2 [mm]: 450
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SA-F55-48

Wiper Blade



DACIA DUSTER
DACIA LOGAN II
DACIA LOGAN MCV II
DACIA SANDERO II
JEEP RENEGADE Fuoristrada chiuso
JEEP RENEGADE Fuoristrada chiuso (BU)

OE
288900464R
288902078R
288903211R
288905401R
288905811R

Fitting Position: Front
Length 1 [mm]: 550
Length 2 [mm]: 480
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SA-F55-50

Wiper Blade



MINI MINI CLUBMAN (F54)

OE
0046517
46517
61610046517

Fitting Position: Front
Length 1 [mm]: 550
Length 2 [mm]: 500
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SA-F55-53

Wiper Blade



AUDI TT (8J3)
AUDI TT Roadster (8J9)
FORD USA MUSTANG Cabriolet
FORD USA MUSTANG Convertible
FORD USA MUSTANG CoupÃ©
FORD USA MUSTANG Coupé

OE
5277044
5277057
8J1955425A
8J1955426A
8J1998002
FR3B17528AA

Fitting Position: Front
Length 1 [mm]: 550
Length 2 [mm]: 530
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

Electrics

SA-F55-55

Wiper Blade



AUDI A4 (8E2, B6)
 AUDI A4 (8EC, B7)
 AUDI A4 Avant (8E5, B6)
 AUDI A4 Avant (8ED, B7)
 AUDI A6 (4B2, C5)
 AUDI A6 (4F2, C6)

OE

4B0998002
 4B1955425C
 4B7955425G
 4B7955425L
 8H0955425B

Fitting Position: Front
 Length 1 [mm]: 550
 Length 2 [mm]: 550
 Quantity Unit: Set
 Quantity: 2
 Wiper blade type: Flat wiper blade

SA-F55-58

Wiper Blade



AUDI A4 B7 Cabriolet (8HE)
 AUDI A4 Cabriolet (8H7, B6, 8HE, B7)

OE

4B1955425B
 8H0998002
 8H1955426

Fitting Position: Front
 Length 1 [mm]: 550
 Length 2 [mm]: 580
 Quantity Unit: Set
 Quantity: 2
 Wiper blade type: Flat wiper blade

SA-F58-35

Wiper Blade



NISSAN JUKE (F15)

OE

28890BA62C
 28890BA63C

Fitting Position: Front
 Length 1 [mm]: 580
 Length 2 [mm]: 350
 Quantity Unit: Set
 Quantity: 2
 Wiper blade type: Flat wiper blade

SA-F58-45

Wiper Blade



ALFA ROMEO 159 (939)
 ALFA ROMEO 159 Sportwagon (939)
 ALFA ROMEO BRERA
 ALFA ROMEO SPIDER (939)
 JAGUAR XJ (X35_, _J12_, _J24_)

OE

50516542
 50516543
 50516546
 50516547
 71779250
 71805141

Fitting Position: Front
 Length 1 [mm]: 580
 Length 2 [mm]: 450
 Quantity Unit: Set
 Quantity: 2
 Wiper blade type: Flat wiper blade

SA-F58-48

Wiper Blade



JAGUAR XF (_J05_, CC9)
 JAGUAR XF SPORTBRAKE (CC9)

OE

C2Z2268
 C2Z2269

Fitting Position: Front
 Length 1 [mm]: 580
 Length 2 [mm]: 480
 Quantity Unit: Set
 Quantity: 2
 Wiper blade type: Flat wiper blade

Electrics

SA-F58-53

Wiper Blade



BMW Z4 Roadster (G29)
 LAND ROVER RANGE ROVER EVOQUE (LV)
 LAND ROVER RANGE ROVER EVOQUE Cabriolet
 MERCEDES-BENZ CITAN Combi (415)
 MINI MINI COUNTRYMAN (F60)
 RENAULT KANGOO / GRAND KANGOO (KW0/1_)

OE
 2889000Q2B
 288909916R
 4158200045
 7701068753
 7701068755
 A4158200045

Fitting Position: Front
 Length 1 [mm]: 580
 Length 2 [mm]: 530
 Quantity Unit: Set
 Quantity: 2
 Wiper blade type: Flat wiper blade

SA-F58-58

Wiper Blade



CADILLAC BLS
 CADILLAC BLS Wagon
 SAAB 9-3 (YS3F)
 SAAB 9-3 Cabriolet (YS3F)
 SAAB 9-3 Station wagon (YS3F)
 SAAB 9-3X

OE
 12778383

Fitting Position: Front
 Length 1 [mm]: 580
 Length 2 [mm]: 580
 Quantity Unit: Set
 Quantity: 2
 Wiper blade type: Flat wiper blade

SA-F60-35

Wiper Blade



ABARTH 500 (312)
 ABARTH 500C (312)
 FIAT 500 (312)
 FIAT 500 C (312)
 FIAT 500e (332_)
 FIAT 500e Cabriolet (332_)

OE
 1793883
 288906870R
 288909425R
 51787567
 51787569
 6000629015

Fitting Position: Front
 Length 1 [mm]: 600
 Length 2 [mm]: 350
 Quantity Unit: Set
 Quantity: 2
 Wiper blade type: Flat wiper blade

SA-F60-38

Wiper Blade



AUDI A1 (8X1, 8XF)
 AUDI A1 Sportback (8XA, 8XK)
 BYD DOLPHIN
 FIAT PANDA (519, 312, 319)
 HYUNDAI BAYON (BC3)
 HYUNDAI i20 III (BC3, BI3)

OE
 51843623
 51843624

Fitting Position: Front
 Length 1 [mm]: 600
 Length 2 [mm]: 380
 Quantity Unit: Set
 Quantity: 2
 Wiper blade type: Flat wiper blade

SA-F60-40

Wiper Blade



ABARTH 600e
 ALFA ROMEO JUNIOR (626_, 627_)
 ALFA ROMEO MITO (955)
 ALPINE A290
 BMW 3 Cabriolet (E93)
 BMW 3 Coupé (E92)

OE
 1609068880
 1609069080
 1613157180
 1613158380
 1642332780
 288819784R

Fitting Position: Front
 Length 1 [mm]: 600
 Length 2 [mm]: 400
 Quantity Unit: Set
 Quantity: 2
 Wiper blade type: Flat wiper blade

Electrics

SA-F60-43

Wiper Blade



BYD YUAN PLUS
CITROEN BERLINGO (K9)
FIAT DOBLO MPV / Space wagon (510_, 511_)
OPEL COMBO MPV / Space wagon (X19)
PEUGEOT RIFTER
TOYOTA PROACE CITY VERSO Autobus

OE

52131451
52131452
95528210
9820343580
9820344280
9833976580

Fitting Position: Front
Length 1 [mm]: 600
Length 2 [mm]: 430
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SA-F60-45

Wiper Blade



ALFA ROMEO GIULIA (952_)
ALFA ROMEO GIULIETTA (940)
ALPINA B4 Cabriolet (F33)
ALPINA B4 Coupé (F32)
BMW 4 Cabriolet (F33, F83)
BMW 4 Coupé (F32, F82)

OE

288901962R
288903994R
288905565R
288905769R
288906926R
288907739R

Fitting Position: Front
Length 1 [mm]: 600
Length 2 [mm]: 450
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SA-F60-48

Wiper Blade



ALPINA B3 (E90)
ALPINA B3 (F30)
ALPINA B3 (G20)
ALPINA B3 Cabriolet (E93)
ALPINA B3 Coupé (E92)
ALPINA B3 Station wagon (E91)

OE

1J0955429A
1K0998002A
1K1955425A
1K1955426A
1K2998002
1Z1955425B

Fitting Position: Front
Length 1 [mm]: 600
Length 2 [mm]: 480
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SA-F60-50

Wiper Blade



AUDI A4 (8K2, B8)
AUDI A4 (8W2, B9)
AUDI A4 Allroad (8KH, B8)
AUDI A4 Allroad (8WH, B9)
AUDI A4 Avant (8K5, B8)
AUDI A4 Avant (8W5, B9)

OE

8F1998002A
8K1955425
8K1955426
8K1998002A
8R1998002
8U1955425

Fitting Position: Front
Length 1 [mm]: 600
Length 2 [mm]: 500
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SA-F60-55

Wiper Blade



FIAT MULTIPLA (186)
MERCEDES-BENZ AMG GT (X290)
MERCEDES-BENZ CLASSE E (W213)
MERCEDES-BENZ CLASSE E All-Terrain (S213)
MERCEDES-BENZ CLASSE E Cabriolet (A238)
MERCEDES-BENZ CLASSE E Coupé (C238)

OE

30655210
30784428
31283773
31333413
5911648
6766480

Fitting Position: Front
Length 1 [mm]: 600
Length 2 [mm]: 550
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

Electrics

SA-F60-58

Wiper Blade



ALPINA B5 (E60)
ALPINA B5 Station wagon (E61)
ALPINA B6 Cabriolet (E64)
ALPINA B6 Coupé (E63)
BMW 5 (E60)
BMW 5 Touring (E61)

OE
0431438
0431463
431438
431463
61610431438
61610431463

Fitting Position: Front
Length 1 [mm]: 600
Length 2 [mm]: 580
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SA-F60-60

Wiper Blade



BENTLEY ARNAGE Coupé
BENTLEY AZURE II
BENTLEY CONTINENTAL Cabriolet
BENTLEY CONTINENTAL Coupé
BENTLEY CONTINENTAL FLYING SPUR
MERCEDES-BENZ CLASSE C (W204)

OE
7H5955425
7H6955425

Fitting Position: Front
Length 1 [mm]: 600
Length 2 [mm]: 600
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SA-F63-50

Wiper Blade



ALFA ROMEO TONALE (965_)
AUDI A6 (C8, 4A2)
AUDI A6 Allroad (4AH, C8)
AUDI A6 Avant (C8, 4A5)
AUDI A7 Sportback (4KA)
BMW XM (G09)

OE
31349377
32282838
4J1998002
4K1998002D
4KL998002
4M8998002

Fitting Position: Front
Length 1 [mm]: 630
Length 2 [mm]: 500
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SA-F63-53

Wiper Blade



SKODA KODIAQ

OE
566955425
566955426
566998001

Fitting Position: Front
Length 1 [mm]: 630
Length 2 [mm]: 530
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SA-F63-55

Wiper Blade



SEAT TARRACO (KN2_)
VW TIGUAN
VW TIGUAN ALLSPACE (BW2)

OE
571998002
5NB998002
5NB998002A

Fitting Position: Front
Length 1 [mm]: 630
Length 2 [mm]: 550
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

Electrics

SA-F63-63

Wiper Blade



IVECO DAILY Cassone / Furgonato / Promiscuo
IVECO DAILY CITYS Autobus
IVECO DAILY LINE Autobus
IVECO DAILY Pianale piatto/Telaio

OE
5801607103

Fitting Position: Front
Length 1 [mm]: 630
Length 2 [mm]: 630
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SA-F65-35

Wiper Blade



LADA XRAY
RENAULT CAPTUR
RENAULT CLIO Grandtour IV
RENAULT CLIO IV
VAUXHALL MOKKA

OE
288900432R
288901164R
288903879R
288905875R
288954276R
288B57752R

Fitting Position: Front
Length 1 [mm]: 650
Length 2 [mm]: 350
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SA-F65-38

Wiper Blade



ABARTH PUNTO EVO (199)
ABARTH PUNTO EVO (199_)
CHEVROLET AVEO 2 volumi /Coda spiovente (T200)
CHEVROLET AVEO 2 volumi /Coda spiovente (T250, T255)

OE
1537389
1537393
1556082
1680579
1726283
8A61S17528AA

Fitting Position: Front
Length 1 [mm]: 650
Length 2 [mm]: 380
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SA-F65-40

Wiper Blade



CITROEN C3 II
CITROEN C3 III (SX)
OPEL CORSA D
OPEL CORSA E
PEUGEOT 207 (WA_, WC_)
PEUGEOT 207 CC (WD_)

OE
1272102
1608392780
1608392980
1613158080
1613158180
1613159180

Fitting Position: Front
Length 1 [mm]: 650
Length 2 [mm]: 400
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SA-F65-43

Wiper Blade



BMW 2 Active Tourer (U06)
CUPRA FORMENTOR (KM7)
DS DS 9 (X2_)
PEUGEOT 508 II (FB_)
PEUGEOT 508 SW II (FE_)

OE
1686454580
1686454680
5A1A445
5FG998002
61625A1A445
9823609180

Fitting Position: Front
Length 1 [mm]: 650
Length 2 [mm]: 430
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

Electrics

SA-F65-45

Wiper Blade



ALFA ROMEO STELVIO (949_)
ALPINA B5 (F10)
ALPINA B5 Station wagon (F11)
ALPINA B7 (F01, F02)
ALPINA D5 (F10)
ALPINA D5 Touring (F11)

OE

2G1998002
3V1955425
3V1955426
3V1998001
576955425
576955425B

Fitting Position: Front
Length 1 [mm]: 650
Length 2 [mm]: 450
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SA-F65-48

Wiper Blade



ALPINA B5 (G30)
ALPINA B5 Touring (G31)
ALPINA B7 (G12)
ALPINA D5 (G30)
ALPINA D5 Touring (G31)
BMW 2 Active Tourer (F45)

OE

2468201245
5A43610
61615A43610
61615A85266
A2468200145
A2468200245

Fitting Position: Front
Length 1 [mm]: 650
Length 2 [mm]: 480
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SA-F65-50

Wiper Blade



ALPINA XD3 (F25)
ALPINA XD3 (G01)
ALPINA XD4 (G02)
BMW iX3
BMW X3 (F25)
BMW X3 (G01, F97)

OE

31457755
31457760
61619466377
9466377

Fitting Position: Front
Length 1 [mm]: 650
Length 2 [mm]: 500
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SA-F65-53

Wiper Blade



AUDI Q6 (GFB)
AUDI Q6 e-tron Sportback (GFN)
LAND ROVER RANGE ROVER EVOQUE (L551)
PORSCHE CAYENNE (9YA)
PORSCHE CAYENNE Coupe (9YB)
VW ATLAS (CA1)

OE

761998002
9Y1955329
LR114645
LR114646

Fitting Position: Front
Length 1 [mm]: 650
Length 2 [mm]: 530
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SA-F65-55

Wiper Blade



MERCEDES-BENZ GLE (W167)
MERCEDES-BENZ GLE Coupe (C167)
MERCEDES-BENZ GLS (X167)
RENAULT GRAND SCÉNIC II (JM0/1_)
RENAULT SCÉNIC II (JM0/1_)

OE

7711230011

Fitting Position: Front
Length 1 [mm]: 650
Length 2 [mm]: 550
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

Electrics

SA-F65-58

Wiper Blade



MERCEDES-BENZ CLASSE A (W169)
 MERCEDES-BENZ CLASSE B (W245)
 MERCEDES-BENZ CLASSE GL (X166)
 MERCEDES-BENZ CLASSE M (W166)
 MERCEDES-BENZ GLE (W166)
 MERCEDES-BENZ GLE Coupé (C292)

OE

1698200245
 1698201245
 A1698200245
 A1698201245
 A1698201645
 A1698201700

Fitting Position: Front

Length 1 [mm]: 650
 Length 2 [mm]: 580
 Quantity Unit: Set
 Quantity: 2
 Wiper blade type: Flat wiper blade

SA-F65-60

Wiper Blade



MERCEDES-BENZ Vaneo (414)

OE

1698200145
 4148200245
 A0018206045
 A1698200145
 A4148200245

Fitting Position: Front

Length 1 [mm]: 650
 Length 2 [mm]: 600
 Quantity Unit: Set
 Quantity: 2
 Wiper blade type: Flat wiper blade

SA-F65-65

Wiper Blade



AUDI Q7 (4L)
 CHEVROLET VOLT
 CITROEN XSARA PICASSO (N68)
 MERCEDES-BENZ CLASSE E (W211)
 MERCEDES-BENZ CLASSE E T-Model (S211)
 MERCEDES-BENZ CLASSE S Coupé (C215)

OE

7L0998002
 7L6955425A
 7L6955425B
 7P0955425C
 7P0998002
 A2118200945

Fitting Position: Front

Length 1 [mm]: 650
 Length 2 [mm]: 650
 Quantity Unit: Set
 Quantity: 2
 Wiper blade type: Flat wiper blade

SA-F70-35

Wiper Blade



FORD FIESTA VII
 FORD PUMA

OE

2169786
 2169787
 2258900
 2261858
 H1BB17258BC
 H1BB17528AC

Fitting Position: Front

Length 1 [mm]: 700
 Length 2 [mm]: 350
 Quantity Unit: Set
 Quantity: 2
 Wiper blade type: Flat wiper blade

SA-F70-38

Wiper Blade



FORD TOURNEO COURIER Kombi
 FORD TRANSIT COURIER Kombi

OE

1840436
 1882419
 ET7617528AA
 ET7617528CA
 ET7617528CB

Fitting Position: Front

Length 1 [mm]: 700
 Length 2 [mm]: 380
 Quantity Unit: Set
 Quantity: 2
 Wiper blade type: Flat wiper blade

Electrics

SA-F70-40

Wiper Blade



FORD TOURNEO CONNECT / GRAND TOURNEO
CONNECT MPV / Spac
SEAT ALHAMBRA (710)
TOYOTA PRIUS (ZVW5_)
TOYOTA PRIUS PHV (_W52_)
VW CADDY CALIFORNIA V Camper (SBB, SBJ)

OE

7N1 955 425
7N1 955 426
7N1 998 002

Fitting Position: Front
Length 1 [mm]: 700
Length 2 [mm]: 400
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SA-F70-45

Wiper Blade



MERCEDES-BENZ MARCO POLO Camper (W447)
MERCEDES-BENZ V-CLASS (W447)
MERCEDES-BENZ VITO Furgonato (W447)
MERCEDES-BENZ VITO Mixto (W447)
MERCEDES-BENZ VITO Tourer (W447)

OE

4478200345
4478205400
A 447 820 54 00
A4478200345

Fitting Position: Front
Length 1 [mm]: 700
Length 2 [mm]: 450
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SA-F70-53

Wiper Blade



MERCEDES-BENZ CLASSE GL (X164)
MERCEDES-BENZ CLASSE M (W164)
MERCEDES-BENZ CLASSE R (W251, V251)

OE

A2518200845

Fitting Position: Front
Length 1 [mm]: 700
Length 2 [mm]: 530
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SA-F70-55

Wiper Blade



OPEL ZAFIRA B (A05)
VAUXHALL ZAFIRA Mk II (B) (M75)

OE

1272114
1611587580
1613157080
1623233180
1623233480
642338

Fitting Position: Front
Length 1 [mm]: 700
Length 2 [mm]: 550
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SA-F70-58

Wiper Blade



OPEL MERIVA B

OE

1272023
1272032
95508196

Fitting Position: Front
Length 1 [mm]: 700
Length 2 [mm]: 580
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

Electrics

SA-F70-60

Wiper Blade



CITROEN C4 Coupé (LA_)
CITROEN C4 I (LC_)
CITROEN C4 Tre volumi
OPEL ASTRA K
OPEL ASTRA K Sports Tourer
PEUGEOT 307 CC (3B)

OE

1611354380
1611587780
1642333480
6423F3
6426PJ
6426XF

Fitting Position: Front
Length 1 [mm]: 700
Length 2 [mm]: 600
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SA-F70-65

Wiper Blade



OPEL AMPERA-E (F17)
OPEL ASTRA GTC J
OPEL ASTRA K Sports Tourer
OPEL CASCADA (W13)
PEUGEOT 307 (3A/C)
PEUGEOT 307 Break (3E)

OE

0018203045
0018203145
18203045
18203145
6398200200
6423A5

Fitting Position: Front
Length 1 [mm]: 700
Length 2 [mm]: 650
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SA-F70-70

Wiper Blade



CITROEN C6 (TD_)
FORD KUGA II (DM2)
FORD USA EDGE
MERCEDES-BENZ CLASSE S (W220)
MERCEDES-BENZ CLASSE S (W221)
PEUGEOT 407 (6D_)

OE

1373656
1373657
1478163
1M2117528AC
1M2117B437AC
1M21JS17528AA

Fitting Position: Front
Length 1 [mm]: 700
Length 2 [mm]: 700
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

Engine

150-00-0513

EGR Valve



NISSAN NV400 Autobus
NISSAN NV400 Furgonato
NISSAN NV400 Pianale piatto/Telaio
OPEL MOVANO B Autobus
OPEL MOVANO B Furgonato
OPEL MOVANO B Pianale piatto/Telaio

OE

14710-3921R
147103921R
8201353607
H8201353607

Operating Mode: Electric-pneumatic

KAA-003JM

Camshaft Kit



FORD FOCUS IV
FORD FOCUS IV Turnier (HP)
FORD GALAXY
FORD GALAXY MK III VAN (CK)
FORD KUGA III (DFK)
FORD MONDEO V 2 volumi /Coda spiovente

OE

2321504
2325380
2434799
2435502
2536951
2626577

Fitting Position: Exhaust Side
Fitting Position: Intake Side
Supplementary Article/Supplementary Info 2:
With cover

Filter

Filter

FA-0339JM

Air Filter



JAGUAR X-TYPE (CF1)
JAGUAR X-TYPE Estate

OE
4X43-9601-BA
C2S 26965
C2S 36774
C2S36774

Filter Type: Filter Insert
For OE number: C2S36774
Height [mm]: 56
Length [mm]: 454
Width [mm]: 89

FAA-054JM

Filter, interior air



SEAT Mii (KF1_)
SKODA CITIGO
SKODA E-CITIGO (NE1)
VW LOAD UP
VW UP

OE
1S0 819 669
1S0819669

Filter Type: Activated Carbon Filter
For OE number: 1S0 819 669
Height [mm]: 35
Length [mm]: 254
Width [mm]: 182

21-DR-DR03

Filter, interior air



DR DR 1.0 2 volumi /Coda spiovente

OE
3310100122

Filter Type: Pollen Filter
For OE number: 3310100122
Height [mm]: 30
Length 1 [mm]: 296
Width [mm]: 63

21-DR-DR05

Filter, interior air



DR DR 4.0
DR DR 5.0 SUV
DR DR 6.0 SUV
DR DR 7.0 SUV
DR DR F35 SUV

OE
3310100025

Filter Type: Pollen Filter
For OE number: 3310100025
Height [mm]: 35
Length [mm]: 247
Width [mm]: 188

FC-0202JM

Fuel filter



ALFA ROMEO 147 (937)
ALFA ROMEO 156 (932)
ALFA ROMEO 156 Sportwagon (932)
ALFA ROMEO 166 (936)
CITROEN JUMPER Autobus (230P)
CITROEN JUMPER Autobus (244, Z_)

OE
0 K2KB 13480
0 K2KK 13483
0K2KK13 483A
1906 66
1906 67
1906 C3

Filter Type: Screw-on Filter
For OE number: 46797378
Height [mm]: 158
Inner Diameter 2 [mm]: 60
Outer Diameter 2 [mm]: 68
Outer Diameter [mm]: 84
Thread Size Exit: M 16 X 1.5

Joints

Joints

62-00-0105

Joint Kit, drive shaft



MINI MINI (R50, R53)
MINI MINI (R56)
MINI MINI Cabriolet (R57)
MINI MINI CLUBMAN (R55)
MINI MINI Roadster (R59)

OE

31604853485
31604853486
31607589767
31607589768
31608605473
31608605474

External Teeth, wheel side: 26
Fitting Position: Front Axle left and right
Internal Teeth, wheel side: 24
Length [mm]: 141
Seal Diameter [mm]: 54
Thread Size: M22X1,5
Transmission Type: trasmissione automat

62-00-0107

Joint Kit, drive shaft



MINI MINI (R50, R53)
MINI MINI Cabriolet (R52)

OE

31601493977
31601503306
31601503307
31607518260
31607518261
31607525128

External Teeth, wheel side: 26
Fitting Position: Front Axle left and right
Fitting Position: Wheel Side
Internal Teeth, wheel side: 23
Length [mm]: 137,5
Seal Diameter [mm]: 53,5
Thread Size: M22X1,5

62-00-0252

Joint Kit, drive shaft



CITROEN JUMPER Autobus
CITROEN JUMPER Furgonato
CITROEN JUMPER Pianale piatto/Telaio
FIAT DUCATO Autobus (250)
FIAT DUCATO Furgonato (250)
FIAT DUCATO Pianale piatto/Telaio (250)

OE

1349786080
46308391
46308487
46308498
71771441

External Teeth, diff.side: 41
Fitting Position: Front Axle Right
Fitting Position: Transmission End
Int. teeth, diff.side, conn.to transm.: 27
Length [mm]: 505
Seal Diameter [mm]: 34,85
Transmission Type: cambio manuale a 5 m

62-00-0253

Joint Kit, drive shaft



CITROEN JUMPER Autobus
CITROEN JUMPER Furgonato
CITROEN JUMPER Pianale piatto/Telaio
FIAT DUCATO Autobus (250)
FIAT DUCATO Furgonato (250)
FIAT DUCATO Pianale piatto/Telaio (250)

OE

1349785080
3273PP
40308336
46308336
46308401
46308488

External Teeth, diff.side: 41
Fitting Position: Front Axle Right
Int. teeth, diff.side, conn.to transm.: 29
Joint Type: Tripot Joint
Length [mm]: 512
Seal Diameter [mm]: 34,85

62-00-0254

Joint Kit, drive shaft



CITROEN JUMPER Autobus
CITROEN JUMPER Furgonato
CITROEN JUMPER Pianale piatto/Telaio
FIAT DUCATO Autobus (250)
FIAT DUCATO Furgonato (250)
FIAT DUCATO Pianale piatto/Telaio (250)

OE

1369959080
46308316
46308488
46308502

External Teeth, diff.side: 31
Fitting Position: Front Axle Right
Fitting Position: Transmission End
Int. teeth, diff.side, conn.to transm.: 29
Length [mm]: 639
Seal Diameter [mm]: 34,85
Transmission Type: cambio manuale 6 mar

Joints

62-00-0257

Joint Kit, drive shaft



FIAT CROMA (194)

OE
51742367

External Teeth, diff.side: 27
Fitting Position: Front Axle
Int. teeth, diff.side, conn.to transm.: 26
Length [mm]: 555,5
Seal Diameter [mm]: 35

62-00-0258

Joint Kit, drive shaft



FIAT BRAVO II (198)
LANCIA DELTA III (844)

OE
55209140

External Teeth, diff.side: 25
Fitting Position: Right Front
Fitting Position: Transmission End
Int. teeth, diff.side, conn.to transm.: 26
Length [mm]: 475,5
Seal Diameter [mm]: 34,9
Transmission Type: cambio manuale

62-00-0259

Joint Kit, drive shaft



ALFA ROMEO 146 (930)
FIAT MAREA (185)
FIAT MAREA Weekend (185)
FIAT PUNTO Van (176L)
LANCIA DEDRA (835)
LANCIA DEDRA SW (835)

OE
46307083
60813096

External Teeth, wheel side: 25
Fitting Position: Front Axle left and right
Fitting Position: Wheel Side
Internal Teeth, wheel side: 22
Length [mm]: 141
Number of Teeth, ABS ring: 44
Seal Diameter [mm]: 52
Thread Size: M24X1,5

62-00-0262

Joint Kit, drive shaft



ALFA ROMEO 159 (939)
ALFA ROMEO 159 Sportwagon (939)

OE
46308276
46308746

External Teeth, wheel side: 30
Fitting Position: Front Axle
Fitting Position: Wheel Side
Internal Teeth, wheel side: 24
Length [mm]: 151
Seal Diameter [mm]: 61
Thread Size: M24X1,5

62-00-0315

Joint Kit, drive shaft



FORD GALAXY (WA6)
VOLVO V60

OE
1446280
1459764
1459773
36002894
6G913C313BA
6G913C313CA

External Teeth, diff.side: 26
Fitting Position: Front Axle Right
Fitting Position: Transmission End
Int. teeth, diff.side, conn.to transm.: 28
Length [mm]: 485,5
Seal Diameter [mm]: 40
Transmission Type: Automatic Transmission,
6-speed

Joints

62-00-0322

Joint Kit, drive shaft



VOLVO C70 I Cabriolet
VOLVO C70 I Coupé
VOLVO S60 I
VOLVO S70 (LS)
VOLVO S80 I (TS, XY)
VOLVO V70 I (LV)

OE

30735122
30735138
30735151
30735339
30735340
30735341

External Teeth, wheel side: 36
Internal Teeth, wheel side: 27
Length [mm]: 114
Number of Teeth, ABS ring: 48
Seal Diameter [mm]: 56,5

62-00-0323

Joint Kit, drive shaft



FORD C-MAX II
FORD FOCUS III
FORD FOCUS III Cassone / coda spiovente
FORD FOCUS III Tre volumi
FORD FOCUS III Turnier
FORD FOCUS III Van

OE

1704636
1704637
1704639
1783753
1797212
1797215

External Teeth, wheel side: 27
Fitting Position: Front Axle
Fitting Position: Wheel Side
Internal Teeth, wheel side: 26
Length [mm]: 160
Seal Diameter [mm]: 63,1
Technical Information Number: Groove Type Inner
Thread Size: M22X1,5
Transmission Type: cambio a 6 marce

62-00-0327

Joint Kit, drive shaft



FORD KUGA I

OE

1534273
1595111
8V413C313AA
8V413C313AB

External Teeth, diff.side: 26
Fitting Position: Front Axle Right
Fitting Position: Transmission End
Int. teeth, diff.side, conn.to transm.: 27
Length [mm]: 484,5
Seal Diameter [mm]: 30

62-00-0417

Joint Kit, drive shaft



CITROEN C3 AIRCROSS II
CITROEN C3 AIRCROSS II VAN (2C_, 2R_)
CITROEN C3 II
CITROEN C3 III (SX)
CITROEN C3 III Van (SX_, SY_)
CITROEN C4 CACTUS

OE

3273TY
9807280380
9808800780

External Teeth, wheel side: 25
Internal Teeth, wheel side: 34
Length [mm]: 55,5
Seal Diameter [mm]: 58,5

62-00-0419

Joint Kit, drive shaft



OPEL MERIVA

OE

1603251
93176743

External Teeth, wheel side: 22
Internal Teeth, wheel side: 22
Length [mm]: 156
Number of Teeth, ABS ring: 29
Seal Diameter [mm]: 52
Thread Size: M20X1

Joints

62-00-050

Joint Kit, drive shaft



HYUNDAI TRAJET (FO)
HYUNDAI TRAJET Cassone/Limousine spaziosa (FO)

OE
4950038930
4950038980
495003A312
49501-3A520

External Teeth, wheel side: 27
Fitting Position: Front Axle
Fitting Position: Wheel Side
Internal Teeth, wheel side: 26
Length [mm]: 164
Number of Teeth, ABS ring: 47
Seal Diameter [mm]: 60
Thread Size: M22X1,5

62-00-0505

Joint Kit, drive shaft



MERCEDES-BENZ CLASSE V (638/2)
MERCEDES-BENZ VITO Autobus (638)
MERCEDES-BENZ VITO Furgonato (638)

OE
0003300036
0003301585
3300036
3301585
6383380534
6383381634

External Teeth, wheel side: 27
Fitting Position: Front Axle
Fitting Position: Wheel Side
Internal Teeth, wheel side: 27
Length [mm]: 162
Number of Teeth, ABS ring: 48
Seal Diameter [mm]: 59,8
Technical Information Number: Groove Type Inner
Thread Size: M22X1,5

62-00-051

Joint Kit, drive shaft



HYUNDAI ix35 (LM, EL, ELH)
KIA SPORTAGE (JE_, KM_)
KIA SPORTAGE (K00)
KIA SPORTAGE (SL)

OE
495911F350
495911F710

External Teeth, wheel side: 30
Fitting Position: Front Axle
Fitting Position: Wheel Side
Internal Teeth, wheel side: 25
Length [mm]: 164,5
Number of Teeth, ABS ring: 48
Seal Diameter [mm]: 65
Thread Size: M22X1,5

62-00-0618

Joint Kit, drive shaft



PEUGEOT 406 (8B)
PEUGEOT 406 Break (8E/F)
PEUGEOT 406 Coupe (8C)

OE
32725P
32736Y

External Teeth, wheel side: 25
Fitting Position: Front Axle
Fitting Position: Wheel Side
Internal Teeth, wheel side: 39
Length [mm]: 152,5
Number of Teeth, ABS ring: 48
Seal Diameter [mm]: 59
Technical Information Number: Groove Type Inner
Thread Size: M24X1,5

62-00-0619

Joint Kit, drive shaft



PEUGEOT 206 2 volumi /Coda spiovente (2A/C)
PEUGEOT 206 SW (2E/K)
PEUGEOT 206 Tre volumi

OE
3272AE
3273AL

External Teeth, wheel side: 25
Fitting Position: Front Axle left and right
Fitting Position: Wheel Side
Internal Teeth, wheel side: 22
Length [mm]: 132,5
Number of Teeth, ABS ring: 48
Seal Diameter [mm]: 60
Technical Information Number: Groove Type Inner
Thread Size: M24X1,5

Joints

62-00-0620

Joint Kit, drive shaft



AUDI Q7 (4L)
 LAND ROVER RANGE ROVER III (LM)
 MERCEDES-BENZ CLASSE V (638/2)
 MERCEDES-BENZ VITO Autobus (638)
 MERCEDES-BENZ VITO Furgonato (638)
 VW TOUAREG (7LA, 7L6, 7L7)

OE

6383342334
 7L6407331A
 7L6498103
 7L6498103A
 7L6498103AX
 7L6498103V

Fitting Position: Transmission End
 Int. teeth, diff.side, conn.to transm.: 30
 Length [mm]: 36
 Length [mm]: 72
 Number of Bores: 6
 Pitch Circle [mm]: 104

62-00-0711

Joint Kit, drive shaft



RENAULT MEGANE I (BA0/1_)
 RENAULT MEGANE I Cabriolet (EA0/1_)
 RENAULT MEGANE I Classic (LA0/1_)
 RENAULT MEGANE I Coach (DA0/1_)
 RENAULT MEGANE Scenic (JA0/1_)

OE

7701352415
 7701352471

External Teeth, wheel side: 21
 Fitting Position: Front Axle
 Fitting Position: Wheel Side
 Internal Teeth, wheel side: 22
 Length [mm]: 139,5
 Number of Teeth, ABS ring: 44
 Seal Diameter [mm]: 51,5
 Technical Information Number: Groove Type
 Inner
 Thread Size: M20X1,5

62-00-0937

Joint Kit, drive shaft



AUDI A4 (8K2, B8)
 AUDI A4 (8W2, B9)
 AUDI A4 Allroad (8KH, B8)
 AUDI A4 Avant (8K5, B8)
 AUDI A4 Avant (8W5, B9)
 AUDI A5 (8T3)

OE

8K0407341B
 8T0498103
 8T0498103X

Fitting Position: Front Axle
 Fitting Position: Transmission End
 Int. teeth, diff.side, conn.to transm.: 24
 Length [mm]: 86
 Outer Diameter [mm]: 81
 Technical Information Number: AAR

62-00-0939

Joint Kit, drive shaft



AUDI A1 (8X1, 8XF)
 AUDI A1 Sportback (8XA, 8XK)
 AUDI A3 (8P1)
 AUDI A3 (8V1)
 AUDI A3 Cabriolet (8V7)
 AUDI A3 Limousine (8VS)

OE

1K0501203GX
 1K0598099
 1K0598099X
 8V0598099
 8V0598099X

External Teeth, diff.side: 36
 Fitting Position: Wheel Side
 Int. teeth, diff.side, conn.to transm.: 33
 Length [mm]: 79
 Outer Diameter [mm]: 82,4
 Seal Diameter [mm]: 59,5
 Transmission Type: cambio automatico a
 Transmission Type: cambio manuale 6 mar

62-00-0950

Joint Kit, drive shaft



VW CALIFORNIA T4 Camper (7DJ, 7DK, 70J)
 VW TRANSPORTER IV Autobus (70XB, 70XC,
 7DB, 7DW)
 VW TRANSPORTER IV Furgonato (70XA)
 VW TRANSPORTER IV Pianale piatto/Telaio
 (70XD)

OE

701407321B
 701498099
 701498099V
 701498099X
 701498340X

External Teeth, wheel side: 38
 Fitting Position: Front Axle
 Fitting Position: Wheel Side
 Internal Teeth, wheel side: 33
 Length [mm]: 99,5
 Seal Diameter [mm]: 60,2
 Technical Information Number: Groove Type
 Inner
 Thread Size: M16X1,5

Joints

62-00-0952

Joint Kit, drive shaft



VW CALIFORNIA T5 Camper (7EC, 7EF, 7EG, 7HF)
VW MULTIVAN V (7HM, 7HN, 7HF, 7EF, 7EM,
7EN)
VW TRANSPORTER V Autobus (7HB, 7HJ, 7EB,
7EJ, 7EF)
VW TRANSPORTER V Furgonato (7HA, 7HH, 7EA,

OE

7H0407321A
7H0407321B
7H0498099
7H0498099X

External Teeth, wheel side: 38
Fitting Position: Front Axle
Fitting Position: Wheel Side
Internal Teeth, wheel side: 27
Length [mm]: 168
Machined: With groove in internal component
Seal Diameter [mm]: 63
Thread Size: M20X1,5

62-01-1023

Drive Shaft



NISSAN TERRANO I (WD21)
NISSAN TERRANO II (R20)

OE

391000F000
391007F002
5458020

Diameter 1 [mm]: 96
Diameter 2 [mm]: 126
External Teeth, wheel side: 27
Fitting Position: Front Axle left and right
Overall Length [mm]: 532
Seal Diameter [mm]: 50

62-01-1024

Drive Shaft



NISSAN TERRANO II (R20)

OE

391000F000
391007F002
391007F00A

Diameter 1 [mm]: 96
Diameter 2 [mm]: 126
External Teeth, wheel side: 27
Fitting Position: Front Axle left and right
Overall Length [mm]: 542
Seal Diameter [mm]: 50

62-01-1033

Joint Kit, drive shaft



NISSAN NV400 Autobus
NISSAN NV400 Furgonato
NISSAN NV400 Pianale piatto/Telaio
OPEL MOVANO B Autobus
OPEL MOVANO B Furgonato
OPEL MOVANO B Pianale piatto/Telaio

OE

391005187R
95516046

External Teeth, diff.side: 39
Fitting Position: Front Axle
Fitting Position: Transmission End
Int. teeth, diff.side, conn.to transm.: 27
Length [mm]: 451
Seal Diameter [mm]: 30

62-04-491

Joint Kit, drive shaft



HONDA ACCORD VIII Station wagon
HONDA CR-V II (RD_)
HONDA CR-V III (RE)
HONDA FR-V (BE)

OE

44310SKN305
44310STKA91

External Teeth, diff.side: 29
Fitting Position: Front Axle
Fitting Position: Transmission End
Int. teeth, diff.side, conn.to transm.: 34
Length [mm]: 122
Seal Diameter [mm]: 42

Joints

62-0M-M03

Drive Shaft



SMART FORTWO Cabrio (451)
SMART FORTWO Coupé (451)

OE
4513570601
A4513570601

External Teeth, diff.side: 33
External Teeth, wheel side: 33
Fitting Position: Rear Axle Right
Number of Teeth, ABS ring: 42
Overall Length [mm]: 788
Seal Diameter [mm]: 56

62-0W-W36

Drive Shaft



CHEVROLET MATIZ (M200, M250)
DAEWOO MATIZ (KLYA)

OE
96257824
96298502

External Teeth, diff.side: 22
External Teeth, wheel side: 23
Fitting Position: Front Axle Right
Number of Teeth, ABS ring: 40
Overall Length [mm]: 795
Seal Diameter [mm]: 46

66-01-0101

Tripod Hub, propshaft



MINI MINI (R50, R53)
MINI MINI (R56)
MINI MINI Cabriolet (R57)
MINI MINI CLUBMAN (R55)
MINI MINI CLUBVAN (R55)
MINI MINI Coupé (R58)

OE
31602752251
31607589768

Fitting Position: Front Axle
Int. teeth, diff.side, conn.to transm.: 22
Ring Thickness [mm]: 12
Roller diameter [mm]: 30

66-02-0202

Tripod Hub, propshaft



FIAT CINQUECENTO (170)
FIAT PANDA (141A_)
FIAT PUNTO (176)
FIAT PUNTO Cabriolet (176C)
FIAT SEICENTO (187)
FIAT UNO (146A/E)

OE
7540062
7566182
7671609

Diameter 1 [mm]: 29
Diameter 2 [mm]: 9,5
Fitting Position: Front Axle
Height [mm]: 23,4
Number of Teeth: 19
Weight [g]: 235

66-02-0203

Tripod Hub, propshaft



ALFA ROMEO MITO (955)
FIAT GRANDE PUNTO (199)
FIAT PUNTO EVO (199)

OE
71745019

Diameter 1 [mm]: 37,5
Diameter 2 [mm]: 9
Fitting Position: Front Axle Left
Fitting Position: Front Axle Right
Height [mm]: 26,6
Inner Diameter [mm]: 25,7
Number of Teeth: 33
Weight [g]: 420

Joints

66-02-0204

Tripod Hub, propshaft



FIAT PANDA (169)

OE
46308103

Diameter 1 [mm]: 30
Diameter 2 [mm]: 10
Fitting Position: Front Axle
Height [mm]: 23
Inner Diameter [mm]: 20
Number of Teeth: 20
Weight [g]: 250

66-02-0205

Tripod Hub, propshaft



ALFA ROMEO MITO (955)
FIAT 500L
FIAT BRAVO II (198)
FIAT DOBLO Cassone / Furgonato / Promiscuo (263)
FIAT GRANDE PUNTO (199)

OE
46308470

Diameter 1 [mm]: 39,1
Diameter 2 [mm]: 11,5
Fitting Position: Front Axle
Height [mm]: 25
Inner Diameter [mm]: 24,9
Number of Teeth: 24
Weight [g]: 450

66-02-0206

Tripod Hub, propshaft



ALFA ROMEO 159 (939)
ALFA ROMEO 159 Sportwagon (939)
ALFA ROMEO BRERA
ALFA ROMEO GIULIETTA (940)
FIAT BRAVO II (198)
FIAT DOBLO Pianale piatto/Telaio (263)

OE
46308241

Diameter [mm]: 46,6
Fitting Position: Front Axle Left
Fitting Position: Front Axle Right
Height [mm]: 23
Number of Teeth: 27
Thickness [mm]: 16,2
Weight [g]: 580

66-02-0207

Tripod Hub, propshaft



FIAT FIORINO Cassone / Furgonato / Promiscuo (225)
FIAT PANDA (169)

OE
46308047

Diameter [mm]: 31,9
Fitting Position: Front Axle
Height [mm]: 25,3
Number of Teeth: 22
Thickness [mm]: 10,9
Weight [g]: 320

66-02-0208

Tripod Hub, propshaft



FIAT 500 (312)
FIAT PANDA (169)
FIAT PANDA (519, 312, 319)
LANCIA YPSILON (312, 846)

OE
46308007

Diameter [mm]: 29,2
Fitting Position: Front Axle Left
Fitting Position: Front Axle Right
Height [mm]: 23,6
Number of Teeth: 20
Thickness [mm]: 9,5
Weight [g]: 350

Joints

66-02-0210

Tripod Hub, propshaft



FIAT BRAVA (182)
FIAT BRAVO I (182)
FIAT DUNA (146 B)
FIAT DUNA Weekend (146 B)
FIAT FIORINO Furgonato (146)
FIAT MAREA (185)

OE

4469834
5949990
7599431
7702194
7702195
7755820

Diameter [mm]: 31,9
Fitting Position: Front Axle
Height [mm]: 23,5
Number of Teeth: 20
Thickness [mm]: 10,5
Weight [g]: 300

66-02-0211

Joint, propshaft



FIAT 126

OE

4193533
4193734
7600811

Diameter 1 [mm]: 16
Fitting Position: Front Axle
Length [mm]: 39,8
Supplementary Article/Supplementary Info 2:
With bearing(s)
Weight [g]: 81

66-02-0213

Joint, propshaft



IVECO DAILY I Autobus
IVECO DAILY I Cassone / Furgonato / Promiscuo
IVECO DAILY I Pianale piatto/Telaio

OE

1905986
515723
5990411
9984381

Diameter 1 [mm]: 27
Fitting Position: Front Axle
Weight [g]: 470
Width [mm]: 81,7

66-02-0214

Tripod Hub, propshaft



FIAT 500 (312)
FIAT 500 C (312)
FIAT FIORINO Cassone / Furgonato / Promiscuo
(225)
FIAT FIORINO MPV / Space wagon (225_)
FIAT GRANDE PUNTO (199)

OE

46308327

Diameter [mm]: 33,9
Fitting Position: Front Axle
Height [mm]: 26,5
Number of Teeth: 23
Thickness [mm]: 11,7
Weight [g]: 380

66-02-0216

Tripod Hub, propshaft



ABARTH 500 (312)
ALFA ROMEO MITO (955)
FIAT 500 (312)
FIAT 500L
FIAT DOBLO (119)
FIAT DOBLO Cargo (223)

OE

46307676

Diameter [mm]: 35,5
Fitting Position: Front Axle
Height [mm]: 26,9
Number of Teeth: 24
Thickness [mm]: 11,70
Weight [g]: 430

Joints

66-02-0218

Tripod Hub, propshaft



FIAT DUCATO Autobus (250)
FIAT DUCATO Furgonato (250)

OE
46308387

Diameter 1 [mm]: 43,65
Diameter 2 [mm]: 13,4
Height [mm]: 27,4
Number of Teeth: 27
Thickness [mm]: 13,3
Weight [g]: 640

66-02-0221

Tripod Hub, propshaft



FIAT MAREA (185)
FIAT MAREA Weekend (185)
FIAT PALIO Weekend (178DX)
FIAT PUNTO (188)
FIAT PUNTO Van (188AX)
SEAT CORDOBA (6L2)

OE
1J0 498 103KX
1J0407363B
1J0498103K
46307152
46307687
46307698

Fitting Position: Front Axle Left
Fitting Position: Front Axle Right
Number of Teeth: 30
Weight [g]: 335

66-02-0222

Tripod Hub, propshaft



FIAT DUCATO Autobus (250)

OE
46308312

Diameter [mm]: 42,1
Fitting Position: Front Axle Left
Fitting Position: Front Axle Right
Number of Teeth: 29
Thickness [mm]: 14,7
Weight [g]: 740

66-02-0224

Tripod Hub, propshaft



FIAT GRANDE PUNTO (199)
FIAT PUNTO (188)

OE
51733783

Diameter [mm]: 31,9
Number of Teeth: 27
Thickness [mm]: 10,5

66-02-0225

Tripod Hub, propshaft



CITROEN C25 Furgonato (280_, 290_)
CITROEN C25 Pianale piatto/Telaio (280_, 290_)
FIAT DUCATO Furgonato (280)
FIAT DUCATO Furgonato (290)
FIAT DUCATO Panorama (290)
FIAT DUCATO Pianale piatto/Telaio (290)

OE
327248

Fitting Position: Front Axle
Int. teeth, diff.side, conn.to transm.: 27
Ring Thickness [mm]: 16

Joints

66-03-0301

Tripod Hub, propshaft



FORD FIESTA V (JH_, JD_)
FORD FIESTA Van
FORD FUSION (JU_)
MAZDA 2 (DY)

OE
1142787
1202534
2S613W007AA

Int. teeth, diff.side, conn.to transm.: 20
Ring Thickness [mm]: 10,2
Roller diameter [mm]: 29,9

66-03-0303

Tripod Hub, propshaft



FORD MONDEO II (BAP)
FORD MONDEO II Station wagon (BNP)
FORD MONDEO II Tre volumi (BFP)
FORD MONDEO III (B5Y)
FORD MONDEO III Station wagon (BWY)
FORD MONDEO III Tre volumi (B4Y)

OE
1447556

Core Hole Diameter [mm]: 27
Diameter 1 [mm]: 38
Diameter 2 [mm]: 12
Diameter [mm]: 38
Int. teeth, diff.side, conn.to transm.: 33
Length [mm]: 22,9

66-06-0601

Joint, propshaft



CITROEN C2 (JM_)
CITROEN C3 I (FC_)
CITROEN C3 Pluriel (HB_)
PEUGEOT 1007 (KM_)

OE
3272EP
3272EQ
3272HP
3272HR
3272RT

Fitting Position: Front Axle
Number of Teeth: 21
Ring Thickness [mm]: 10,9

66-09-0900

Tripod Hub, propshaft



AUDI A4 (8D2, B5)
AUDI A4 Avant (8D5, B5)
FORD MONDEO III (B5Y)
FORD MONDEO III Station wagon (BWY)
FORD MONDEO III Tre volumi (B4Y)
SKODA SUPERB (3U4)

OE
1447557
8D0407417L
8D0407417N
8D0407418L
8D0407418N

Core Hole Diameter [mm]: 27,6
Diameter 1 [mm]: 41
Diameter 2 [mm]: 12
Diameter [mm]: 41
Int. teeth, diff.side, conn.to transm.: 34
Length [mm]: 23,6

66-01-112

Tripod Hub, propshaft



DACIA DUSTER
DACIA DUSTER Furgonato
MAZDA 6 (GG)
MAZDA 6 (GH)
MAZDA 6 2 volumi /Coda spiovente (GH)
MAZDA 6 Hatchback (GG)

OE
3815A363
39100-00Q5C
39100-00Q5F
39100-00Q6A
391001162R
391009882R

Core Hole Diameter [mm]: 27
Diameter 1 [mm]: 44,3
Diameter 2 [mm]: 14
Diameter [mm]: 44,3
Int. teeth, diff.side, conn.to transm.: 33
Length [mm]: 26,5

Joints

66-0H-H06

Tripod Hub, propshaft



HYUNDAI ix55
HYUNDAI SANTA FÉ II (CM)
HYUNDAI SANTA FÉ III (DM)
KIA SORENTO II (XM)
MAZDA CX-7 (ER)
MAZDA CX-9 (TB)

OE

3815A140
39771-CC40A
49500-2B700
49501-2B700
49501-2P000
49605-3JA00

Core Hole Diameter [mm]: 29,6
Diameter 1 [mm]: 47,7
Diameter 2 [mm]: 15,8
Diameter [mm]: 47,7
Int. teeth, diff.side, conn.to transm.: 36
Length [mm]: 28,8

66-0H-H07

Joint, propshaft



HYUNDAI TUCSON (JM)
KIA SPORTAGE (JE_, KM_)
KIA SPORTAGE (K00)

OE

49300-2E000
49598-2E000

Diameter [mm]: 26,5
Length [mm]: 48

63-05-505

Bellow, drive shaft



MITSUBISHI PAJERO CLASSIC (V2_W)
MITSUBISHI PAJERO II (V3_W, V2_W, V4_W)
MITSUBISHI PAJERO III (V7_W, V6_W)
MITSUBISHI PAJERO III Fuoristrada aperto (V6_W, V7_W)
MITSUBISHI PAJERO IV (V8_W, V9_W)

OE

MR510271

Diameter 1 [mm]: 50
Diameter 2 [mm]: 16
Fitting Position: Front Axle Left
Height [mm]: 208

63-05-506

Bellow, drive shaft



MITSUBISHI PAJERO CLASSIC (V2_W)
MITSUBISHI PAJERO II (V3_W, V2_W, V4_W)
MITSUBISHI PAJERO III (V7_W, V6_W)
MITSUBISHI PAJERO III Fuoristrada aperto (V6_W, V7_W)
MITSUBISHI PAJERO IV (V8_W, V9_W)

OE

MR510272

Diameter 1 [mm]: 50
Diameter 2 [mm]: 17
Fitting Position: Front Axle Right
Height [mm]: 240

63-0M-M01

Bellow, drive shaft



SMART CABRIO (450)
SMART CITY-COUPE (450)

OE

0019805V001

Diameter 1 [mm]: 61
Diameter 2 [mm]: 26
Fitting Position: Transmission End
Height [mm]: 77

Mounting

Mounting

73-02-263

Ball Joint



CITROEN JUMPY
CITROEN JUMPY Furgonato
CITROEN JUMPY Pianale piatto/Telaio
CITROEN SPACETOURER
OPEL VIVARO C Combi (K0)
OPEL VIVARO C Furgonato (K0)

OE

1682730280
9818655580
9818657580
9834599080
9834599080S1
SU001A6525

Cone Size [mm]: 18,6
Fitting Position: Lower Front Axle
Thread Measurement 1: MM14X1,5R

72-03-370L

Track Control Arm



MAZDA MX-5 III (NC)

OE

NE5134350C
NE5134350D

Bar/Strut: Push Rod
Cone Size [mm]: 16,8
Fitting Position: Front Axle Left
Fitting Position: Lower
Material: Aluminium
Paired article numbers: 72-03-370R
Paired article numbers: 72370R
Paired article numbers: BS-370R
Steering Type: Control Arm

72-03-370R

Track Control Arm



MAZDA MX-5 III (NC)

OE

NE5134300C
NE5134300D

Bar/Strut: Push Rod
Cone Size [mm]: 16,8
Fitting Position: Front Axle Right
Fitting Position: Lower
Material: Aluminium
Paired article numbers: 72-03-370L
Paired article numbers: 72370L
Paired article numbers: BS-370L
Steering Type: Control Arm

44-29049

Wheel Hub



GIOTTI VICTORIA GLADIATOR Autobus
GIOTTI VICTORIA GLADIATOR Furgonato
GIOTTI VICTORIA GLADIATOR Pianale piatto/Telaio

OE

Fitting Position: Front Axle left and right
Inner Diameter [mm]: 27,5
Mounting Bores Distance [mm]: 73
Outer Diameter 1 [mm]: 63
Outer Diameter [mm]: 120
Overall Height [mm]: 56,2
Rim Hole Number: 4

159-00-0716

Dust Cover Kit, shock absorber



RENAULT CLIO Grandtour IV
RENAULT CLIO IV

OE

552405569R

Fitting Position: Rear Axle

Mounting

159-0T-T001

Rubber Buffer, suspension



FIAT CINQUECENTO (170)
FIAT CINQUECENTO VAN (170)
FIAT SEICENTO (187)

OE
46412047

Diameter 1 [mm]: 23
Diameter 2 [mm]: 16
Fitting Position: Front Axle left and right
Height [mm]: 86

159-0T-T002

Rubber Buffer, suspension



RENAULT ESPACE V
RENAULT GRAND SCÉNIC IV
RENAULT MEGANE IV
RENAULT MEGANE IV Grandtour (K9A/M_)
RENAULT MEGANE IV Tre volumi
RENAULT SCÉNIC IV

OE
54 05 051 77R

Diameter 1 [mm]: 26,5
Diameter 2 [mm]: 19
Fitting Position: Front Axle left and right
Height [mm]: 85
Width [mm]: 58,5

159-0T-T003

Rubber Buffer, suspension



FIAT DOBLO MPV / Space wagon (152, 263)
OPEL COMBO Cassone / Furgonato / Promiscuo (X12)
OPEL COMBO Tour (X12)

OE
00344 815
0344 815
051851802
095511416
344 815
344815

Fitting Position: Front Axle
Length [mm]: 88,8
Width [mm]: 63,45

159-0T-T004

Rubber Buffer, suspension



FIAT DOBLO Cassone / Furgonato / Promiscuo (263)
FIAT DOBLO MPV / Space wagon (152, 263)
FIAT DOBLO Pianale piatto/Telaio (263)

OE
51819224
51865204

Diameter 1 [mm]: 26
Diameter 2 [mm]: 10
Fitting Position: Rear Axle left and right
Height [mm]: 117
Weight [g]: 240

159-0T-T005

Rubber Buffer, suspension



AUDI A3 (8V1)
AUDI A3 Limousine (8VS)
AUDI A3 Sportback (8VA)
AUDI Q3 (8U)
SEAT IBIZA V (KJ1)
SEAT LEON (5F1)

OE
5N0412303A
5N0412303B
5Q0412303

Fitting Position: Front Axle left and right
Inner Diameter 1 [mm]: 24
Inner Diameter 2 [mm]: 19,5
Length [mm]: 88

Mounting

159-0T-T006

Rubber Buffer, suspension



SEAT LEON (5F1)
SEAT LEON SC (5F5)
SEAT LEON ST (5F8)
SKODA OCTAVIA (5E3)
SKODA OCTAVIA Combi (5E5)
SKODA SUPERB (3V3)

OE
5Q0 511 357 J
5Q0511357N

Fitting Position: Rear Axle left and right
Length [mm]: 113

159-0T-T007

Rubber Buffer, suspension



SEAT ATECA
SEAT LEON (5F1)
SEAT LEON SC (5F5)
SEAT LEON ST (5F8)
SKODA OCTAVIA (5E3)
SKODA OCTAVIA Combi (5E5)

OE
5Q0511357F

Diameter 1 [mm]: 22
Diameter 2 [mm]: 27
Fitting Position: Rear Axle Left
Fitting Position: Rear Axle Right
Length [mm]: 134
Weight [g]: 140
Width [mm]: 59

159-0T-T008

Rubber Buffer, suspension



SKODA OCTAVIA (1Z3)
SKODA OCTAVIA Combi (1Z5)
VW GOLF V (1K1)
VW GOLF VI (5K1)
VW JETTA III (1K2)

OE
1K0511353F

Diameter 1 [mm]: 18
Diameter 2 [mm]: 18,5
Fitting Position: Rear Axle left and right
Length [mm]: 116
Weight [g]: 90

159-0T-T009

Rubber Buffer, suspension



FIAT DOBLO Cassone / Furgonato / Promiscuo (263)
FIAT DOBLO MPV / Space wagon (152, 263)

OE
51810447

Diameter 1 [mm]: 27
Diameter 2 [mm]: 20
Fitting Position: Front Axle left and right
Height [mm]: 85
Weight [g]: 85
Width [mm]: 63

159-0T-T010

Rubber Buffer, suspension



RENAULT CLIO Grandtour (KR0/1_)
RENAULT CLIO Grandtour IV
RENAULT CLIO IV

OE
540500558R

Fitting Position: Front Axle left and right
Inner Diameter 1 [mm]: 24
Inner Diameter 2 [mm]: 18
Length [mm]: 73
Weight [g]: 70
Width [mm]: 56

Mounting

159-0T-T012

Rubber Buffer, silencer



NISSAN QASHQAI
RENAULT KADJAR

OE

540504CL0A
540504CL0B
540506FR0A
54050HV10A

Fitting Position: Front Axle left and right
Inner Diameter 1 [mm]: 26,5
Inner Diameter 2 [mm]: 20,5
Length [mm]: 101
Weight [g]: 120
Width [mm]: 59,5

159-0T-T013

Rubber Buffer, suspension



PEUGEOT 407 (6D_)
PEUGEOT 407 Coupé (6C_)
PEUGEOT 407 SW (6E_)

OE

516670
9652181980

Diameter 1 [mm]: 17,5
Diameter 2 [mm]: 16
Fitting Position: Front Axle
Length [mm]: 82
Required quantity: 2
Weight [g]: 70
Width [mm]: 53,5

159-0T-T014

Rubber Buffer, suspension



CITROEN C5 I (DC_)
CITROEN C5 I Break (DE_)
CITROEN C5 II (RC_)
CITROEN C5 II Break (RE_)

OE

5033.66
96 251 375 80
96 387 470 80

Fitting Position: Front Axle left and right
Inner Diameter [mm]: 30,0
Length [m]: 116
Outer Diameter [mm]: 53,0
Outer Diameter [mm]: 57,0
Weight [g]: 85

159-0T-T015

Rubber Buffer, suspension



FORD B-MAX (JK)
FORD TRANSIT COURIER Furgonato
FORD TRANSIT COURIER Kombi

OE

1 751 936
1 775 521
2 016 623

Fitting Position: Front Axle left and right
Inner Diameter 1 [mm]: 25,5
Inner Diameter 2 [mm]: 20,5
Length [mm]: 74
Weight [g]: 60

159-0T-T016

Rubber Buffer, suspension



CITROEN BERLINGO (K9)
OPEL ASTRA L
OPEL ASTRA L Sports Tourer (O5)
OPEL COMBO Cassone / Furgonato / Promiscuo (X19)
OPEL COMBO MPV / Space wagon (X19)

OE

36 42 851
98 076 595 80
98 136 657 80
98 311 454 80

Fitting Position: Front Axle Left
Fitting Position: Front Axle Right
Length [mm]: 69,5
Length [mm]: 98,9
Weight [g]: 96

Mounting

159-0T-T017

Rubber Buffer, suspension



CITROEN C5 I (DC_)
CITROEN C5 I Break (DE_)

OE
516666
516676

Fitting Position: Rear Axle left and right
Inner Diameter 1 [mm]: 17
Inner Diameter 2 [mm]: 16
Length [mm]: 77
Weight [g]: 55

159-0T-T018

Rubber Buffer, suspension



CITROEN C4 II (B7)
CITROEN DS4
PEUGEOT 3008
PEUGEOT 5008

OE
5033.E4
96 847 915 80

Fitting Position: Front Axle left and right
Inner Diameter 1 [mm]: 23,5
Inner Diameter 2 [mm]: 21
Length [mm]: 97,5
Weight [g]: 60
Width [mm]: 54

159-0T-T020

Rubber Buffer, suspension



FIAT DOBLO Cassone / Furgonato / Promiscuo (263)
FIAT DOBLO MPV / Space wagon (152, 263)
FIAT DOBLO Pianale piatto/Telaio (263)
SEAT LEON (5F1)
SEAT LEON SC (5F5)

OE
51850337

Diameter 2 [mm]: 10
Fitting Position: Front Axle left and right
Inner Diameter 1 [mm]: 25
Inner Diameter 2 [mm]: 19,5
Length [mm]: 57
Weight [g]: 235

MA-33120

Shock Absorber



MAZDA 3 2 volumi /Coda spiovente (BP)
MAZDA 3 Tre volumi

OE
BCKA28700
BCKE28700E
BDTS28700B
BDWR28700A
BEET28700A
BEEV28700B

Fitting Position: Rear Axle
For OE number: BCKA28700
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MA-AS252

Shock Absorber



MERCEDES-BENZ CLASSE C (W205)
MERCEDES-BENZ CLASSE C T-Model (S205)

OE
2053204430
205320443080
2053207200
2053207600
2053208030
A2053204430

Fitting Position: Rear Axle Right
Paired article numbers: MA-AS253
Paired article numbers: MJAS253
Paired article numbers: MM-AS253
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top yoke
Shock Absorber Type: Oil Pressure
Spring Type: for pneumatic suspension vehicles

Mounting

MA-AS253

Shock Absorber



MERCEDES-BENZ CLASSE C (W205)
MERCEDES-BENZ CLASSE C T-Model (S205)

OE

2053204330
2053207100
2053207500
2053207930
2053208530
A2053204330

Fitting Position: Rear Axle Left
Paired article numbers: MA-AS252
Paired article numbers: MJAS252
Paired article numbers: MM-AS252
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top yoke
Shock Absorber Type: Oil Pressure
Spring Type: for pneumatic suspension vehicles

MA-AS398

Boot, air suspension



IVECO DAILY Cassone / Furgonato / Promiscuo
IVECO DAILY CITYS Autobus
IVECO DAILY III Autobus
IVECO DAILY III Cassone / Furgonato / Promiscuo
IVECO DAILY III Pianale piatto/Telaio

OE

500312049

Fitting Position: Left and right
Fitting Position: Rear Axle

MA-AS400

Boot, air suspension



MERCEDES-BENZ SPRINTER 3,5-t Autobus (906)
MERCEDES-BENZ SPRINTER 3,5-t Furgonato (906)
MERCEDES-BENZ SPRINTER 3,5-t Pianale piatto/Telaio (906)
MERCEDES-BENZ SPRINTER 3-t Autobus (906)

OE

A9063280001
A9063280101

Fitting Position: Left and right
Fitting Position: Rear

GOM-0001

Engine Mounting



HONDA CIVIC VIII Tre volumi (FD, FA)

OE

50880-SNA-A02
50880SNAA02

Fitting Position: Right
For OE number: 50880-SNA-A02
Mounting Type: Rubber-metal Bearing

GOM-0600

Control Arm-/Trailing Arm Bush



CITROEN JUMPY
CITROEN JUMPY Furgonato
CITROEN JUMPY Pianale piatto/Telaio
CITROEN SPACETOURER
OPEL VIVARO C Combi (K0)
OPEL VIVARO C Furgonato (K0)

OE

98 090 826 80
SU001-A6491

Fitting Position: Front Axle Left
Fitting Position: Front Axle Right
Inner Diameter [mm]: 16,2
Length [mm]: 58,4
Material: Steel Elastomer
Outer Diameter [mm]: 58
Thickness [mm]: 59
Width [mm]: 58,4

Mounting

GOM-1296

Control Arm-/Trailing Arm Bush



NISSAN SERENA (C23M)
NISSAN VANETTE Autobus (C22)
NISSAN VANETTE Furgonato (C22)

OE
54542G5100

Height 1 [mm]: 46,3
Height 2 [mm]: 35
Inner Diameter [mm]: 16
Outer Diameter [mm]: 35

GOM-1318

Engine Mounting



NISSAN JUKE (F15)
NISSAN PULSAR 2 volumi /Coda spiovente (C13)

OE
112201KG0A

Fitting Position: Left Front

GOM-1323

Control Arm-/Trailing Arm Bush



NISSAN MURANO (Z50)

OE
545019W50A

Fitting Position: Lower Front Axle
Height [mm]: 63
Inner Diameter [mm]: 24
Outer Diameter [mm]: 78

GOM-2876

Engine Mounting



TOYOTA YARIS VERSO (_NLP2_, _NCP2_)
TOYOTA YARIS VERSO VAN Furgonato (_P2_)

OE
1230533020

For OE number: 1230533020

GOM-2877

Engine Mounting



TOYOTA YARIS (SCP1_, NLP1_, NCP1_)
TOYOTA YARIS VERSO (_NLP2_, _NCP2_)
TOYOTA YARIS VERSO VAN Furgonato (_P2_)

OE
1237133020

For OE number: 1237133020

Mounting

GOM-2883

Bush, leaf spring



TOYOTA LAND CRUISER (_J4_)

OE
9038515002

Inner Diameter [mm]: 15
Length [mm]: 41
Outer Diameter [mm]: 25

GOM-3128

Control Arm-/Trailing Arm Bush



MAZDA B-SERIE (UN)

OE
UC8634450B

Fitting Position: Front Axle

GOM-3169

Stabiliser Mounting



FORD RANGER (TKE)

OE
1728257
AB315484BB
UC3C34156A

Fitting Position: Front Axle
Inner Diameter [mm]: 29
Length [mm]: 40
Outer Diameter [mm]: 60

GOM-4281

Engine Mounting



HONDA CIVIC VII Hatchback (EU, EP, EV)
HONDA STREAM (RN)

OE
50805S7C003
50805S7C013

Fitting Position: Left
Mounting Type: Rubber-metal Bearing

GOM-4286

Control Arm-/Trailing Arm Bush



HONDA ACCORD IV (CB)
HONDA ACCORD IV Aerodeck (CB)
HONDA ACCORD IV Coupé (CB, CC)
HONDA ACCORD V (CC, CD)
HONDA ACCORD V (CE, CF)
HONDA ACCORD V Aerodeck (CE)

OE
51355SN7010*
51460SV4A00*
GSJ423*
GSJ424*

Fitting Position: Upper Front Axle
Height [mm]: 113
Inner Diameter [mm]: 10,2
Mounting Type: Rubber-metal Bearing
Outer Diameter [mm]: 34
Steering Type: Control Arm

Mounting

GOM-5158

Engine Mounting



MITSUBISHI L 200 (K7_T, K6_T)
 MITSUBISHI PAJERO II (V3_W, V2_W, V4_W)
 MITSUBISHI PAJERO SPORT (K90)

OE
 MR589096
 MR961385
 MR961386

Fitting Position: Left
 Fitting Position: Right
 For OE number: MR210867

GOM-634

Engine Mounting



DAIHATSU BEGO
 DAIHATSU TERIOS (J2_)

OE
 12371B4010

Fitting Position: Rear
 Mounting Type: Hydro Bearing

GOM-637

Engine Mounting



DAIHATSU TERIOS (J1)

OE
 1236287403
 1236287403000

Fitting Position: Left Front

GOM-638

Engine Mounting



DAIHATSU TERIOS (J1)

OE
 1230687402000

For OE number: 1230687402000

GOM-764

Engine Mounting



SUBARU FORESTER (SJ)
 SUBARU IMPREZA 2 volumi /Coda spiovente
 (GP)
 SUBARU IMPREZA Tre volumi (GJ)
 SUBARU XV

OE
 41022FJ010

Fitting Position: Right

Mounting

GOM-765

Engine Mounting



SUBARU FORESTER (SJ)
SUBARU IMPREZA 2 volumi /Coda spiovente (GP)
SUBARU IMPREZA Tre volumi (GJ)
SUBARU XV

OE
41022FJ020

Fitting Position: Left

GOM-8001

Control Arm-/Trailing Arm Bush



SUBARU JUSTY II (JMA, MS)

OE
4642060E00
4642080E00

Fitting Position: Rear Axle Left
Fitting Position: Rear Axle Right

GOM-8013

Engine Mounting



SUZUKI SWIFT III (MZ, EZ)

OE
1162063J00000

Fitting Position: Front Axle

GOM-8017

Engine Mounting



SUZUKI GRAND VITARA I (FT, GT)
SUZUKI GRAND VITARA I Cabriolet (GT)

OE
1171077E11

Fitting Position: Rear

GOM-9061

Engine Mounting



FIAT 500X
JEEP RENEGADE Fuoristrada chiuso

OE
52049401
52064610

Fitting Position: Left
For OE number: 52064610
Mounting Type: Rubber-metal Bearing

Mounting

GOM-H268

Hub Carrier Bush



HYUNDAI ELANTRA Tre volumi (MD, UD)

OE
55160-3X000

Fitting Position: Rear Axle Left
Fitting Position: Rear Axle Right
Inner Diameter [mm]: 14
Material: Steel Elastomer
Outer Diameter [mm]: 93
Thickness [mm]: 88

GOM-H283

Control Arm-/Trailing Arm Bush



HYUNDAI HIGHWAY VAN
HYUNDAI TRAJET (FO)
HYUNDAI TRAJET Cassone/Limousine spaziosa (FO)

OE
55252-3A000

Fitting Position: Rear Axle
Height 1 [mm]: 79,8
Inner Diameter [mm]: 14
Outer Diameter [mm]: 39

GOM-H298

Engine Mounting



HYUNDAI i10 (IA)

OE
21830B4010

Fitting Position: Transmission End

GOM-H311

Engine Mounting



HYUNDAI GETZ (TB)

OE
218300B600
218300B700
218351C150

Fitting Position: Left Front

GOM-H330

Engine Mounting



HYUNDAI COUPE (RD)
HYUNDAI LANTRA II (J-2)
HYUNDAI LANTRA II Wagon (J-2)

OE
2181029100

Fitting Position: Right

Mounting

GOM-H331

Engine Mounting



HYUNDAI COUPE (RD)
HYUNDAI LANTRA II (J-2)
HYUNDAI LANTRA II Wagon (J-2)

OE
2181029150

Fitting Position: Right

GOM-H339

Engine Mounting



HYUNDAI COUPE (RD)
HYUNDAI LANTRA II (J-2)
HYUNDAI LANTRA II Wagon (J-2)

OE
2193029050

Fitting Position: Rear
Mounting Type: Rubber-metal Bearing

GOM-K149

Control Arm-/Trailing Arm Bush



KIA PREGIO Furgonato (TB)
KIA RETONA (CE)
KIA SPORTAGE (K00)

OE
0K01128840
0K72A28840A

Fitting Position: Rear Axle

GOM-K170

Engine Mounting



KIA RIO Station wagon (DC)
KIA RIO Tre volumi (DC_)

OE
0K30E39060C

Fitting Position: Right Rear
Mounting Type: Rubber-metal Bearing

GOM-K171

Engine Mounting



KIA RIO Station wagon (DC)
KIA RIO Tre volumi (DC_)

OE
0K30A39040A

Fitting Position: Left Rear
Mounting Type: Rubber-metal Bearing

Mounting

GOM-W105

Engine Mounting



CHEVROLET MATIZ (M200, M250)

OE

96484904
96484923
96884923

Fitting Position: Front Axle Right

GOM-W111

Engine Mounting



CHEVROLET MATIZ (M200, M250)
CHEVROLET SPARK


OE

96484909

Fitting Position: Front Axle

SG-0001JM

Steering Box



FIAT 500 (312)
FIAT 500 C (312)
FORD KA (RU8)

OE

10774862
10797155
1797155
51915239
51915326
51934264

Axle Joint Thread Size: M12x1,5
Axle Joint Thread Type: with external thread
Driver Position: For left-hand drive vehicles
Input shaft connecting type: Splined
Input Shaft Diameter [mm]: 14,1
Input shaft height [mm]: 128
Left-hand / Right-hand Traffic: For right-hand traffic
Length 1/ Length 2 [mm]: stroke= 150
Mounting Bores Distance [mm]: 339
Number of splines on input shaft: 26
Number of steering wheel turns: 3
Operating Mode: Electric
Operating Mode: Manual
Overall Length [mm]: 1045
Steering Gear Type: Rack-and-pinion steering gear

SG-0002JM

Steering Box



FIAT 500L

OE

51885439
51909794

Axle Joint Thread Size: M14x1,5
Axle Joint Thread Type: with external thread
Driver Position: For left-hand drive vehicles
Input shaft connecting type: Splined
Input Shaft Diameter [mm]: 14,1
Input shaft height [mm]: 114
Left-hand / Right-hand Traffic: For right-hand traffic
Length 1/ Length 2 [mm]: stroke= 145
Mounting Bores Distance [mm]: 412
Number of splines on input shaft: 26
Number of steering wheel turns: 3
Operating Mode: Electric
Operating Mode: Manual
Overall Length [mm]: 1165
Steering Gear Type: Rack-and-pinion steering gear

Mounting

SG-0003JM

Steering Box



FIAT 500X
 JEEP COMPASS (MP)
 JEEP RENEGADE Fuoristrada chiuso
 JEEP RENEGADE Fuoristrada chiuso (BU)
 JEEP RENEGADE VAN (BU, B1)


OE

51967456
 51978398
 52005180
 52076430
 52113668

Driver Position: For left-hand drive vehicles
 Length [mm]: 1664
 Mounting Bores Distance [mm]: 412
 Vehicle Equipment: For vehicles with power steering

SG-0004JM

Steering Box



FIAT SEICENTO (187)
 FIAT SEICENTO Van (187)

OE

46536787
 46847283

Axle Joint Thread Size: M12x1,5
 Axle Joint Thread Type: with external thread
 Driver Position: For left-hand drive vehicles
 Input shaft connecting type: Splined
 Input Shaft Diameter [mm]: 14,1
 Input shaft height [mm]: 58,5
 Left-hand / Right-hand Traffic: For right-hand traffic
 Length 1/ Length 2 [mm]: stroke= 150
 Mounting Bores Distance [mm]: 240
 Number of splines on input shaft: 17
 Number of steering wheel turns: 3
 Operating Mode: Electric
 Operating Mode: Manual
 Overall Length [mm]: 910
 Steering Gear Type: Rack-and-pinion steering gear
 Vehicle Equipment: For vehicles with power steering

SG-0005JM

Steering Box



FIAT STILO (192)
 FIAT STILO Multi Wagon (192)

OE

51733142
 51785771
 51809104
 51833718
 51837769
 51931476

Axle Joint Thread Size: M14x1,5
 Axle Joint Thread Type: with external thread
 Driver Position: For left-hand drive vehicles
 Input shaft connecting type: Splined
 Input Shaft Diameter [mm]: 14,1
 Input shaft height [mm]: 136
 Left-hand / Right-hand Traffic: For right-hand traffic
 Length 1/ Length 2 [mm]: stroke= 145
 Mounting Bores Distance [mm]: 436
 Number of splines on input shaft: 26
 Number of steering wheel turns: 3
 Number of Thread Bores: 2
 Operating Mode: Electric
 Operating Mode: Manual
 Overall Length [mm]: 1240
 Steering Gear Type: Rack-and-pinion steering gear

Mounting

SG-0006JM

Steering Box



RENAULT CLIO Grandtour (KR0/1_)
RENAULT CLIO III (BR0/1, CR0/1)
RENAULT MODUS / GRAND MODUS (F/JPO_)

OE

48001-BC43A
8200124407
8200124408
8200565645
8200595934

Axle Joint Thread Size: M14x1,5
Axle Joint Thread Type: with external thread
Driver Position: For left-hand drive vehicles
Input shaft connecting type: Square
Input Shaft Diameter [mm]: 16,5
Input shaft height [mm]: 132
Left-hand / Right-hand Traffic: For right-hand traffic
Length 1/ Length 2 [mm]: stroke= 130
Mounting Bores Distance [mm]: 317
Number of steering wheel turns: 3
Number of Thread Bores: 2
Operating Mode: Electric
Operating Mode: Manual
Overall Length [mm]: 1245
Steering Gear Type: Rack-and-pinion steering gear

SG-0007JM

Steering Box



OPEL AGILA (A) (H00)
SUZUKI WAGON R+ (EM)
SUZUKI WAGON R+ (MM)


OE

4700659
48510-83E50
48510-83E50-000
900658
9195074
9210355

Axle Joint Thread Size: M12x1,25
Axle Joint Thread Type: with external thread
Driver Position: For left-hand drive vehicles
Input shaft connecting type: Square
Input Shaft Diameter [mm]: 15,7
Input shaft height [mm]: 52
Left-hand / Right-hand Traffic: For right-hand traffic
Length 1/ Length 2 [mm]: stroke= 120
Number of splines on input shaft: 28
Number of steering wheel turns: 3
Operating Mode: Electric
Operating Mode: Manual
Overall Length [mm]: 1175
Steering Gear Type: Rack-and-pinion steering gear

SG-0008JM

Steering Box



FIAT 500 (312)
FIAT 500 C (312)
FORD KA (RU8)

OE

1541354
1686264
51786814
51875886
51875894
51889312

Axle Joint Thread Size: M12x1,5
Axle Joint Thread Type: with external thread
Driver Position: For left-hand drive vehicles
Input shaft connecting type: Splined
Input Shaft Diameter [mm]: 14,1
Input shaft height [mm]: 128
Left-hand / Right-hand Traffic: For right-hand traffic
Length 1/ Length 2 [mm]: stroke= 150
Mounting Bores Distance [mm]: 339
Number of splines on input shaft: 26
Number of steering wheel turns: 3
Operating Mode: Electric
Operating Mode: Manual
Overall Length [mm]: 1045
Steering Gear Type: Rack-and-pinion steering gear

Mounting

SG-0009JM

Steering Box



FIAT PANDA (141A_)
SEAT PANDA (141A)


OE

5960838
5970711
7074796
7534669
7582329
7750258

Axle Joint Thread Size: M12x1,5
Axle Joint Thread Type: with external thread
Driver Position: For left-hand drive vehicles
Input shaft connecting type: Splined
Input Shaft Diameter [mm]: 14,1
Input shaft height [mm]: 55
Left-hand / Right-hand Traffic: For right-hand traffic
Length 1/ Length 2 [mm]: stroke= 130
Number of splines on input shaft: 17
Number of steering wheel turns: 4
Operating Mode: Manual
Operating Mode: Mechanical
Overall Length [mm]: 840
Steering Gear Type: Rack-and-pinion steering gear

SG-0010JM

Steering Box



FIAT PANDA (519, 312, 319)
LANCIA YPSILON (312, 846)
LANCIA YPSILON (843)


OE

51907994
51907996
51965755

Axle Joint Thread Size: M12x1,5
Axle Joint Thread Type: with external thread
Driver Position: For left-hand drive vehicles
Input shaft connecting type: Splined
Input Shaft Diameter [mm]: 14,1
Input shaft height [mm]: 127
Left-hand / Right-hand Traffic: For right-hand traffic
Length 1/ Length 2 [mm]: stroke= 150
Mounting Bores Distance [mm]: 339
Number of splines on input shaft: 26
Number of steering wheel turns: 3
Operating Mode: Electric
Operating Mode: Manual
Overall Length [mm]: 1015
Steering Gear Type: Rack-and-pinion steering gear

SG-0011JM

Steering Box



FIAT GRANDE PUNTO (199)
FIAT PUNTO Van (199)

OE


51799754
51802155
51829169
51829620
51861106
55700467

Axle Joint Thread Size: M14x1,5
Axle Joint Thread Type: with external thread
Driver Position: For left-hand drive vehicles
Input shaft connecting type: Splined
Input Shaft Diameter [mm]: 14,1
Input shaft height [mm]: 83,5
Left-hand / Right-hand Traffic: For right-hand traffic
Length 1/ Length 2 [mm]: stroke= 145
Mounting Bores Distance [mm]: 412
Number of splines on input shaft: 26
Operating Mode: Electric
Operating Mode: Manual
Overall Length [mm]: 1170
Steering Gear Type: Rack-and-pinion steering gear

Mounting

SG-0012JM

Steering Box




CHEVROLET MATIZ (M200, M250)
CHEVROLET SPARK

OE
95082999
96482901

Axle Joint Thread Size: M12x1,5
Axle Joint Thread Type: with external thread
Driver Position: For left-hand drive vehicles
Input shaft connecting type: Splined
Input Shaft Diameter [mm]: 15,7
Input shaft height [mm]: 133
Left-hand / Right-hand Traffic: For right-hand traffic
Length 1/ Length 2 [mm]: stroke= 145
Number of splines on input shaft: 36
Number of steering wheel turns: 4,5
Operating Mode: Manual
Operating Mode: Mechanical
Overall Length [mm]: 1095
Steering Gear Type: Rack-and-pinion steering gear

SG-0013JM

Steering Box




CITROEN C1 (PM_, PN_)
PEUGEOT 107
TOYOTA AYGO (WNB1_, KGB1_)

OE
4001.33
4001.35
4006.61
45500-0H010

Axle Joint Thread Size: M12x1,25
Axle Joint Thread Type: with external thread
Driver Position: For left-hand drive vehicles
Input shaft connecting type: Splined
Input Shaft Diameter [mm]: 14
Input shaft height [mm]: 92
Left-hand / Right-hand Traffic: For right-hand traffic
Length 1/ Length 2 [mm]: stroke= 140
Mounting Bores Distance [mm]: 448
Number of splines on input shaft: 34
Number of steering wheel turns: 3
Operating Mode: Electric
Operating Mode: Manual
Overall Length [mm]: 1050
Steering Gear Type: Rack-and-pinion steering gear

SG-0014JM

Steering Box



FIAT IDEA
LANCIA MUSA (350)

OE
51725101
51832249
51887957

Axle Joint Thread Size: M14x1,5
Axle Joint Thread Type: with external thread
Driver Position: For left-hand drive vehicles
Input shaft connecting type: Splined
Input Shaft Diameter [mm]: 14,1
Input shaft height [mm]: 94
Left-hand / Right-hand Traffic: For right-hand traffic
Length 1/ Length 2 [mm]: stroke= 135
Mounting Bores Distance [mm]: 386
Number of splines on input shaft: 26
Number of steering wheel turns: 3
Operating Mode: Electric
Operating Mode: Manual
Overall Length [mm]: 1030
Steering Gear Type: Rack-and-pinion steering gear

Mounting

SG-0015JM

Steering Box



FIAT PANDA (169)
FIAT PANDA Van (141_)
FIAT PANDA Van (169)


OE

51708841
51876158
51876159
51887444
51887445

Axle Joint Thread Size: M12x1,5
Axle Joint Thread Type: with external thread
Driver Position: For left-hand drive vehicles
Input shaft connecting type: Splined
Input Shaft Diameter [mm]: 14,1
Input shaft height [mm]: 128
Left-hand / Right-hand Traffic: For right-hand traffic
Length 1/ Length 2 [mm]: stroke= 150
Mounting Bores Distance [mm]: 339
Number of splines on input shaft: 26
Number of steering wheel turns: 3
Operating Mode: Electric
Operating Mode: Manual
Overall Length [mm]: 990
Steering Gear Type: Rack-and-pinion steering gear
Vehicle Equipment: For vehicles with power steering

SG-0016JM

Steering Box



FIAT PANDA (169)
FIAT PANDA Van (141_)
FIAT PANDA Van (169)


OE

51754435
51754446
51876162
51876163
51876164
51876165

Axle Joint Thread Size: M12x1,5
Axle Joint Thread Type: with external thread
Driver Position: For left-hand drive vehicles
Input shaft connecting type: Splined
Input Shaft Diameter [mm]: 14,1
Input shaft height [mm]: 128
Left-hand / Right-hand Traffic: For right-hand traffic
Length 1/ Length 2 [mm]: stroke= 125
Mounting Bores Distance [mm]: 339
Number of splines on input shaft: 26
Number of steering wheel turns: 3
Operating Mode: Electric
Operating Mode: Manual
Overall Length [mm]: 1010
Steering Gear Type: Rack-and-pinion steering gear

SG-0017JM

Steering Box



FIAT PUNTO (176)
FIAT PUNTO Cabriolet (176C)
FIAT PUNTO Van (176L)
LANCIA Y (840A)

OE


7797607
7797608

Axle Joint Thread Size: M12x1,5
Axle Joint Thread Type: with external thread
Driver Position: For left-hand drive vehicles
Input shaft connecting type: Splined
Input Shaft Diameter [mm]: 14,1
Input shaft height [mm]: 93
Left-hand / Right-hand Traffic: For right-hand traffic
Length 1/ Length 2 [mm]: stroke= 135
Mounting Bores Distance [mm]: 313
Number of splines on input shaft: 17
Number of steering wheel turns: 4,5
Operating Mode: Manual
Operating Mode: Mechanical
Overall Length [mm]: 1025
Steering Gear Type: Rack-and-pinion steering gear

Mounting

SG-0018JM

Steering Box



FIAT PUNTO (188)
FIAT PUNTO Van (188AX)

OE
46747626
46753991

Axle Joint Thread Size: M12x1,5
Axle Joint Thread Type: with external thread
Driver Position: For left-hand drive vehicles
Input shaft connecting type: Splined
Input Shaft Diameter [mm]: 14,1
Input shaft height [mm]: 96,5
Left-hand / Right-hand Traffic: For right-hand traffic
Length 1/ Length 2 [mm]: stroke= 130
Mounting Bores Distance [mm]: 386
Number of splines on input shaft: 17
Operating Mode: Electric
Operating Mode: Manual
Overall Length [mm]: 1025
Steering Gear Type: Rack-and-pinion steering gear
Vehicle Equipment: For vehicles with power steering

SG-0019JM

Steering Box




FIAT PUNTO (188)
FIAT PUNTO Van (188AX)

OE
46843300
51705417

Axle Joint Thread Size: M12x1,5
Axle Joint Thread Type: with external thread
Driver Position: For left-hand drive vehicles
Input shaft connecting type: Splined
Input Shaft Diameter [mm]: 14,1
Input shaft height [mm]: 94
Left-hand / Right-hand Traffic: For right-hand traffic
Length 1/ Length 2 [mm]: stroke= 130
Mounting Bores Distance [mm]: 386
Number of splines on input shaft: 26
Operating Mode: Electric
Operating Mode: Manual
Overall Length [mm]: 1025
Steering Gear Type: Rack-and-pinion steering gear
Vehicle Equipment: For vehicles with power steering

SG-0020JM

Steering Box



NISSAN QASHQAI / QASHQAI +2 (J10, JJ10)
RENAULT KOLEOS (HY_)


OE
48001-3622R
48001-JD000
48001-JD900
48001-JD90B
48001-JY40A

Axle Joint Thread Size: M14x1,5
Axle Joint Thread Type: with external thread
Driver Position: For left-hand drive vehicles
Input shaft connecting type: Square
Input Shaft Diameter [mm]: 16,5
Left-hand / Right-hand Traffic: For right-hand traffic
Length 1/ Length 2 [mm]: stroke= 155
Mounting Bores Distance [mm]: 317
Number of steering wheel turns: 3,5
Operating Mode: Electric
Operating Mode: Manual
Overall Length [mm]: 1105
Steering Gear Type: Rack-and-pinion steering gear

Mounting

SG-0021JM

Steering Box



NISSAN QASHQAI
NISSAN QASHQAI (J11, J11_)
RENAULT KADJAR

OE

48 00 14E H0A
48001-4EH0A
48001-4EH0B
49 00 138 76R

Axle Joint Thread Size: M14x1,5
Length [mm]: 520
Mounting Bores Distance [mm]: 290
Operating Mode: Mechanical

106-01-176

Rod/Strut, stabiliser



NISSAN JUKE (F16_)
RENAULT CAPTUR II
RENAULT CLIO V (BF_)

OE

5461600Q0L
546181427R

Bar/Strut: Coupling Rod
Fitting Position: Front Axle
Length [mm]: 260
Pipe [mm]: 8
Specification: Lung perno-perno
Thread Measurement 1: MM10X1,25R

106-01-178L

Link, wheel suspension



NISSAN QASHQAI III (J12)

OE

546686UA0A

Bar/Strut: Coupling Rod
Fitting Position: Front Axle Left
Length [mm]: 300
Paired article numbers: 106-01-178R
Paired article numbers: 106178R
Paired article numbers: SI-178R
Pipe [mm]: 14
Specification: Lung perno-perno
Thread Measurement 1: MM12X1,25R

106-02-2012

Rod/Strut, stabiliser



TOYOTA COROLLA (_E7_)
TOYOTA COROLLA 2 volumi /Coda spiovente
(_E7_)
TOYOTA COROLLA Combi (KE)
TOYOTA COROLLA Station Wagon (_E7_)

OE

4881912010

Bar/Strut: Coupling Rod
Fitting Position: Front Axle
Length [mm]: 130
Specification: Lung perno-perno
Thread Measurement 1: MM8x1,25R

106-02-2013

Rod/Strut, stabiliser



TOYOTA MR 2 II (SW2_)

OE


4883017030
4883017040
4883017050

Bar/Strut: Coupling Rod
Fitting Position: Rear Axle
Length [mm]: 204
Pipe [mm]: 14
Specification: Lung perno-perno
Thread Measurement 1: MM10X1,25R

Mounting

106-02-2016L

Rod/Strut, stabiliser




OE
31306886279
48820WAA01

Bar/Strut: Coupling Rod
Fitting Position: Front Axle Left
Length [mm]: 392
Paired article numbers: 106-02-2016R
Paired article numbers: 1062016R
Paired article numbers: SI-2016R
Pipe [mm]: 12
Specification: Lung perno-perno
Thread Measurement 1: MM10X1,5R

106-02-2016R

Rod/Strut, stabiliser




OE
31306886280
48820WAA02

Bar/Strut: Coupling Rod
Fitting Position: Front Axle Right
Length [mm]: 392
Paired article numbers: 106-02-2016L
Paired article numbers: 1062016L
Paired article numbers: SI-2016L
Pipe [mm]: 12
Specification: Lung perno-perno
Thread Measurement 1: MM10X1,5R

106-02-2018

Rod/Strut, stabiliser




OE
48820K0010

Bar/Strut: Coupling Rod
Fitting Position: Front Axle
Length [mm]: 330
Specification: Lung perno-perno
Thread Measurement 1: MM12X1,25R

106-08-814

Rod/Strut, stabiliser




OE
4242053R00
4242053R01
4242068R00
4242068R01

Bar/Strut: Coupling Rod
Fitting Position: Front Axle
Length [mm]: 350
Pipe [mm]: 10
Specification: Lung perno-perno
Thread Measurement 1: MM10X1,25R

106-0H-81L

Sway Bar, suspension



OE
55530 J9500

Bar/Strut: Coupling Rod
Fitting Position: Rear Axle Left
Length 1 [mm]: 110
Specification: Lung perno-perno
Thread Measurement 1: MM12X1,5R

Mounting

106-0H-H81R

Sway Bar, suspension



HYUNDAI KONA (OS)

OE
55540 J9500

Bar/Strut: Coupling Rod
Fitting Position: Rear Axle Right
Length 1 [mm]: 110
Specification: Lung perno-perno
Thread Measurement 1: MM12X1,5R

106-0H-H82L

Sway Bar, suspension



HYUNDAI IONIQ 5 (NE)

OE
54830 GI000
56830 CV000

Fitting Position: Front Axle Left
Length 1 [mm]: 340
Specification: Lung perno-perno
Thread Size: MM12X1,25R

106-0H-H82R

Sway Bar, suspension



HYUNDAI IONIQ 5 (NE)

OE
54831 CV000
54831 GI000

Fitting Position: Front Axle Right
Length 1 [mm]: 340
Specification: Lung perno-perno
Thread Size: MM12X1,25R

106-0K-K61

Rod/Strut, stabiliser



KIA BONGO Pianale piatto/Telaio
KIA K2500 (SD)
KIA K2700
KIA K2700 (SD)

OE
OKX4334150
0S08534150

Bar/Strut: Coupling Rod
Fitting Position: Front Axle
Length [mm]: 175
Specification: Lung perno-perno
Thread Measurement 1: MM8X1,25R

106-0S-S13L

Rod/Strut, stabiliser



SSANGYONG TIVOLI
SSANGYONG XLV Fuoristrada chiuso
SSANGYONG XLV VAN

OE
4575035000

Bar/Strut: Coupling Rod
Fitting Position: Rear Axle Left
Length [mm]: 140
Paired article numbers: 106-0S-S13R
Paired article numbers: 106S13R
Paired article numbers: SI-S13R
Specification: Lung perno-perno
Thread Measurement 1: MM12X1,25R

Mounting

106-0S-S13R

Rod/Strut, stabiliser



SSANGYONG TIVOLI
SSANGYONG XLV Fuoristrada chiuso
SSANGYONG XLV VAN

OE
4576035000

Bar/Strut: Coupling Rod
Fitting Position: Rear Axle Right
Length [mm]: 140
Paired article numbers: 106-0S-S13L
Paired article numbers: 106S13L
Paired article numbers: SI-S13L
Specification: Lung perno-perno
Thread Measurement 1: MM12X1,25R